




## Exterior Selection Guide

In-Stock Brochure



## Why Millwork Distributors?

- Quick turnaround times on assembled and pre-finished doors from our state-of-the-art onsite production facility.
- Highly knowledgeable customer service and sales associates dedicated to help you with order, product, technical, and training support.
- PrismaGuard®. Prefinishing for stain and paint. 16 standard stain colors. Will match any Sherwin Williams paint color.
- A fleet of dedicated Millwork Distributors, Inc. trucks to deliver material to you when you need it.

## Why Therma-Tru® Doors

Uncompromising quality, inside and out.

### #1 Among Building Pros

It's a brand you can trust. Why? Because year after year, building professionals rank Therma-Tru #1 – as the brand they prefer most – in entry doors.\*



### Experience & Know-How

Behind every Therma-Tru door stands decades of experience and technical know-how. Therma-Tru makes or recommends every aspect – from the glass to the hinges – to bring your home durability and reliability through the years.

### Lifetime Limited Warranty

When you pay close attention to every detail that goes into a door, you can stand behind its parts longer than the rest. That's why your Therma-Tru fiberglass door system is backed with a lifetime limited warranty – the industry's most comprehensive warranty of its kind.



### Energy Efficiency

More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



\*Brand Use Study, 2019 *Builder* magazine.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Front Cover: Smooth-Star Collection, Clear Glass with SDLs, Door – S4813, Sidelites – S2000SL

Above: Classic-Craft Rustic Collection Door – CCR205

Right Page: Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL, Door Surround – TDS-FLTFLT

# Table of Contents

Why Choose Us .....	2
Curb Appeal .....	4
Classic-Craft® Door Options.....	6
Fiber-Classic® & Smooth-Star® Door Options.....	8
Entry Door Configurations.....	9
Classic-Craft® Door Construction .....	10
Fiber-Classic® & Smooth-Star® Door Construction .....	11
Door Surrounds.....	12
Decorative Glass.....	14
Specialty Glass .....	16
EnLiten™ Flush-Glazed Designs .....	18
Full-Glass Options .....	20
3/4-Glass Options.....	32
2/3-Glass Options.....	36
1/2-Glass Options.....	38
Oval-Glass Options.....	48
Craftsman Options.....	50
Center-Glass Options .....	56
Minimal-Glass Options .....	58
Solid-Panel Options.....	62
Pulse® Options.....	68
Full-Glass Sidelites .....	72
3/4- & 1/2-Glass Sidelites.....	80
Craftsman Sidelites.....	82
Pulse® Sidelites.....	83
8'0" Full-Glass Options.....	84
8'0" 3/4-Glass Options .....	88
8'0" 1/2-Glass Options .....	92
8'0" Craftsman Options .....	96
8'0" Minimal-Glass Options.....	100
8'0" Solid-Panel Options .....	102
8'0" Pulse® Options .....	104
8'0" Full-Glass Sidelites.....	108
8'0" 3/4-Glass Sidelites .....	110
8'0" 1/2-Glass Sidelites .....	112
8'0" Pulse® Sidelites .....	113
Steel Options .....	114
Steel Sidelite Options .....	130
8'0" Steel Options.....	135
A Complete Door System.....	137
PrismaGuard®.....	138
MDI Finishing Options .....	139
MDI PreHung Options.....	140
MDI Garage Door Frames.....	141
Pella® Storm Doors .....	142
Pre-Clad Hinged Patio Doors .....	143
Rapid Ship.....	146
Product Details.....	150



# What a DIFFERENCE a DOOR Makes

## Are You Remodeling?

There are so many ways to renovate a home. But adding a stunning new Therma-Tru entry door is one sure way to help homeowners add curb appeal.

Curb Appeal



Now that's a smart investment.



**\$18,750**

A smart investment, a new Therma-Tru entry door can **increase** your home's perceived **value** by **4.2% or \$18,750** on average.\*<sup>1</sup>



Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.\*



**10 SEC.**

Potential homebuyers will form an opinion about your home's value within **10 seconds** of seeing it in person.<sup>2</sup>

<sup>1</sup>www.thermatru.com <sup>2</sup>www.about.com

\*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of Internet-based research.

## FIND YOUR Home's Perfect MATCH

Get inspired to choose entry doors by design with our Architectural Home Styles Guide to popular home styles. Choose a door that brings out the best of your home's style. Let us help you find your match.

[www.homestyles.thermatru.com](http://www.homestyles.thermatru.com)



Craftsman



Coastal



Traditional



Modern



Colonial



Victorian



European



Southwest

## Turn Your Vision into Reality

Choose a door that brings out the best of your home's style. Then picture it on your home with the DoorWays™ App.

1. Create and experiment with multiple door and glass combinations in the gallery.
2. Take a picture of your home and pop in the doors you designed.
3. Once you find your perfect new entry, locate your dealer to help you buy it.



Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android and Google Play are trademarks of Google, Inc.

# Door Options

Choose from our many fiberglass doors to create an entry that complements the architectural style of your home. Options include wood-grained, stained or smooth, painted surfaces.

## Classic-Craft. Premium Entryways

These premium fiberglass entryways come in four wood grains or a smooth surface that all rival the look of custom wood. Classic-Craft entry doors are rated a *Consumers Digest* Best Buy.



## Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to  
25% wider  
panels\*



**Classic-Craft  
Premium Door**



**Standard  
Fiberglass Door**



**Premium – right down to the edge.**  
A solid hardwood square edge delivers a genuine wood appearance.



**Standard fiberglass bullnose edge.**  
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.

# Classic-Craft® American Style Collection™

Classic-Craft®  
Mahogany Collection™

Classic-Craft®  
Rustic Collection™

Classic-Craft®  
Oak Collection™

Classic-Craft®  
Canvas Collection®


# Door Options

## Fiber-Classic® Doors

Get the look and feel of rich Mahogany or warm Oak with excellent performance and value.




Fiber-Classic®  
Mahogany  
Collection™



Fiber-Classic®  
Oak Collection™

## Smooth-Star® Doors

Get a smooth surface for plenty of color options with exceptional performance and value.



Smooth-Star®







# Entry Door Configurations

Configure a beautiful look to suit your home.

## Single Doors




## Multiple Doors



# Door Swing & Handing

Find the door swing and handing needed for your home.

Options include inswing and outswing for right- and left-handed operation.



# Door Construction



## Classic-Craft® Premium Entryways

### 1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

### 2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

### 3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

### 4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.\*

### 5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.



## Fiber-Classic® & Smooth-Star® Doors

### 1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

### 2 Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

### 3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

### 4 R-Values

Built with a polyurethane foam core, Thermo-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency, offering up to four times the insulating R-Value of wood.\*

### 5 Tru-Guard™ Composite Edge

Tru-Guard™ composite edges are engineered to work together with composite top and bottom rails and durable fiberglass skins to help protect from water absorption and rot on all six sides.

# Therma-Tru® Door Surrounds

## Polished style for the entryway.


Add a beautiful, finished look to the entry with stylish, low-maintenance door surrounds from Therma-Tru.

### Craftsman Cove Crosshead



**Craftsman Cove Header with End Cap Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CCCPLN-K-5S9H	5"	9"



**Craftsman Cove Header Plain Pilaster Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRCPLN-K-5S9H	5"	9"



**Craftsman Cove Header with End Cap Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CCCFLT-4S9H	4"	9"
B	TDS-CCCFLT-6S9H	6"	9"



**Craftsman Cove Header Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRCFLT-4S9H	4"	9"
B	TDS-CRCFLT-6S9H	6"	9"


### Craftsman Step Crosshead



**Craftsman Step Header Smooth Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	TDS-CRSFLT-4S6H	4"	6"
B	TDS-CRSFLT-4S8H	4"	8"
C	TDS-CRSFLT-6S6H	6"	6"
D	TDS-CRSFLT-6S8H	6"	8"

### Smooth & Woodgrain Flat Trim



**Smooth (TDS) / Woodgrain (TDG) Flat Trim Header Smooth / Woodgrain Flat Trim Side**

	Style Option	Side Trim Width	Header Height
A	___-FLTFLT-4S4H	4"	4"
B	___-FLTFLT-4S6H	4"	6"
C	___-FLTFLT-6S4H	6"	4"
D	___-FLTFLT-6S6H	6"	6"



- Available in smooth and wood-grained options that can be painted or stained.
- Features a low-maintenance, durable and trimmable polyurethane construction that resists moisture and insects, and won't rot, warp, crack or split like wood. And, it won't expand or contract in extreme temperatures.
- Backed by the industry's most comprehensive lifetime limited warranty.





Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, dimensional data or additional configurations. Dimensions listed are nominal and not actual.

Left Page: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV89922, Surround – TDS-CCCFLT  
Right Page: Pulse Línea, Satin Etch Glass with Flat Lite Frame, Door – S1RXE, Sidelite – S601XESL, Surround – TDS-FLTFLT

# Decorative Glass

## Classic-Craft®

### Homeward™




Black Nickel

Privacy Rating 1 **4** 10



## Fiber-Classic® & Smooth-Star®

### Sedona



Black Nickel

Privacy Rating 1 **7** 10



### Maple Park®



Black Nickel



Brushed Nickel

Privacy Rating 1 **6** 10



### Avonlea®



Black Nickel

Privacy Rating 1 **4** 10



### Saratoga™



Black Nickel



Brushed Nickel

Privacy Rating 1 **7** 10



### Wellesley™



Black Nickel



Brushed Nickel Brass

Privacy Rating 1 **6** 10



### Concorde™



Black Nickel



Brushed Nickel Brass

Privacy Rating 1 **8** 10



### Kensington™



Black Nickel



Brushed Nickel

Privacy Rating 1   8  10



### Axis™



Black Nickel

Privacy Rating 1         7  10



### Frosted Images®



Privacy Rating 1   8  10



Decorative Glass

# Specialty Glass

**Satin Etch (XE)**



Privacy Rating 1 10




**Chord (XC)**



Privacy Rating 1 10



**Chinchilla (XJ)**



Privacy Rating 1 10



**Rainglass (XR)**



Privacy Rating 1 8



**Granite (XN)**



Privacy Rating 1 10



**Internal Blinds**




**Screen Vented**




**Low-E Glass**



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.





## Simulated Divided Lites (SDL)



## SDL Bar Options

### Classic-Craft



(40.64 mm / 1.6 in.)  
Look for the (SDL) designation.

(107.95 mm / 4.25 in.)  
Look for the (SDLF3) and (DDBF3) designations.

(139.70 mm / 5.5 in.)  
Look for the (SDLF4) and (DDBF4) designations.

(40.64 mm / 1.6 in.)  
Look for the (SDL) designation.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (SDLF5) and (DDBF5) designations.

### Fiber-Classic Smooth-Star



(28.6 mm / 1.125 in.)  
Look for the (SDL) designation.

### Smooth-Star



(28.6 mm / 1.125 in.)  
Look for the (SDLF1) designation.

### Fiber-Classic



(88.9 mm / 3.5 in.)  
Look for the (SDLF2) designation.

### Smooth-Star



## Grilles Between Glass (GBG)

Flat & Contoured White Bars



## Removable Wood Grilles (RG)



## Fixed Grilles (FXG)



## Flush-Glazed Glass (FG)



Features clean lines and a wider daylight opening.



# EnLiten™ Flush-Glazed Designs

For Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥) icon.




Front Entry


EnLiten™ Flush-Glazed Designs

## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass



Lip-Lite Frame

## Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

\*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.  
 \*\*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval.  
 Impact-rated products not available.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, ©TheHouseDesigners.com

Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150

Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600

Right Page Right: Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S4812SL



Utility Door



Front Entry



Patio Doors

## Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)

EnLiten™ Flush-Glazed Designs

## Warranty riders for peace of mind.

### EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

### EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.





Full-Glass Options

Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Door - CCA2310XE, Sidelite - CCA2310XESL

# Full-Glass Options

## Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Note: Product images show exterior side of door.

Privacy SDL



Classic-Craft American Style  
CCA2300XE-SDLF4 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2310XE-SDLF4 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2320XE-SDLF3 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2330XE-SDLF3 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2340XE-SDLF3 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2350XE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2360XE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2380XE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA2370XE-SDLF4 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft American Style  
CCA4900XE-SDLF3 ▲  
(Satin Etch)

Full-Glass Options

Key

- ▲ Flush-Glazed Glass
- XE Satin Etch
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

# Full-Glass Options

## Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

*All doors available in 6'8" height and 3'0" width.*

Privacy SDL



Classic-Craft  
American Style  
CCA4910LXE-SDLF3 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft  
American Style  
CCA4910RXE-SDLF3 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft  
American Style  
CCA4920LXE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft  
American Style  
CCA4920RXE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft  
American Style  
CCA4930XE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



Classic-Craft  
American Style  
CCA4940XE-SDLF5 ▲  
(Satin Etch)

Privacy



Classic-Craft  
American Style  
CCA2400XE ▲  
(Satin Etch)

Low-E SDL



Classic-Craft  
American Style  
CCA2300-SDLF4LE ▲  
(Low-E)

Low-E SDL



Classic-Craft  
American Style  
CCA2310-SDLF4LE ▲  
(Low-E)

Low-E SDL



Classic-Craft  
American Style  
CCA2320-SDLF3LE ▲  
(Low-E)

Note: Product images show exterior side of door.

Low-E SDL



Classic-Craft American Style  
CCA2330-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA2340-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA2350-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA2360-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA2380-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA2370-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA4900-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA4910L-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA4910R-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA4920L-SDLF5LE (Low-E)

Full-Glass Options

# Full-Glass Options

## Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

*All doors available in 6'8" height and 3'0" width.*

Low-E SDL



Classic-Craft  
American Style  
CCA4920R-SDLF5LE ▲  
(Low-E)

Low-E SDL



Classic-Craft  
American Style  
CCA4930-SDLF5LE ▲  
(Low-E)

## Classic-Craft®

*All doors available in 6'8" height and 3'0" width.*

Low-E



Classic-Craft Oak  
CC100-LE (Low-E)

Low-E SDL



Classic-Craft  
American Style  
CCA4940-SDLF5LE ▲  
(Low-E)

Low-E



Classic-Craft  
American Style  
CCA2400-LE ▲  
(Low-E)

Full-Glass Options

### Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- 1D Black Nickel

- 1C Brushed Nickel
- LE Low-E
- SDLF5 Simulated Divided Lites

- 710 7'0" Height in Select Sizes
- 218 Available in 2'8" Width
- 2110 Available in 2'10" Width

- 316 Available in 3'6" Width



**Fiber-Classic® & Smooth-Star®**  
*All doors available in 6'8" height and 3'0" width.*

**Saratoga**



**Fiber-Classic Mahogany**  
 FCM905 (1D) 218

**Saratoga**



**Fiber-Classic Mahogany**  
 FCM6093 (1D) 218

**Wellesley**



**Smooth-Star**  
 S155 (1D, 1C)  
 210 710

**Wellesley**



**Smooth-Star**  
 S6094 (1D, 1C)  
 210 316



**Fiber-Classic Oak**  
 FC905 (1D)  
 218



**Smooth-Star**  
 S154 (1D, 1C)  
 210 710



**Fiber-Classic Oak**  
 FC6093 (1D)  
 218



**Smooth-Star**  
 S6093 (1D, 1C)  
 210 316

**Kensington**



**Smooth-Star**  
 S160 (1D)  
 218 210 710

**Kensington**




**Smooth-Star**  
 S626 (1D)  
 218 210 316

**Axis**



**Smooth-Star**  
 S1652 (1D)  
 210 710

**Axis**



**Smooth-Star**  
 S1651 (1D)  
 210 316

Full-Glass Options

# Full-Glass Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Privacy SDL




**Fiber-Classic Mahogany**  
FCM138XR-SDL (Rainglass) 2j8

### Privacy SDL



**Fiber-Classic Mahogany**  
FCM1285XR-SDL (Rainglass)

### Privacy SDL



**Fiber-Classic Mahogany**  
FCM18XR-SDL (Rainglass) 2j8

### Privacy SDL



**Fiber-Classic Mahogany**  
FCM1284XR-SDL (Rainglass)



**Fiber-Classic Oak**  
FC138XR-SDL (Rainglass) 2j8



**Smooth-Star**  
S128( )-SDL (XE, XR) 2j8 2j10 7j0



**Fiber-Classic Oak**  
1285XR-SDL (Rainglass) 2j8



**Smooth-Star**  
S141( )-SDL (XE, XR) 2j8 2j10 3j6



**Fiber-Classic Oak**  
FC18XR-SDL (Rainglass) 2j8



**Smooth-Star**  
S108( )-SDL (XE, XR) 2j8 2j10 7j0



**Fiber-Classic Oak**  
1284XR-SDL (Rainglass) 2j8



**Smooth-Star**  
S6063( )-SDL (XE, XR) 2j8 2j10 3j6

### Privacy



**Fiber-Classic Mahogany**  
FCM10XR (Rainglass) 2j8

### Privacy



**Fiber-Classic Mahogany**  
FCM1283XR (Rainglass)

### Internal Blinds



**Fiber-Classic Mahogany**  
FCM141-RTLE (Low-E) 2j8  
FCM141-RT (Clear) 2j8

### Internal Blinds



**Fiber-Classic Mahogany**  
FCM1286-RTLE (Low-E) 2j8  
FCM1286-RT (Clear) 2j8



**Fiber-Classic Oak**  
FC10XR (Rainglass) 2j8



**Smooth-Star**  
S118( ) (XE, XR) 2j8 2j10 7j0



**Fiber-Classic Oak**  
1283XR (Rainglass) 2j8



**Smooth-Star**  
S140( ) (XE, XR) 2j8 2j10 3j6



**Fiber-Classic Oak**  
FC141-RTLE (Low-E) 2j8



**Smooth-Star**  
S130-RTLE (Low-E) 2j8 2j10 7j0



**Fiber-Classic Oak**  
1286-RTLE (Low-E) 2j8



**Smooth-Star**  
S6061-RTLE (Low-E) 2j8 2j10 3j6

FC141-RT (Clear) 2j8

S130-RT (Clear) 2j8 2j10 7j0

1286-RT (Clear) 2j8

S6061-RT (Clear) 2j8 2j10 3j6

## Key

■ No Stile Lines  
XE Satin Etch  
XR Rainglass

LE Low-E  
SDL Simulated Divided Lites  
GBG Grilles Between Glass

RG Removable Wood Grilles  
FXG Fixed Grilles  
7j0 7'0" Height in Select Sizes

2j6 Available in 2'6" Width  
2j8 Available in 2'8" Width  
2j10 Available in 2'10" Width

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM138-SDLLE (Low-E) 218  
FCM138-SDL (Clear) 218



**Fiber-Classic Oak**  
FC138-SDLLE (Low-E) 218  
FC138-SDL (Clear) 218



**Smooth-Star**  
S128-SDLLE (Low-E) 216 218 2110 710  
S128-SDL (Clear) 216 218 2110 710

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM1285-SDLLE (Low-E) 218  
FCM1285-SDL (Clear) 218



**Fiber-Classic Oak**  
1285-SDLLE (Low-E) 218  
1285-SDL (Clear) 218



**Smooth-Star**  
S141-SDLLE (Low-E) 216 218 2110 316  
S141-SDL (Clear) 216 218 2110 316

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM18-SDLLE (Low-E) 218  
FCM18-SDL (Clear) 218



**Fiber-Classic Oak**  
FC18-SDLLE (Low-E) 218  
FC18-SDL (Clear) 218



**Smooth-Star**  
S108-SDLLE (Low-E) 216 218 2110 710  
S108-SDL (Clear) 216 218 2110 710

**GBG Contoured White**



**Smooth-Star**  
S108-GBGCWLE (Low-E) 216 218 2110 710

S108-GBGCW (Clear) 216 218 2110 710

**Removable Grilles**



**Fiber-Classic Mahogany**  
FCM18-RGLE (Low-E) 218  
FCM18-RG (Clear) 218



**Fiber-Classic Oak**  
FC18-RGLE (Low-E) 218  
FC18-RG (Clear) 218



**Smooth-Star**  
S108-RGLE (Low-E) 2110 710  
S108-RG (Clear) 2110 710

**Fixed Grilles**



**Smooth-Star**  
S108-FXGLE (Low-E) 210 710

S108-FXG (Clear) 210 710

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM1284-SDLLE (Low-E) 218  
FCM1284-SDL (Clear) 218



**Fiber-Classic Oak**  
1284-SDLLE (Low-E) 218  
1284-SDL (Clear) 218



**Smooth-Star**  
S6063-SDLLE (Low-E) 216 218 2110 316  
S6063-SDL (Clear) 216 218 2110 316

**GBG Contoured White**



**Smooth-Star**  
S6063-GBGCWLE (Low-E) 216 218 2110 316

S6063-GBGCW (Clear) 216 218 2110 316

Full-Glass Options

# Full-Glass Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Removable Grilles



**Fiber-Classic Mahogany**  
FCM1284-RGLE ■ (Low-E)  
FCM1284-RG ■ (Clear)




**Fiber-Classic Oak**  
1284-RGLE ■ (Low-E) 2jB  
1284-RG ■ (Clear) 2jB



**Smooth-Star**  
S6063-RGLE ■ (Low-E) 2j10 3j6  
S6063-RG ■ (Clear) 2j10 3j6

### Fixed Grilles



**Smooth-Star**  
S6063-FXGLE ■ (Low-E) 2j10 3j6  
S6063-FXG ■ (Clear) 2j10 3j6

### GBG Contoured White



**Smooth-Star**  
S198-GBGCWLE (Low-E) 2j10 7j0

### GBG Contoured White



**Smooth-Star**  
S6062-GBGCWLE ■ (Low-E) 2j10 3j6

### Low-E / Clear



**Fiber-Classic Mahogany**  
FCM10-LE (Low-E) 2jB  
FCM10 (Clear) 2jB



**Fiber-Classic Oak**  
FC10-LE (Low-E) 2jB  
FC10 (Clear) 2jB



**Smooth-Star**  
S118-LE (Low-E) 2jB 2jB 2j10 7j0  
S118 (Clear) 2jB 2jB 2j10 7j0

### Low-E / Clear



**Fiber-Classic Mahogany**  
FCM1283-LE ■ (Low-E) 2jB  
FCM1283 ■ (Clear) 2jB



**Fiber-Classic Oak**  
1283-LE ■ (Low-E) 2jB  
1283 (Clear) 2jB



**Smooth-Star**  
S140-LE ■ (Low-E) 2j6 2jB 2j10 3j6  
S140 ■ (Clear) 2j6 2jB 2j10 3j6

### Key

- No Stile Lines
- Flush-Glazed Glass
- XC Chord

- LE Low-E
- SDL Simulated Divided Lites
- SDLF2 Simulated Divided Lites


- GBG Grilles Between Glass
- RG Removable Wood Grilles
- FXG Fixed Grilles

**Smooth-Star®**

EnLiten™ Flush-Glazed Designs


*All doors available in 6'8" height and 3'0" width.*

**Privacy SDL**



**Smooth-Star**  
S1207XC-SDL ▲ (Chord)

**Privacy SDL**



**Smooth-Star**  
S2010XC-SDL ▲ (Chord)

**Privacy SDL**



**Smooth-Star**  
S2050XC-SDL ▲ (Chord)

**Privacy SDL**



**Smooth-Star**  
S5700XC-SDLF2 ▲ (Chord)

**Privacy SDL**



**Smooth-Star**  
S5710XC-SDLF2 ▲ (Chord)

**Privacy SDL**



**Smooth-Star**  
S5720XC-SDLF2 ▲ (Chord)

**Privacy SDL**



**Smooth-Star**  
S691XC-SDLF2 ▲ (Chord)

**Privacy**



**Smooth-Star**  
S2000XC ▲ (Chord)

Full-Glass Options

7'0" Height in Select Sizes

2'6" Available in 2'6" Width

2'8" Available in 2'8" Width

2'10" Available in 2'10" Width

3'6" Available in 3'6" Width

# Full-Glass Options

Note: Product images show exterior side of door.

## Fiber-Classic® & Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

### Internal Blinds



**Smooth-Star**  
S2600-LE (Low-E) 218

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FC1207-SDLLE (Low-E)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
2010-SDLLE (Low-E)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
2050-SDLLE (Low-E)



**Smooth-Star**  
S1207-SDLLE (Low-E) 218

S1207-SDL (Clear) 218



**Smooth-Star**  
S2010-SDLLE (Low-E) 218

S2010-SDL (Clear) 218



**Smooth-Star**  
S2050-SDLLE (Low-E) 218

S2050-SDL (Clear) 218

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FC5700-SDLF2LE (Low-E)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FC5710-SDLF2LE (Low-E)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FC5720-SDLF2LE (Low-E)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FC691-SDLF2LE (Low-E)



**Smooth-Star**  
S5700-SDLF2LE (Low-E) 218

S5700-SDLF2 (Clear) 218



**Smooth-Star**  
S5710-SDLF2LE (Low-E) 218

S5710-SDLF2 (Clear) 218



**Smooth-Star**  
S5720-SDLF2LE (Low-E) 218

S5720-SDLF2 (Clear) 218



**Smooth-Star**  
S691-SDLF2LE (Low-E) 218

S691-SDLF2 (Clear) 218

Full-Glass Options

### Key

Flush-Glazed Glass

LE Low-E

SDL Simulated Divided Lites

SDLF2 Simulated Divided Lites

218 Available in 2'8" Width

**Low-E / Clear**



**Fiber-Classic Oak**  
2000-LE (Low-E)



**Smooth-Star**  
S2000-LE (Low-E)



S2000 (Clear)



Full-Glass Options



3/4-Glass Options

Fiber-Classic Oak Collection, Maple Park Glass, Door - FC777, Sidelite - FC900SL



# 3/4-Glass Options

Note: Product images show exterior side of door.

## Classic-Craft®

All doors available in 6'8" height and 3'0" width.

### Removable Grilles



Classic-Craft Oak  
CC92-RGLE (Low-E)

### Low-E




Classic-Craft Oak  
CC90-LE (Low-E)

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Maple Park



Fiber-Classic Mahogany  
FCM902 (1D)




Fiber-Classic  
Oak  
FC902 (1D)



Smooth-Star  
S6102 (1D)  
2B

### Maple Park




Fiber-Classic Oak  
FC777 (1D)



Smooth-Star  
S6103 (1D)  
2B

### Saratoga




Fiber-Classic Mahogany  
FCM907 (1D)



Fiber-Classic  
Oak  
FC907 (1D)

### Saratoga




Fiber-Classic Oak  
FC776 (1D)

### Wellesley



Smooth-Star  
S6091 (1D)  
2B

### Wellesley



Smooth-Star  
S983 (1D)  
2B

# 3/4-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

## Kensington




**Smooth-Star**  
S156 (1D)  
2B

## Kensington



**Smooth-Star**  
S20042 (1D)  
2B

## Privacy SDL



**Fiber-Classic Mahogany**  
FCM82XR-SDL (Rainglass)

## Privacy SDL



**Fiber-Classic Oak**  
FC92XR-SDL (Rainglass)

## Privacy



**Fiber-Classic Mahogany**  
FCM32XR (Rainglass)



**Fiber-Classic Oak**  
FC82XR-SDL (Rainglass)



**Smooth-Star**  
S82XR-SDL (Rainglass)  
2B



**Smooth-Star**  
S92XR-SDL (Rainglass)  
2B



**Fiber-Classic Oak**  
FC32XR (Rainglass)



**Smooth-Star**  
S80XR (Rainglass)  
2B

## Privacy



**Fiber-Classic Oak**  
FC766XR (Rainglass)



**Smooth-Star**  
S90XR (Rainglass)  
2B

## Internal Blinds




**Smooth-Star**  
S5425-RTLE (Low-E) 2B  
S5425-RT (Clear) 2B

## Internal Blinds



**Smooth-Star**  
S682-RTLE (Low-E) 2B  
S682-RT (Clear) 2B

## Low-E / Clear SDL



**Fiber-Classic Mahogany**  
FCM82-SDLLE (Low-E)  
FCM82-SDL (Clear)



**Fiber-Classic Oak**  
FC82-SDLLE (Low-E)  
FC82-SDL (Clear)



**Smooth-Star**  
S82-SDLLE (Low-E) 2B  
S82-SDL (Clear) 2B

## Removable Grilles



**Fiber-Classic Mahogany**  
FCM82-RGLE (Low-E)  
FCM82-RG (Clear)



**Fiber-Classic Oak**  
FC82-RGLE (Low-E)  
FC82-RG (Clear)



**Smooth-Star**  
S82-RGLE (Low-E) 2B  
S82-RG (Clear) 2B

**Low-E / Clear SDL**



**Fiber-Classic Oak**  
FC92-SDLLE (Low-E)  
FC92-SDL (Clear)

**Removable Grilles**



**Fiber-Classic Oak**  
FC92-RGLE (Low-E)  
FC92-RG (Clear)



**Smooth-Star**  
S92-SDLLE (Low-E) 2|B  
S92-SDL (Clear) 2|B



**Smooth-Star**  
S92-RGLE (Low-E) 2|B  
S92-RG (Clear) 2|B

**Low-E / Clear**



**Fiber-Classic Mahogany**  
FCM32-LE (Low-E)  
FCM32 (Clear)

**Low-E / Clear**



**Fiber-Classic Oak**  
FC766-LE (Low-E)  
FC766 (Clear)



**Fiber-Classic Oak**  
FC32-LE (Low-E)  
FC32 (Clear)



**Smooth-Star**  
S80-LE (Low-E) 2|B  
S80 (Clear) 2|B




**Smooth-Star**  
S90-LE (Low-E) 2|B  
S90 (Clear) 2|B

**Smooth-Star**

**EnLiten™ Flush-Glazed Designs**

*All doors available in 6'8" height and 3'0" width.*

**Low-E SDL**



**Smooth-Star**  
S2103-SDLLE (Low-E)

**Low-E SDL**



**Smooth-Star**  
S2250-SDLLE (Low-E)

**Low-E SDL**



**Smooth-Star**  
S5730-SDLF2LE (Low-E)

**Low-E**



**Smooth-Star**  
S2200-LE (Low-E)





# 2/3-Glass Options

**Classic-Craft®**

*All doors available in 6'8" height and 3'0" width.*

Note: Product images show exterior side of door.

**Low-E**



**Classic-Craft Rustic**  
CCR04020-LE (Low-E)

**Low-E**



**Classic-Craft Rustic**  
CCR20520-LE (Low-E)

**Low-E**



**Classic-Craft Rustic**  
CCR20020-LE (Low-E)



# 1/2-Glass Options

Note: Product images show exterior side of door.

## Classic-Craft®

All doors available in 6'8" height and 3'0" width.

### Privacy



**Classic-Craft Canvas**  
CCV06020XE (Satin Etch)

### Low-E



**Classic-Craft Oak**  
CC48-LE (Low-E)  
218

## Fiber-Classic® & Smooth-Star®


All doors available in 6'8" height and 3'0" width.

### Sedona




**Fiber-Classic Mahogany**  
FCM101 (1D) 218

### Sedona



**Fiber-Classic Mahogany**  
FCM6025 (1D)

### Sedona



**Fiber-Classic Mahogany**  
FCM6045 (1D)



**Fiber-Classic Oak**  
FC101 (1D)  
218



**Smooth-Star**  
S211 (1D)  
218 210 710



**Smooth-Star**  
S6025 (1D)  
218 710




**Smooth-Star**  
S6045 (1D)  
218

### Maple Park



**Fiber-Classic Mahogany**  
FCM901 (1D, 1C) 218

### Maple Park



**Fiber-Classic Mahogany**  
FCM6107 (1D, 1C)

### Maple Park



**Fiber-Classic Mahogany**  
FCM6108 (1D, 1C)



**Fiber-Classic Oak**  
FC901 (1D, 1C)  
218



**Smooth-Star**  
S6101 (1D, 1C)  
218 210 710



**Smooth-Star**  
S6107 (1D, 1C)  
218 710



**Smooth-Star**  
S6108 (1D, 1C)  
218

## Key

- 1D Black Nickel
- 1C Brushed Nickel
- XE Satin Etch

- LE Low-E
- 710 7'0" Height in Select Sizes
- 218 Available in 2'8" Width

210 Available in 2'10" Width

# 1/2-Glass Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Saratoga



**Fiber-Classic Mahogany**  
FCM906 (1D, 1C) 2/B

### Saratoga




**Fiber-Classic Mahogany**  
FCM6029 (1D, 1C)

### Saratoga



**Fiber-Classic Mahogany**  
FCM6049 (1D, 1C)

### Wellesley



**Fiber-Classic Mahogany**  
FCM105 (1C) 2/B

### Wellesley



**Fiber-Classic Mahogany**  
FCM6030 (1C)



**Fiber-Classic Oak**  
FC906 (1D, 1C) 2/B



**Smooth-Star**  
S213 (1D, 1C) 2/B 2/10 7/0



**Smooth-Star**  
S6029 (1D, 1C) 2/B 7/0



**Smooth-Star**  
S6049 (1D, 1C) 2/B



**Fiber-Classic Oak**  
FC105 (1C) 2/B



**Smooth-Star**  
S214 (1D, 1C) 2/B 2/10 7/0



**Smooth-Star**  
S6030 (1D, 1C) 2/B 7/0

### Wellesley



**Fiber-Classic Mahogany**  
FCM6050 (1C)

### Concorde




**Fiber-Classic Mahogany**  
FCM911 (1C) 2/B

### Concorde




**Fiber-Classic Mahogany**  
FCM6026 (1C)

### Concorde



**Fiber-Classic Mahogany**  
FCM6046 (1C)

### Kensington



**Fiber-Classic Mahogany**  
FCM149 (1D, 1C) 2/B



**Smooth-Star**  
S6050 (1D, 1C) 2/B



**Fiber-Classic Oak**  
FC911 (1C) 2/B



**Smooth-Star**  
S426 (1D, 1C, 1A) 2/B 2/10 7/0



**Smooth-Star**  
S6026 (1D, 1C, 1A) 2/B 7/0



**Smooth-Star**  
S6046 (1D, 1C, 1A) 2/B



**Fiber-Classic Oak**  
FC149 (1D, 1C) 2/B



**Smooth-Star**  
S161 (1D, 1C) 2/B 2/10 7/0



Note: Product images show exterior side of door.

1/2-Glass Options

**Kensington**



**Fiber-Classic Mahogany**  
FCM6036 (1D, 1C)

**Kensington**



**Fiber-Classic Mahogany**  
FCM6056 (1D, 1C)

**Frosted Images**



**Smooth-Star**  
S206E (2jB, 2j10, 7j0)

**Frosted Images**



**Smooth-Star**  
S6023 (2jB, 7j0)

**Frosted Images**



**Smooth-Star**  
S6043 (2jB)



**Smooth-Star**  
S6036 (1D, 1C)  
(2jB, 7j0)



**Smooth-Star**  
S6056 (1D, 1C)  
(2jB)

**Privacy SDL**



**Fiber-Classic Mahogany**  
FCM65XR-SDL (Rainglass) (2jB)

**Privacy SDL**



**Fiber-Classic Mahogany**  
FCM6022XR-SDL (Rainglass)

**Privacy SDL**



**Fiber-Classic Mahogany**  
FCM6042XR-SDL (Rainglass)

**Privacy**



**Fiber-Classic Mahogany**  
FCM62XR (Rainglass) (2jB)

**Privacy**



**Fiber-Classic Mahogany**  
FCM6021XR (Rainglass)



**Fiber-Classic Oak**  
FC65XR-SDL (Rainglass)  
(2jB)



**Smooth-Star**  
S262XR-SDL (Rainglass)  
(2jB, 2j10, 7j0)



**Smooth-Star**  
S6022XR-SDL (Rainglass)  
(2jB, 7j0)



**Smooth-Star**  
S6042XR-SDL (Rainglass)  
(2jB)



**Fiber-Classic Oak**  
FC62XR (Rainglass)  
(2jB)



**Smooth-Star**  
S206XR (Rainglass)  
(2jB, 2j10, 7j0)



**Smooth-Star**  
S6021XR (Rainglass)  
(2jB, 7j0)

**Key**

- 1D Black Nickel
- 1C Brushed Nickel
- 1A Brass

- XR Rainglass
- SDL Simulated Divided Lites
- (7j0) 7'0" Height in Select Sizes


- (2jB) Available in 2'8" Width
- (2j10) Available in 2'10" Width

# 1/2-Glass Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Privacy




**Fiber-Classic Mahogany**  
FCM6041XR (Rainglass)

### Privacy




**Fiber-Classic Mahogany**  
FCM104XR ■ (Rainglass)

### Internal Blinds




**Fiber-Classic Mahogany**  
FCM678-RTLE (Low-E) 2j8  
FCM678-RT (Clear) 2j8

### Internal Blinds



**Fiber-Classic Mahogany**  
FCM6035-RTLE (Low-E)  
FCM6035-RT (Clear)

### Internal Blinds



**Fiber-Classic Mahogany**  
FCM6055-RTLE (Low-E)  
FCM6055-RT (Clear)



**Smooth-Star**  
S6041XR (Rainglass)  
2j8



**Fiber-Classic Oak**  
FC104XR ■ (Rainglass)  
2j8



**Smooth-Star**  
S104XR ■ (Rainglass)  
2j8 2j10



**Fiber-Classic Oak**  
FC678-RTLE (Low-E) 2j8  
FC678-RT (Clear) 2j8



**Smooth-Star**  
S132-RTLE (Low-E) 2j8 2j10 7j0  
S132-RT (Clear) 2j8 2j10 7j0



**Smooth-Star**  
S6035-RTLE (Low-E) 2j8 7j0  
S6035-RT (Clear) 2j8 7j0



**Smooth-Star**  
S6055-RTLE (Low-E) 2j8  
S6055-RT (Clear) 2j8

### Internal Blinds



**Fiber-Classic Mahogany**  
FCM116-RTLE ■ (Low-E)  
FCM116-RT ■ (Clear)

### Screen Vented



**Smooth-Star**  
S243 2j8 2j10 7j0

### Screen Vented




**Smooth-Star**  
S6034 2j8 7j0

### Screen Vented



**Smooth-Star**  
S6054 2j8

### Screen Vented



**Smooth-Star**  
S137 ■ 2j8 2j10



**Fiber-Classic Oak**  
FC116-RTLE ■ (Low-E) 2j8  
FC116-RT ■ (Clear) 2j8



**Smooth-Star**  
S131-RTLE ■ (Low-E) 2j10  
S131-RT ■ (Clear) 2j10

**Removable Grilles**




**Fiber-Classic Mahogany**  
FCM63-RGLE (Low-E) 2'8" 2'6"  
FCM63-RG (Clear) 2'8"

**Removable Grilles**



**Fiber-Classic Mahogany**  
FCM6097-RGLE (Low-E)  
FCM6097-RG (Clear)

**Removable Grilles**



**Fiber-Classic Mahogany**  
FCM811-RGLE (Low-E)  
FCM811-RG (Clear)

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM65-SDLLE (Low-E) 2'8"  
FCM65-SDL (Clear) 2'8"

**GBG Flat White**



**Smooth-Star**  
S262-GBGFW (Clear)  
2'8" 2'10" 7'0"



**Fiber-Classic Oak**  
FC63-RGLE (Low-E) 2'8"  
FC63-RG (Clear) 2'8"



**Smooth-Star**  
S63-RGLE (Low-E) 2'8" 2'10" 7'0"  
S63-RG (Clear) 2'8" 2'10" 7'0"



**Smooth-Star**  
S6097-RGLE (Low-E) 2'8" 7'0"  
S6097-RG (Clear) 2'8" 7'0"



**Smooth-Star**  
S811-RGLE (Low-E) 2'8"  
S811-RG (Clear) 2'8"



**Fiber-Classic Oak**  
FC65-SDLLE (Low-E) 2'8"  
FC65-SDL (Clear) 2'8"



**Smooth-Star**  
S262-SDLLE (Low-E) 2'8" 2'10" 7'0"  
S262-SDL (Clear) 2'8" 2'10" 7'0"

**GBG Contoured White**



**Fiber-Classic Mahogany**  
FCM65-GBGCWLE (Low-E) 2'8"

**Removable Grilles**



**Fiber-Classic Mahogany**  
FCM65-RGLE (Low-E) 2'8"  
FCM65-RG (Clear) 2'8"

**Fixed Grilles**



**Smooth-Star**  
S262-FXGLE (Low-E) 2'8" 2'10" 7'0"  
S262-FXG (Clear) 2'8" 2'8" 2'10" 7'0"

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM6022-SDLLE (Low-E)  
FCM6022-SDL (Clear)

**GBG Flat White**



**Smooth-Star**  
S6022-GBGFW (Clear)  
2'8" 7'0"



**Fiber-Classic Oak**  
FC65-GBGCWLE (Low-E) 2'8"



**Smooth-Star**  
S262-GBGCWLE (Low-E) 2'8" 2'10" 7'0"  
S262-GBGCW (Clear) 2'8" 2'10" 7'0"



**Fiber-Classic Oak**  
FC65-RGLE (Low-E) 2'8"  
FC65-RG (Clear) 2'8" 2'8"



**Smooth-Star**  
S262-RGLE (Low-E) 2'8" 2'8" 2'10" 7'0"  
S262-RG (Clear) 2'8" 2'8" 2'10" 7'0"



**Smooth-Star**  
S6022-SDLLE (Low-E) 2'8" 7'0"  
S6022-SDL (Clear) 2'8" 7'0"

**Key**

- No Stile Lines
- XR Rainglass
- LE Low-E
- SDL Simulated Divided Lites
- GBG Grilles Between Glass
- RG Removable Wood Grilles
- FXG Fixed Grilles
- 7'0" 7'0" Height in Select Sizes
- 2'6" Available in 2'6" Width
- 2'8" Available in 2'8" Width
- 2'10" Available in 2'10" Width

# 1/2-Glass Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### GBG Contoured White



**Fiber-Classic Mahogany**  
FCM6022-GBGCWLE (Low-E)



**Smooth-Star**  
S6022-GBGCWLE (Low-E)

S6022-GBGCW (Clear)

### Removable Grilles



**Fiber-Classic Mahogany**  
FCM6022-RGLE (Low-E)  
FCM6022-RG (Clear)



**Smooth-Star**  
S6022-RGLE (Low-E)

S6022-RG (Clear)

### Fixed Grilles



**Smooth-Star**  
S6022-FXGLE (Low-E)

S6022-FXG (Clear)

### Low-E / Clear SDL



**Fiber-Classic Mahogany**  
FCM6042-SDLLE (Low-E)  
FCM6042-SDL (Clear)



**Smooth-Star**  
S6042-SDLLE (Low-E)

S6042-SDL (Clear)

### GBG Flat White



**Smooth-Star**  
S6042-GBGFW (Clear)

### GBG Contoured White



**Fiber-Classic Mahogany**  
FCM6042-GBGCWLE (Low-E)



**Smooth-Star**  
S6042-GBGCWLE (Low-E)

S6042-GBGCW (Clear)

### Removable Grilles



**Fiber-Classic Mahogany**  
FCM6042-RGLE (Low-E)  
FCM6042-RG (Clear)



**Smooth-Star**  
S6042-RGLE (Low-E)

S6042-RG (Clear)

### Fixed Grilles



**Smooth-Star**  
S6042-FXGLE (Low-E)

S6042-FXG (Clear)

### GBG Flat White



**Smooth-Star**  
S1408-GBGFW (Clear)

### GBG Contoured White



**Smooth-Star**  
S1408-GBGCWLE (Low-E)

S1408-GBGCW (Clear)

Note: Product images show exterior side of door.

**GBG Flat White**



**Smooth-Star**  
S1405-GBGFW (Clear)  
2j8 7j0

**GBG Contoured White**



**Smooth-Star**  
S1405-GBGCWLE (Low-E)  
2j8 7j0  
S1405-GBGCW (Clear)  
2j8 7j0

**GBG Flat White**



**Smooth-Star**  
S1406-GBGFW (Clear)  
2j8

**GBG Contoured White**



**Smooth-Star**  
S1406-GBGCWLE (Low-E)  
2j8  
S1406-GBGCW (Clear)  
2j8

**Low-E / Clear**



**Fiber-Classic Mahogany**  
FCM62-LE (Low-E) 2j8  
FCM62 (Clear) 2j8



**Fiber-Classic Oak**  
FC62-LE (Low-E)  
2j8  
FC62 (Clear) 2j8  
**Smooth-Star**  
S206-LE (Low-E)  
2j8 2j8 2j10 7j0  
S206 (Clear)  
2j8 2j8 2j10 7j0

**Low-E / Clear**




**Fiber-Classic Mahogany**  
FCM6021-LE (Low-E)  
FCM6021 (Clear)



**Smooth-Star**  
S6021-LE (Low-E)  
2j8 7j0  
S6021 (Clear)  
2j8 7j0

**Low-E / Clear**



**Fiber-Classic Mahogany**  
FCM6041-LE (Low-E)  
FCM6041 (Clear)



**Smooth-Star**  
S6041-LE (Low-E)  
2j8  
S6041 (Clear)  
2j8

**Low-E / Clear**




**Fiber-Classic Mahogany**  
FCM670-LE (Low-E) ■  
FCM670 (Clear) ■




**Fiber-Classic Oak**  
FC670-LE (Low-E) ■  
2j8  
FC670 (Clear) ■  
2j8  
**Smooth-Star**  
S104-LE (Low-E) ■  
2j8 2j8 2j10  
S104 (Clear) ■  
2j6 2j8 2j10

**Sedona**



**Smooth-Star**  
S35 (1D) 2j8

**Maple Park**



**Smooth-Star**  
S6106 (1D, 1C) 2j8

**Key**

- No Stile Lines
- LE Low-E
- 1D Black Nickel
- 1C Brushed Nickel
- SDL Simulated Divided Lites
- GBG Grilles Between Glass
- RG Removable Wood Grilles
- FXG Fixed Grilles
- 7j0 7'0" Height in Select Sizes
- 2j6 Available in 2'6" Width
- 2j8 Available in 2'8" Width
- 2j10 Available in 2'10" Width

# 1/2-Glass Options

## Smooth-Star®

All doors available in 6'8" height and 3'0" width.

**Saratoga**



**Smooth-Star**  
S41 (1D, 1C) 2/8

**Wellesley**



**Smooth-Star**  
S42 (1D, 1C) 2/8

**Concorde**



**Smooth-Star**  
S37 (1D, 1C, 1A) 2/8

**Kensington**



**Smooth-Star**  
S43 (1D, 1C) 2/8

**Frosted Images**



**Smooth-Star**  
S34 2/8

**Privacy SDL**




**Smooth-Star**  
S32XR-SDL (Rainglass) 2/8

**Privacy**




**Smooth-Star**  
S30XR (Rainglass) 2/8

**Internal Blinds**




**Smooth-Star**  
S971-RTLE (Low-E) 2/8  
S971-RT (Clear) 2/8

**Low-E / Clear SDL**



**Smooth-Star**  
S32-SDLLE (Low-E) 2/8  
S32-SDL (Clear) 2/8

**GBG Flat White**



**Smooth-Star**  
S32-GBGFW (Clear) 2/8

Note: Product images show exterior side of door.

**GBG Contoured White Removable Grilles**



**Smooth-Star**  
S32-GBGCWLE (Low-E)  
2/8

S32-GBGCW (Clear)  
2/8

**Fixed Grilles**



**Smooth-Star**  
S32-RGLE (Low-E)  
2/8

S32-RG (Clear)  
2/8

**Fixed Grilles**



**Smooth-Star**  
S32-FXGLE (Low-E)  
2/8

S32-FXG (Clear)  
2/8

**GBG Flat White**



**Smooth-Star**  
S1407-GBGFW (Clear)  
2/8

**GBG Contoured White Low-E / Clear**



**Smooth-Star**  
S1407-GBGCWLE (Low-E)  
2/8

S1407-GBGCW (Clear)  
2/8



**Smooth-Star**  
S30-LE (Low-E)  
2/8

S30 (Clear)  
2/8

**Key**

1D	Black Nickel	XR	Rainglass	GBG	Grilles Between Glass	2/8	Available in 2'8" Width
1C	Brushed Nickel	LE	Low-E	RG	Removable Wood Grilles		
1A	Brass	SDL	Simulated Divided Lites	FXG	Fixed Grilles		





# Oval Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Note: Product images show exterior side of door.



### Wellesley



**Fiber-Classic Mahogany**  
FCM106 (1C, 1A)

### Wellesley



**Fiber-Classic Mahogany**  
FCM163 (1C, 1A)

### Wellesley



**Fiber-Classic Oak**  
FC796 (1C, 1A)

### Concorde



**Fiber-Classic Mahogany**  
FCM916 (1D)

### Concorde



**Fiber-Classic Mahogany**  
FCM915 (1D)



**Fiber-Classic Oak**  
FC713  
(1C, 1A)



**Smooth-Star**  
S774  
(1D, 1C)



**Fiber-Classic Oak**  
FC163  
(1C, 1A)



**Smooth-Star**  
S6082  
(1D, 1C) <sup>2/8</sup>



**Smooth-Star**  
S999 (1D, 1C)



**Fiber-Classic Oak**  
FC916 (1D)



**Smooth-Star**  
S773 (1C)



**Fiber-Classic Oak**  
FC915 (1D)



**Smooth-Star**  
S6084 (1C) <sup>2/8</sup>

### Concorde



**Fiber-Classic Oak**  
FC797 (1D)

### Kensington



**Fiber-Classic Mahogany**  
FCM151 (1C)

### Kensington



**Fiber-Classic Mahogany**  
FCM789 (1C)

### Kensington



**Fiber-Classic Oak**  
FC798 (1C)



**Smooth-Star**  
S1000 (1C)



**Fiber-Classic Oak**  
FC709 (1C)



**Smooth-Star**  
S709 (1D, 1C)



**Fiber-Classic Oak**  
FC151 (1C)



**Smooth-Star**  
S163 (1D, 1C) <sup>2/8</sup>




**Smooth-Star**  
S1001 (1D, 1C)

## Key

- 1D Black Nickel
- 1C Brushed Nickel
- 1A Brass

<sup>2/8</sup> Available in 2'8" Width



# Craftsman Options

Note: Product images show exterior side of door.

## Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

### Homeward SDL



Classic-Craft  
American Style  
CCA231-SDL (1D)

### Homeward



Classic-Craft  
American Style  
CCA211 (1D)

### Privacy SDL



Classic-Craft  
American Style  
CCA220( )-SDL (XC, XR)

### Privacy SDL



Classic-Craft  
American Style  
CCA230( )-SDL (XC, XR)

### Privacy SDL



Classic-Craft  
American Style  
CCA240( )-SDL (XC, XR)

### Privacy SDL



Classic-Craft  
American Style  
CCA260( )-SDL (XC, XR)

### Privacy



Classic-Craft  
American Style  
CCA210( ) (XC, XR)

### Low-E SDL



Classic-Craft  
American Style  
CCA220-SDLLE (Low-E)

Craftsman Options

## Key

- ◐ Flush-Glazed Glass
- ◐ XR Rainglass
- 1D Black Nickel
- LE Low-E
- XC Chord
- SDL Simulated Divided Lites

# Craftsman Options

## Classic-Craft®

EnLiten™ Flush-Glazed Designs

*All doors available in 6'8" height and 3'0" width.*

Craftsman Options

Low-E SDL



Classic-Craft Canvas  
CCV920-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA230-SDLLE (Low-E)

Low-E SDL



Classic-Craft Canvas  
CCV930-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA240-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA260-SDLLE (Low-E)

Low-E SDL



Classic-Craft Canvas  
CCV960-SDLLE (Low-E)

Low-E



Classic-Craft American Style  
CCA210-LE (Low-E)

Low-E



Classic-Craft Canvas  
CCV910-LE (Low-E)

### Key

● Flush-Glazed Glass	XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites
1D Black Nickel	XC Chord	XN Granite	FF Flat Frame
1C Brushed Nickel	XJ Chinchilla	LE Low-E	2B Available in 2'8" Width

**Fiber-Classic® & Smooth-Star®**  
*All doors available in 6'8" height and 3'0" width.*

**Maple Park**



**Fiber-Classic Mahogany**  
 FCM609 (1D)  
 218



**Smooth-Star**  
 S609 (1D)  
 218

**Saratoga**



**Fiber-Classic Mahogany**  
 FCM602 (1D)  
 218



**Smooth-Star**  
 S602 (1D, 1C)  
 218

**Axis**



**Smooth-Star**  
 S2620-FF (1D)  
 218

**Axis**



**Fiber-Classic Mahogany**  
 FCM1650 (1D)  
 218



**Smooth-Star**  
 S1650 (1D)  
 218

Craftsman Options

**Privacy SDL**



**Fiber-Classic Mahogany**  
 FCM605( )-SDL (XE, XC, XR)  
 218



**Smooth-Star**  
 S605( )-SDL  
 (XE, XC, XJ, XR, XN)  
 218

**Privacy SDL**



**Fiber-Classic Mahogany**  
 FCM606( )-SDL (XE, XC, XR)  
 218



**Smooth-Star**  
 S606( )-SDL  
 (XE, XC, XJ, XR, XN)  
 218

**Privacy SDL**



**Fiber-Classic Mahogany**  
 FCM607( )-SDL (XE, XC, XR)  
 218



**Smooth-Star**  
 S607( )-SDL  
 (XE, XC, XJ, XR, XN)  
 218

**Privacy SDL**



**Fiber-Classic Mahogany**  
 FCM608( )-SDL (XE, XC, XR)  
 218



**Smooth-Star**  
 S608( )-SDL  
 (XE, XC, XJ, XR, XN)  
 218

# Craftsman Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Privacy



**Fiber-Classic Mahogany**  
FCM601( ) (XE, XC, XR)  
2j8



**Smooth-Star**  
S601( )  
(XE, XC, XJ, XR, XN)  
2j8

### Low-E SDL



**Fiber-Classic Mahogany**  
FCM605-SDLLE (Low-E)  
2j8



**Smooth-Star**  
S605-SDLLE (Low-E)  
2j8

### Low-E SDL



**Fiber-Classic Mahogany**  
FCM606-SDLLE (Low-E)  
2j8



**Smooth-Star**  
S606-SDLLE (Low-E)  
2j8

### Low-E SDL



**Fiber-Classic Mahogany**  
FCM607-SDLLE (Low-E)  
2j8



**Smooth-Star**  
S607-SDLLE (Low-E)  
2j8

### Low-E SDL



**Fiber-Classic Mahogany**  
FCM608-SDLLE (Low-E)  
2j8



**Smooth-Star**  
S608-SDLLE (Low-E)  
2j8

### Low-E



**Smooth-Star**  
S2610-FFLE (Low-E)  
2j8

### Low-E



**Fiber-Classic Mahogany**  
FCM601-LE (Low-E)  
2j8



**Smooth-Star**  
S601-LE (Low-E)  
2j8

## Key

- |   |   |  |  |
|---|---|--|--|
| <ul style="list-style-type: none"> <li>☉ Flush-Glazed Glass</li> <li>XE Satin Etch</li> <li>XC Chord</li> </ul> | <ul style="list-style-type: none"> <li>XJ Chinchilla</li> <li>XR Rainglass</li> <li>XN Granite</li> </ul> | <ul style="list-style-type: none"> <li>LE Low-E</li> <li>SDL Simulated Divided Lites</li> <li>SDLF1 Simulated Divided Lites</li> </ul> | <ul style="list-style-type: none"> <li>FF Flat Frame</li> <li>2j8 Available in 2'8" Width</li> </ul> |
|---|---|--|--|

Note: Product images show exterior side of door.

**Smooth-Star®**

EnLiten™ Flush-Glazed Designs

*All doors available in 6'8" height and 3'0" width.*

**Low-E SDL**



**Smooth-Star**  
S4812-SDLF1LE (Low-E)  
2/8

**Low-E SDL**



**Smooth-Star**  
S4813-SDLF1LE (Low-E)  
2/8

**Low-E SDL**



**Smooth-Star**  
S4814-SDLF1LE (Low-E)  
2/8

**Low-E SDL**



**Smooth-Star**  
S4816-SDLF1LE (Low-E)  
2/8

**Low-E**



**Smooth-Star**  
S4810-LE (Low-E)  
2/8

Craftsman Options

# Center Glass Options

**Fiber-Classic® & Smooth-Star®.**

*All doors available in 6'8" height and 3'0" width.*

## Maple Park



**Fiber-Classic Oak**  
FC80955 (1D, 1C)

## Saratoga



**Fiber-Classic Oak**  
FC80954 (1D, 1C)




**Smooth-Star**  
S9355 (1D, 1C)



**Smooth-Star**  
S9354 (1D, 1C)

## Wellesley



**Fiber-Classic Oak**  
FC80949 (1C)

## Concorde



**Smooth-Star**  
S9347 (1C)



**Smooth-Star**  
S9349 (1C)





Center Glass Options

**Kensington**



**Fiber-Classic Oak**  
FC80942 (1C)



**Smooth-Star**  
S9342 (1C)

**Privacy SDL**



**Fiber-Classic Oak**  
FC809203( )-SDL  
(XC, XR)



**Smooth-Star**  
S93203( )-SDL  
(XE, XC, XR, XN)

**Privacy**




**Fiber-Classic Oak**  
FC80920( )  
(XC, XR)



**Smooth-Star**  
S9320( )  
(XE, XC, XR, XN)

**Low-E / Clear SDL**



**Fiber-Classic Oak**  
FC809203-SDLLE (Low-E)  
FC809203-SDL (Clear)



**Smooth-Star**  
S93203-SDLLE (Low-E)  
S93203-SDL (Clear)

**GBG Contoured White**



**Fiber-Classic Oak**  
FC809203-GBGCW (Clear)



**Smooth-Star**  
S93203-GBGCWLE (Low-E)  
S93203-GBGCW (Clear)

**Removable Grilles**



**Fiber-Classic Oak**  
FC809203-RGLE (Low-E)  
FC809203-RG (Clear)



**Smooth-Star**  
S93203-RGLE (Low-E)  
S93203-RG (Clear)

**Fixed Grilles**



**Smooth-Star**  
S93203-FXGLE (Low-E)  
S93203-FXG (Clear)

**Low-E / Clear**



**Fiber-Classic Oak**  
FC80920-LE (Low-E)  
FC80920 (Clear)



**Smooth-Star**  
S9320-LE (Low-E)  
S9320 (Clear)

**Key**

1D Black Nickel	XC Chord	LE Low-E	RG Removable Wood Grilles
1C Brushed Nickel	XR Rainglass	SDL Simulated Divided Lites	FXG Fixed Grilles
XE Satin Etch	XN Granite	GBG Grilles Between Glass	



Minimal Glass Options

Smooth-Star, Clear Glass, Doors – S296; Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T

# Minimal Glass Options

Note: Product images show exterior side of door.

## Classic-Craft®

All doors available in 6'8" height and 3'0" width.

### Low-E



Classic-Craft Oak  
CC61-LE (Low-E)

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Maple Park



Fiber-Classic Oak  
FC903 (1D, 1C)

2B



Smooth-Star  
S6104 (1D, 1C)

2B

### Saratoga



Fiber-Classic Oak  
FC908 (1D, 1C) 2B



Smooth-Star  
S291 (1D, 1C)

2B

### Wellesley



Fiber-Classic Oak  
FC127 (1C) 2B



Smooth-Star  
S292 (1C)

2B


### Concorde



Smooth-Star  
S430 (1C)

2B

### Kensington



Fiber-Classic Oak  
FC152 (1C) 2B



Smooth-Star  
S162 (1C)

2B

### Privacy SDL



Fiber-Classic Oak  
FC807(\_\_\_\_)SDL (XC, XR) 2B



Smooth-Star  
S807(\_\_\_\_)SDL  
(XE, XC, XR, XN)

2B

Minimal Glass Options

## Key

1D	Black Nickel	XC	Chord	LE	Low-E
1C	Brushed Nickel	XR	Rainglass	SDL	Simulated Divided Lites
XE	Satin Etch	XN	Granite	2B	Available in 2'8" Width

# Minimal Glass Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### Privacy



**Fiber-Classic Oak**  
FC48( ) (XC, XR) 2jB



**Smooth-Star**  
S289( )  
(XE, XC, XR, XN)  
2jB

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FC807-SDLLE (Low-E) 2jB  
FC807-SDL (Clear) 2jB



**Smooth-Star**  
S807-SDLLE (Low-E)  
2jB  
S807-SDL (Clear)  
2jB

### GBG Contoured White



**Fiber-Classic Oak**  
FC807-GBGCW (Clear) 2jB



**Smooth-Star**  
S807-GBGCWLE (Low-E)  
2jB  
S807-GBGCW (Clear)  
2jB

### Removable Grilles



**Fiber-Classic Oak**  
FC807-RGLE (Low-E) 2jB  
FC807-RG (Clear) 2jB



**Smooth-Star**  
S807-RGLE (Low-E)  
2jB  
S807-RG (Clear)  
2jB

### Fixed Grilles



**Smooth-Star**  
S807-FXGLE (Low-E)  
2jB  
S807-FXG (Clear)  
2jB

### Low-E / Clear




**Fiber-Classic Oak**  
FC48-LE (Low-E) 2jB  
FC48 (Clear) 2jB



**Smooth-Star**  
S289-LE (Low-E)  
2jB  
S289 (Clear)  
2jB

### Low-E / Clear



**Smooth-Star**  
S105-LE (Low-E)  
2jB 2jB 2j10  
S105 (Clear)  
2jB 2jB 2j10

### Fixed Grilles



**Smooth-Star**  
S752-FXG (Clear) 2jB 2j10 7j0

### Fixed Grilles



**Smooth-Star**  
S704-FXG (Clear) 2jB 2j10 7j0

### Clear



**Smooth-Star**  
S708 (Clear) 2jB 2j10 7j0

## Key

■ No Stile Lines	XR Rainglass	SDL Simulated Divided Lites	FXG Fixed Grilles
XE Satin Etch	XN Granite	GBG Grilles Between Glass	7j0 7'0" Height in Select Sizes
XC Chord	LE Low-E	RG Removable Wood Grilles	2jB Available in 2'6" Width

**GBG Contoured White Fixed Grilles**



**Smooth-Star**  
S255-GBGCW (Clear)  
2|8

**Fixed Grilles**



**Fiber-Classic Oak**  
FC23-FXG (Clear)

**Low-E / Clear**



**Smooth-Star**  
S256-LE (Low-E)  
2|8  
S256 (Clear)  
2|8

**Fixed Grilles**



**Smooth-Star**  
S236-FXG (Clear) 2|8 2|10



**Smooth-Star**  
S255-FXG (Clear)  
2|8

**Privacy**



**Smooth-Star**  
S296XE (Satin Etch)  
2|6 2|8 2|10 7|0

**Low-E / Clear**



**Fiber-Classic Mahogany**  
FCM61-LE (Low-E) 2|8  
FCM61 (Clear) 2|8



**Fiber-Classic Oak**  
FC61-LE (Low-E) 2|6 2|8 2|10 7|0  
2|6 2|8  
FC61 (Clear)  
2|6 2|8



**Smooth-Star**  
S296-LE (Low-E)  
2|6 2|8 2|10 7|0  
S296 (Clear)  
2|6 2|8 2|10 7|0

Minimal Glass Options

- 2|8 Available in 2'8" Width
- 2|10 Available in 2'10" Width

Solid-Panel Options



1119

# Solid-Panel Options

## Classic-Craft® Shaker

All doors available in 6'8" height and 3'0" width.

Note: Product images show exterior side of door.

**3-Panel Shaker**



Classic-Craft  
American Style  
CCA1133-DDBF4

**4-Panel Shaker**



Classic-Craft  
American Style  
CCA1145-DDBF4

**2-Panel  
Craftsman Shaker**



Classic-Craft  
American Style  
CCA1125-DDBF5

**4-Panel  
Craftsman Shaker**



Classic-Craft  
American Style  
CCA1149-DDBF5

**4-Panel Square  
Top Shaker**



Classic-Craft  
American Style  
CCA1147-DDBF5

**6-Panel Shaker**



Classic-Craft  
American Style  
CCA1166-DDBF5

**2-Panel Square  
Top Shaker**



Classic-Craft  
American Style  
CCA1127-DDBF4

**X-Brace**



Classic-Craft  
American Style  
CCA4905-DDBF3

**Z-Brace-Left**



Classic-Craft  
American Style  
CCA4915L-DDBF3

**Z-Brace-Right**



Classic-Craft  
American Style  
CCA4915R-DDBF3

Solid-Panel Options

**Key**

- DDBF3 Door Divider Bars
- DDBF4 Door Divider Bars
- DDBF5 Door Divider Bars

# Solid-Panel Options

## Classic-Craft® Shaker

All doors available in 6'8" height and 3'0" width.

Double-Z-Left



Classic-Craft  
American Style  
CCA4925L-DDBF5

Double-Z-Right



Classic-Craft  
American Style  
CCA4925R-DDBF5

Double-X



Classic-Craft  
American Style  
CCA4935-DDBF5

Bottom-X



Classic-Craft  
American Style  
CCA4945-DDBF5

1-Panel Shaker



Classic-Craft  
American Style  
CCA1100

## Classic-Craft®

All doors available in 6'8" height and 3'0" width.

2-Panel Plank  
Soft Arch



Classic-Craft Rustic  
CCR205  
CCRF205 🔑

4-Panel Round Top



Classic-Craft Rustic  
CCR040

2-Panel Soft Arch



Classic-Craft Rustic  
CCR200  
CCRF200 🔑

2-Panel 3/4 Top



Classic-Craft Oak  
CC91





## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

### 6-Panel



**Classic-Craft Mahogany**  
CCM60



**Classic-Craft Oak**  
CC60

2½



**Classic-Craft Canvas**  
CCV060

### 3-Panel Square Top



**Fiber-Classic Mahogany**  
FCM31



**Fiber-Classic Oak**  
FC31

### 2-Panel 3/4 Top



**Fiber-Classic Oak**  
FC809



**Smooth-Star**  
S93

SSF93 🔗

### 2-Panel Square Top



**Fiber-Classic Mahogany**  
FCM220  
FMF220 🔗




**Smooth-Star**  
S220\*

2½ 7½

SSF220\* 🔗  
2½

### 1-Panel Shaker



**Smooth-Star**  
S1100

2½

SSF1100 🔗

2½

### 2-Panel Square Top Shaker



**Smooth-Star**  
S120

2½

SSF120 🔗

2½

### 2-Panel Soft Arch



**Smooth-Star**  
S200

2½

SSF200 🔗

2½

\*Select sizes available with elevated 10" bottom rail.

\*\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance).

# Solid-Panel Options

## Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Note: Product images show exterior side of door.

Solid-Panel Options

### 2-Panel Plank Soft Arch



**Fiber-Classic Mahogany**  
FCM205  
FMF205



**Smooth-Star**  
S205  
SSF205

### 3-Panel



**Smooth-Star**  
S31

### 4-Panel Square Top



**Fiber-Classic Oak**  
FC808  
FCF808



**Smooth-Star**  
S960  
SSF960

### 3-Panel Scroll



**Fiber-Classic Mahogany**  
FCM755




**Fiber-Classic Oak**  
FC755



**Smooth-Star**  
S755

### 2-Panel Craftsman Shaker



**Smooth-Star**  
S4800  
SSF4800

### 2-Panel Craftsman



**Fiber-Classic Mahogany**  
FCM600  
FMF600



**Smooth-Star**  
S600  
SSF600

### 8-Panel



**Fiber-Classic Mahogany**  
FCM134



**Fiber-Classic Oak**  
FC134



**Smooth-Star**  
S11

### 6-Panel



**Fiber-Classic Mahogany**  
FCM60  
FMF60



**Fiber-Classic Oak**  
FC60\*  
FCF160\*



**Smooth-Star**  
S210\*  
SSF160\*

### Flush Panel



**Fiber-Classic Mahogany**  
FCM1000



**Fiber-Classic Oak**  
1000  
FCF100



**Smooth-Star**  
S100  
SSF100

Key

■ No Stile Lines

🔥 20-Minute Fire-Rated\*\*

7'0 7'0" Height in Select Sizes

2'6 Available in 2'6" Width

2'8 Available in 2'8" Width

2'10 Available in 2'10" Width

3'6 Available in 3'6" Width



Solid-Panel Options

Smooth-Star Door – S1100; Low-E Glass with GBGs, Sidelites – S2009SL

\*Select sizes available with elevated 10" bottom rail.

\*\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance).



Pulse. Options

Pulse Línea, Rainglass with Flat Frame, Door - S1RXR


# Pulse® Options

All doors available in 6'8" height and 3'0" width.

Note: Product images show exterior side of door.

## Ari

### Saratoga



**Smooth**  
S2SG (1D, 1C) 2/8 2/10 3/6



**Mahogany**  
FCM2SG (1D)



**Oak**  
FC2SG (1D)  
2/8

### Axis



**Smooth**  
S2AX-FF (1D) 2/8 2/10 3/6  
S2AX (1D) 2/8 2/10 3/6



**Mahogany**  
FCM2AX-FF (1D)  
FCM2AX (1D)



**Oak**  
FC2AX-FF (1D)  
FC2AX (1D)  
2/8

## Línea

### Sedona



**Smooth**  
S1(L, C, R)SN (1D)  
2/6 2/8 2/10 3/6




**Mahogany**  
FCM1(L, C, R)SN  
(1D)



**Oak**  
FC1(L, C, R)SN  
(1D)  
2/8

### Avonlea




**Mahogany**  
FCM1(L, C, R)AV (1D)



**Oak**  
FC1(L, C, R)AV (1D)  
2/8

## Privacy



**Smooth**  
S2( ) (XE, XC, XJ, XR, XN)  
2/8 2/10 3/6



**Mahogany**  
FCM2( )  
(XE, XC, XR)



**Oak**  
FC2( )  
(XE, XC, XR)  
2/8

## Low-E



**Smooth**  
S2CL-FFLE (Low-E) 2/8 2/10 3/6  
S2CL-LE (Low-E) 2/8 2/10 3/6




**Mahogany**  
FCM2CL-LE  
(Low-E)



**Oak**  
FC2CL-LE  
(Low-E) 2/8

## Saratoga



**Smooth**  
S1(L, C, R)SG (1D, 1C)  
2/6 2/8 2/10 3/6



**Mahogany**  
FCM1(L, C, R)SG  
(1D, 1C)



**Oak**  
FC1(L, C, R)SG  
(1D, 1C)  
2/8

## Axis



**Smooth**  
S1(L, C, R)AX (1D)  
2/6 2/8 2/10 3/6



**Mahogany**  
FCM1(L, C, R)AX  
(1D)



**Oak**  
FC1(L, C, R)AX (1D)  
2/8

### Key

1D Black Nickel  
1C Brushed Nickel  
XE Satin Etch

XC Chord  
XJ Chinchilla  
XR Rainglass

XN Granite  
LE Low-E  
FF Flat Frame

2/6 Available in 2'6" Width  
2/8 Available in 2'8" Width  
2/10 Available in 2'10" Width

3/6 Available in 3'6" Width

# Pulse® Options

All doors available in 6'8" height and 3'0" width.

## Línea

### Privacy



#### Smooth

S1(L, C, R)(\_) (XE, XC, XJ, XR, XN)

2'6 2'8 2'10 3'6



#### Mahogany

FCM1(L, C, R)(\_) (XE, XC, XR)



#### Oak

FC1(L, C, R)(\_) (XE, XC, XR)

2'8

### Low-E / Clear



#### Smooth

S1(L, C, R)CL-LE (Low-E) 2'6 2'8 2'10 3'6

S1(L, C, R)CL (Clear) 2'6 2'8 2'10 3'6



#### Mahogany

FCM1(L, C, R)CL-LE (Low-E)

FCM1(L, C, R)CL (Clear)




#### Oak

FC1(L, C, R)CL-LE (Low-E) 2'8

FC1(L, C, R)CL (Clear) 2'8

## Echo

### Privacy




#### Smooth

S4(L, C, R)XE (Satin Etch)

2'6 2'8 2'10 3'6

### Privacy



#### Smooth

S5(L, C, R)XE (Satin Etch)

2'6 2'8 2'10 3'6

### Privacy




#### Smooth

S9(L, C, R)XE (Satin Etch)

2'6 2'8 2'10 3'6

### Privacy



#### Smooth

S8(L, C, R)XE (Satin Etch)

2'6 2'8 2'10 3'6

## Key

XE Satin Etch    XR Rainglass  
 XC Chord    XN Granite  
 XJ Chinchilla    LE Low-E

CL Clear  
 2'6 Available in 2'6" Width  
 2'8 Available in 2'8" Width

2'10 Available in 2'10" Width  
 3'6 Available in 3'6" Width

Note: Product images show exterior side of door.


**Low-E / Clear**



**Smooth**

S4(L, C, R)CL-LE (Low-E) 2|6 2|8 2|10 3|6  
 S4(L, C, R)CL (Clear) 2|6 2|8 2|10 3|6

**Low-E / Clear**



**Smooth**

S5(L, C, R)CL-LE (Low-E) 2|6 2|8 2|10 3|6  
 S5(L, C, R)CL (Clear) 2|6 2|8 2|10 3|6



**Mahogany**

FCM4(L, C, R)CL-LE  
 (Low-E)

FCM4(L, C, R)CL  
 (Clear)



**Oak**

FC4(L, C, R)CL-LE  
 (Low-E) 2|8

FC4(L, C, R)CL  
 (Clear) 2|8



**Mahogany**

FCM5(L, C, R)CL-LE  
 (Low-E)

FCM5(L, C, R)CL  
 (Clear)



**Oak**

FC5(L, C, R)CL-LE  
 (Low-E) 2|8

FC5(L, C, R)CL  
 (Clear) 2|8


**Low-E / Clear**



**Smooth**

S9(L, C, R)CL-LE (Low-E) 2|6 2|8 2|10 3|6  
 S9(L, C, R)CL (Clear) 2|6 2|8 2|10 3|6

**Low-E / Clear**



**Smooth**

S8(L, C, R)CL-LE (Low-E) 2|6 2|8 2|10 3|6  
 S8(L, C, R)CL (Clear) 2|6 2|8 2|10 3|6



**Mahogany**

FCM9(L, C, R)CL-LE  
 (Low-E)

FCM9(L, C, R)CL  
 (Clear)



**Oak**

FC9(L, C, R)CL-LE  
 (Low-E) 2|8

FC9(L, C, R)CL  
 (Clear) 2|8



**Mahogany**

FCM8(L, C, R)CL-LE  
 (Low-E)

FCM8(L, C, R)CL  
 (Clear)



**Oak**

FC8(L, C, R)CL-LE  
 (Low-E) 2|8

FC8(L, C, R)CL  
 (Clear) 2|8



Pulse® Options

# Full-Glass Sidelites

## Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

*All sidelites available in 6'8" height 14" width.*

Privacy SDL



**Classic-Craft American Style**  
CCA2300XESL-SDLF4 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA2310XESL-SDLF4 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA2320XESL-SDLF3 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA2330XESL-SDLF3 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA2340XESL-SDLF3 ▲  
(Satin Etch)


Privacy



**Classic-Craft American Style**  
CCA2400XESL ▲  
(Satin Etch)

## Sidelite Configurations

Configure a beautiful look to suit your home.



### Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- Vented Sidelite
- 1D Black Nickel
- 1C Brushed Nickel
- XE Satin Etch



### Classic-Craft®

EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.

#### Homeward



Classic-Craft  
American Style  
CCA3401SL ▲ (1D)

#### Low-E SDL



Classic-Craft  
American Style  
CCA3450SL-SDLLE ▲ (Low-E)

#### Removable Grilles



Classic-Craft  
Oak  
CC2025SL-RGLE ▲ (Low-E)  
14 ONLY

#### Low-E



Classic-Craft  
American Style  
CCA3400SL-LE ▲ (Low-E)



Classic-Craft  
Rustic  
CCR3400SL-LE ▲ (Low-E)



Classic-Craft  
Oak  
CC2020SL-LE ▲ (Low-E)  
14 ONLY

### Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

#### Sedona



Fiber-Classic  
Oak  
FC100SL (1D)



Smooth-Star  
S139SL (1D)

#### Sedona



Fiber-Classic  
Mahogany  
FCM816SL ■● (1D)



Fiber-Classic  
Oak  
FC816SL  
■● (1D)



Smooth-Star  
S604SL  
■● (1D)  
10 No Vented

#### Maple Park



Fiber-Classic  
Oak  
FC900SL (1D, 1C)



Smooth-Star  
S6100SL-FF (1D)  
S6100SL (1D, 1C)

#### Maple Park



Fiber-Classic  
Mahogany  
FCM812SL ■● (1D, 1C)



Fiber-Classic  
Oak  
FC812SL  
■● (1D, 1C)



Smooth-Star  
S6131SL  
■● (1D, 1C)  
10 No Vented

LE Low-E  
SDL Simulated Divided Lites  
SDLF3 Simulated Divided Lites

SDLF4 Simulated Divided Lites  
RG Removable Wood Grilles  
FF Flat Frame

10 Available in 10" Width  
14 Available in 14" Width

# Full-Glass Sidelites

## Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

### Avonlea



**Fiber-Classic  
Oak**  
FC758SL (1D)

### Avonlea



**Fiber-Classic  
Mahogany**  
FCM807SL ■ ● (1D)

### Saratoga



**Fiber-Classic  
Oak**  
FC905SL (1D, 1C)

### Saratoga



**Fiber-Classic  
Mahogany**  
FCM815SL ■ ● (1D, 1C)



**Fiber-Classic  
Oak**  
FC807SL ■ ● (1D)



**Smooth-Star  
Oak**  
S154SL (1D, 1C)



**Fiber-Classic  
Mahogany**  
FC815SL  
■ ● (1D, 1C)



**Smooth-Star  
Mahogany**  
S602SL  
■ ● (1D, 1C)  
(10 No Vented)

### Wellesley



**Fiber-Classic  
Oak**  
FC104SL (1C, 1A)

### Wellesley



**Fiber-Classic  
Mahogany**  
FCM818SL ■ ● (1C, 1A)

### Concorde



**Fiber-Classic  
Oak**  
FC910SL (1D)

### Concorde



**Fiber-Classic  
Mahogany**  
FCM809SL ■ ● (1D)



**Smooth-Star  
Oak**  
S155SL (1D, 1C)



**Fiber-Classic  
Mahogany**  
FC818SL  
■ ● (1C, 1A)



**Smooth-Star  
Mahogany**  
S5870SL  
■ ● (1D, 1C)  
(10 No Vented)



**Smooth-Star  
Oak**  
S416SL (1C)



**Fiber-Classic  
Mahogany**  
FC809SL  
■ ● (1D)



**Smooth-Star  
Mahogany**  
S4070SL  
■ ● (1C)  
(10 No Vented)

**Kensington**



**Fiber-Classic Oak**  
FC148SL (1C)



**Smooth-Star**  
S160SL (1D, 1C)

**Kensington**



**Fiber-Classic Mahogany**  
FCM813SL ■ ● (1C)



**Fiber-Classic Oak**  
FC813SL ■ ● (1C)



**Smooth-Star**  
S6132SL ■ ● (1D, 1C)  
(10 No Vented)

**Axis**



**Fiber-Classic Oak**  
FC1652SL (1D)



**Smooth-Star**  
S1652SL (1D)

**Axis**



**Fiber-Classic Mahogany**  
FCM1651SL ■ ● (1D)



**Fiber-Classic Oak**  
FC1651SL ■ ● (1D)



**Smooth-Star**  
S1651SL ■ ● (1D)  
(10 No Vented)

**Privacy SDL**



**Fiber-Classic Oak**  
FC18( )SL-SDL (XE, XC, XR)



**Smooth-Star**  
S308( )SL-SDL (XE, XC, XJ, XR, XN)

**Privacy SDL**



**Fiber-Classic Mahogany**  
FCM12102( )SL-SDL ■ ● (XE, XC, XR)



**Fiber-Classic Oak**  
12102( )SL-SDL ■ ● (XE, XC, XR)



**Smooth-Star**  
S1170( )SL-SDL ■ ● (XE, XC, XJ, XR, XN)  
(10 No Vented)

**Privacy SDL**



**Fiber-Classic Oak**  
FCO6188( )SL-SDL (XE, XC, XR)



**Smooth-Star**  
S605( )SL-SDL (XE, XC, XJ, XR, XN)

**Privacy SDL**



**Fiber-Classic Mahogany**  
FCM6124( )SL-SDL ■ ● (XE, XC, XR)



**Fiber-Classic Oak**  
FCO6184( )SL-SDL ■ ● (XE, XC, XR)



**Smooth-Star**  
S6124( )SL-SDL ■ ● (XE, XC, XJ, XR, XN)  
(10 No Vented)

**Key**

- No Stile Lines
- Vented Sidelite
- 1D Black Nickel
- 1C Brushed Nickel
- 1A Brass
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- SDL Simulated Divided Lites
- (10) Available in 10" Width

Full-Glass Sidelites

# Full-Glass Sidelites

## Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

### Privacy SDL



**Fiber-Classic Oak**  
FCO6189( )SL-SDL  
(XE, XC, XR)



**Smooth-Star**  
S606( )SL-SDL  
(XE, XC, XJ, XR, XN)

### Privacy SDL



**Fiber-Classic Mahogany**  
FCM6125( )SL-SDL ■ ●  
(XE, XC, XR)



**Fiber-Classic Oak**  
FCO6185( )SL-SDL ■ ●  
(XE, XC, XR)



**Smooth-Star**  
S6125( )SL-SDL ■ ●  
(XE, XC, XJ, XR, XN)  
(10 No Vented)

### Privacy SDL



**Fiber-Classic Oak**  
FCO6190( )SL-SDL  
(XE, XC, XR)



**Smooth-Star**  
S607( )SL-SDL  
(XE, XC, XJ, XR, XN)

### Privacy SDL



**Fiber-Classic Mahogany**  
FCM6126( )SL-SDL ■ ●  
(XE, XC, XR)



**Fiber-Classic Oak**  
FCO6186( )SL-SDL ■ ●  
(XE, XC, XR)



**Smooth-Star**  
S6126( )SL-SDL ■ ●  
(XE, XC, XJ, XR, XN)  
(10 No Vented)

### Privacy



**Fiber-Classic Oak**  
FC47( )SL  
(XE, XC, XR)



**Smooth-Star**  
S100( )SL  
(XE, XC, XJ, XR, XN)

### Privacy



**Fiber-Classic Mahogany**  
FCM12101( )SL ■ ●  
(XE, XC, XR)



**Fiber-Classic Oak**  
12101( )SL ■ ●  
(XE, XC, XR)



**Smooth-Star**  
S601( )SL ■ ●  
(XE, XC, XJ, XR, XN)  
(10 No Vented)

### Internal Blinds



**Smooth-Star**  
S130SL-RTLE (Low-E)

### Internal Blinds



**Smooth-Star**  
S6128SL-RTLE ■ ● (Low-E)  
(10 No Vented)

**Low-E / Clear SDL**



**Fiber-Classic Oak**  
FC18SL-SDLLE (Low-E)  
FC18SL-SDL (Clear)



**Smooth-Star**  
S308SL-SDLLE (Low-E)  
S308SL-SDL (Clear)

**GBG Contoured White**



**Smooth-Star**  
S308SL-GBGCWLE (Low-E)  
S308SL-GBGCW (Clear)

**Removable Grilles**



**Fiber-Classic Oak**  
FC18SL-RGLE (Low-E)  
FC18SL-RG (Clear)



**Smooth-Star**  
S308SL-RGLE (Low-E)  
S308SL-RG (Clear)

**Fixed Grilles**



**Smooth-Star**  
S308SL-FXG (Clear)

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM12102SL-SDLLE (Low-E)  
FCM12102SL-SDL (Clear)



**Fiber-Classic Oak**  
12102SL-SDLLE (Low-E)  
12102SL-SDL (Clear)



**Smooth-Star**  
S1170SL-SDLLE (Low-E)  
S1170SL-SDL (Clear)

**GBG Contoured White**



**Smooth-Star**  
S1170SL-GBGCWLE (Low-E)  
S1170SL-GBGCW (Clear)

**Removable Grilles**



**Fiber-Classic Mahogany**  
FCM12102SL-RGLE (Low-E)  
FCM12102SL-RG (Clear)



**Fiber-Classic Oak**  
12102SL-RGLE (Low-E)  
12102SL-RG (Clear)



**Smooth-Star**  
S1170SL-RGLE (Low-E)  
S1170SL-RG (Clear)

**Fixed Grilles**



**Smooth-Star**  
S1170SL-FXG (Clear)

**Key**

- No Stile Lines
- Vented Sidelite
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDL Simulated Divided Lites
- GBG Grilles Between Glass
- RG Removable Wood Grilles
- FXG Fixed Grilles
- <sup>10</sup> Available in 10" Width


Full-Glass Sidelites

# Full-Glass Sidelites

## Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FCO6188SL-SDLLE (Low-E)  
FCO6188SL-SDL (Clear)



**Smooth-Star**  
S605SL-SDLLE (Low-E)  
S605SL-SDL (Clear)

### Low-E / Clear SDL



**Fiber-Classic Mahogany**  
FCM6124SL-SDLLE (Low-E)  
FCM6124SL-SDL (Clear)



**Fiber-Classic Oak**  
FCO6184SL-SDLLE (Low-E)  
FCO6184SL-SDL (Clear)



**Smooth-Star**  
S6124SL-SDLLE (Low-E)  
S6124SL-SDL (Clear)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FCO6189SL-SDLLE (Low-E)  
FCO6189SL-SDL (Clear)



**Smooth-Star**  
S606SL-SDLLE (Low-E)  
S606SL-SDL (Clear)

### Low-E / Clear SDL



**Fiber-Classic Mahogany**  
FCM6125SL-SDLLE (Low-E)  
FCM6125SL-SDL (Clear)




**Fiber-Classic Oak**  
FCO6185SL-SDLLE (Low-E)  
FCO6185SL-SDL (Clear)



**Smooth-Star**  
S6125SL-SDLLE (Low-E)  
S6125SL-SDL (Clear)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
FCO6190SL-SDLLE (Low-E)  
FCO6190SL-SDL (Clear)



**Smooth-Star**  
S607SL-SDLLE (Low-E)  
S607SL-SDL (Clear)

### Low-E / Clear SDL



**Fiber-Classic Mahogany**  
FCM6126SL-SDLLE (Low-E)  
FCM6126SL-SDL (Clear)



**Fiber-Classic Oak**  
FCO6186SL-SDLLE (Low-E)  
FCO6186SL-SDL (Clear)



**Smooth-Star**  
S6126SL-SDLLE (Low-E)  
S6126SL-SDL (Clear)

### Low-E / Clear



**Fiber-Classic Oak**  
FC47SL-LE (Low-E)  
FC47SL (Clear)



**Smooth-Star**  
S100SL-LE (Low-E)  
S100SL (Clear)

### Low-E / Clear



**Fiber-Classic Mahogany**  
FCM12101SL-LE (Low-E)  
FCM12101SL (Clear)



**Fiber-Classic Oak**  
12101SL-LE (Low-E)  
12101SL (Clear)



**Smooth-Star**  
S601SL-LE (Low-E)  
S601SL (Clear)

## Smooth-Star®

EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.

Low-E / Clear SDL



**Smooth-Star**  
S2010SL-SDLLE (Low-E)  
S2010SL-SDL (Clear)

Low-E / Clear SDL



**Smooth-Star**  
S2010SL-SDLF1LE (Low-E)  
S2010SL-SDLF1 (Clear)

Low-E / Clear SDL



**Smooth-Star**  
S2000SL-2C-SDLLE (Low-E)  
S2000SL-2C-SDL (Clear)

Low-E / Clear SDL



**Smooth-Star**  
S2000SL-4C-SDLLE (Low-E)  
S2000SL-4C-SDL (Clear)

Low-E / Clear SDL



**Smooth-Star**  
S5700SL-SDLF2LE (Low-E)  
S5700SL-SDLF2 (Clear)

Low-E / Clear SDL



**Smooth-Star**  
S5710SL-SDLF2LE (Low-E)  
S5710SL-SDLF2 (Clear)

Low-E / Clear SDL



**Smooth-Star**  
S5720SL-SDLF2LE (Low-E)  
S5720SL-SDLF2 (Clear)

Low-E / Clear



**Smooth-Star**  
S2000SL-LE (Low-E)  
S2000SL (Clear)

Full-Glass Sidelites

### Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- Vented Sidelite
- LE Low-E
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites
- SDLF2 Simulated Divided Lites
- ⑩ Available in 10" Width



3/4- & 1/2-Glass Sidelites

# 3/4- & 1/2-Glass Sidelites

**Fiber-Classic® & Smooth-Star®**

*All sidelites available in 6'8" height and 12" and 14" widths.*

## Maple Park



**Fiber-Classic Mahogany**  
FCM902SL (1D)

## Low-E / Clear SDL



**Fiber-Classic Mahogany**  
FCM92SL-SDLLE (Low-E)  
FCM92SL-SDL (Clear)

## Low-E / Clear



**Fiber-Classic Mahogany**  
FCM32SL-LE (Low-E)  
FCM32SL (Clear)



**Fiber-Classic Oak**  
FC902SL (1D)



**Smooth-Star S6102SL**  
(1D)



**Fiber-Classic Oak**  
FC92SL-SDLLE (Low-E)  
FC92SL-SDL (Clear)



**Smooth-Star S82SL-SDLLE**  
(Low-E)  
S82SL-SDL (Clear)



**Fiber-Classic Oak**  
FC32SL-LE (Low-E)  
FC32SL (Clear)




**Smooth-Star S751SL-LE**  
(Low-E)  
S751SL (Clear)

## Maple Park



**Fiber-Classic Mahogany**  
FCM901SL (1D, 1C)

## Saratoga



**Fiber-Classic Mahogany**  
FCM906SL (1D, 1C)

## Wellesley



**Fiber-Classic Mahogany**  
FCM105SL (1C)



**Fiber-Classic Oak**  
FC901SL (1D, 1C)



**Smooth-Star S6101SL**  
(1D, 1C)



**Fiber-Classic Oak**  
FC906SL (1D, 1C)



**Smooth-Star S291SL**  
(1D, 1C)



**Fiber-Classic Oak**  
FC105SL (1C)



**Smooth-Star S292SL**  
(1C)

## Sidelite Configurations

Configure a beautiful look to suit your home.





**Concorde**



**Smooth-Star**  
S430SL (1C)

**Kensington**



**Fiber-Classic Mahogany**  
FCM149SL (1C)



**Fiber-Classic Oak**  
FC149SL (1C)



**Smooth-Star**  
S161SL (1C)

**Privacy SDL**



**Fiber-Classic Mahogany**  
FCM65( )SL-SDL (XC, XR)



**Fiber-Classic Oak**  
FC63( )SL-SDL (XC, XR)



**Smooth-Star**  
S263( )SL-SDL (XE, XC, XR, XN)

**Privacy**



**Fiber-Classic Mahogany**  
FCM62( )SL (XC, XR)



**Fiber-Classic Oak**  
FC48( )SL (XC, XR)



**Smooth-Star**  
S210( )SL (XE, XC, XR, XN)

**Low-E / Clear SDL**



**Fiber-Classic Mahogany**  
FCM65SL-SDLLE (Low-E)  
FCM65SL-SDL (Clear)



**Fiber-Classic Oak**  
FC63SL-SDLLE (Low-E)  
FC63SL-SDL (Clear)



**Smooth-Star**  
S263SL-SDLLE (Low-E)  
S263SL-SDL (Clear)

**GBG Contoured White**



**Fiber-Classic Mahogany**  
FCM65SL-GBGCW (Clear)



**Fiber-Classic Oak**  
FC63SL-GBGCW (Clear)



**Smooth-Star**  
S263SL-GBGCWLE (Low-E)  
S263SL-GBGCW (Clear)

**Removable Grilles**



**Fiber-Classic Mahogany**  
FCM65SL-RGLE (Low-E)  
FCM65SL-RG (Clear)



**Fiber-Classic Oak**  
FC63SL-RGLE (Low-E)  
FC63SL-RG (Clear)



**Smooth-Star**  
S263SL-RGLE (Low-E)  
S263SL-RG (Clear)

**Fixed Grilles**



**Smooth-Star**  
S263SL-FXGLE (Low-E)  
S263SL-FXG (Clear)

**Low-E / Clear**



**Fiber-Classic Mahogany**  
FCM62SL-LE (Low-E)  
FCM62SL (Clear)



**Fiber-Classic Oak**  
FC48SL-LE (Low-E)  
FC48SL (Clear)



**Smooth-Star**  
S210SL-LE (Low-E)  
S210SL (Clear)

3/4- & 1/2-Glass Sidelites

**Key**

1D	Black Nickel	XC	Chord	LE	Low-E	RG	Removable Wood Grilles
1C	Brushed Nickel	XR	Rainglass	SDL	Simulated Divided Lites	FXG	Fixed Grilles
XE	Satin Etch	XN	Granite	GBG	Grilles Between Glass		



# Craftsman Sidelites

## Classic-Craft®

EnLiten™ Flush-Glazed Designs

*All sidelites available in 6'8" height and 12" and 14" widths.*

Low-E SDL



Classic-Craft  
American Style  
CCA220SL-SDLLE ▲  
(Low-E)

Low-E



Classic-Craft  
American Style  
CCA210SL-LE ▲  
(Low-E)

## Smooth-Star®

EnLiten™ Flush-Glazed Designs

*All sidelites available in 6'8" height and 12" and 14" widths.*

Low-E SDL



Smooth-Star  
S4812SL-SDLF1LE ▲  
(Low-E)


Low-E



Smooth-Star  
S4810SL-LE ▲ (Low-E)

## Sidelite Configurations

Configure a beautiful look to suit your home.



# Pulse® Sidelites

Note: Product images show exterior side of sidelite.

All sidelites available in 6'8" height and 12" and 14" widths.

## Privacy



**Smooth**  
S5XESL (Satin Etch)

## Privacy



**Smooth**  
S4XESL (Satin Etch)

## Privacy




**Smooth**  
S9XESL (Satin Etch)

## Privacy



**Smooth**  
S10XESL (Satin Etch)

## Low-E / Clear



**Smooth**  
S5CLSLE (Low-E)  
S5CLS (Clear)

## Low-E / Clear




**Smooth**  
S4CLSLE (Low-E)  
S4CLS (Clear)

## Low-E / Clear



**Smooth**  
S9CLSLE (Low-E)  
S9CLS (Clear)

## Low-E / Clear



**Smooth**  
S10CLSLE (Low-E)  
S10CLS (Clear)



**Mahogany**  
FCM5CLSLE (Low-E)

FCM5CLS (Clear)



**Oak**  
FC5CLSLE (Low-E)

FC5CLS (Clear)



**Mahogany**  
FCM4CLSLE (Low-E)

FCM4CLS (Clear)



**Oak**  
FC4CLSLE (Low-E)

FC4CLS (Clear)



**Mahogany**  
FCM9CLSLE (Low-E)

FCM9CLS (Clear)



**Oak**  
FC9CLSLE (Low-E)

FC9CLS (Clear)



**Mahogany**  
FCM10CLSLE (Low-E)

FCM10CLS (Clear)



**Oak**  
FC10CLSLE (Low-E)

FC10CLS (Clear)

### Key

- Flush-Glazed Glass
- XE Satin Etch
- LE Low-E
- CL Clear
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites



8'0" Full-Glass Options

# 8'0" Full-Glass Options

## Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

*All doors available in 8'0" height and 3'0" width.*

Note: Product images show exterior side of door.

Privacy SDL



**Classic-Craft American Style**  
CCA82300XE-SDLF4 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82310XE-SDLF4 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82320XE-SDLF3 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82330XE-SDLF3 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82340XE-SDLF3 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82350XE-SDLF5 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82360XE-SDLF5 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82380XE-SDLF5 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA82370XE-SDLF4 (Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA84900XE-SDLF3 (Satin Etch)

8'0" Full-Glass Options

Key

- Flush-Glazed Glass
- XE Satin Etch
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

# 8'0" Full-Glass Options

## Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

*All doors available in 8'0" height and 3'0" width.*

Privacy SDL



**Classic-Craft American Style**  
CCA84910LXE-SDLF3 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA84910RXE-SDLF3 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA84920LXE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA84920RXE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA84930XE-SDLF5 ▲  
(Satin Etch)

Privacy SDL



**Classic-Craft American Style**  
CCA84940XE-SDLF5 ▲  
(Satin Etch)

Privacy



**Classic-Craft American Style**  
CCA82400XE ▲  
(Satin Etch)

8'0" Full-Glass Options

### Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- XE Satin Etch
- LE Low-E
- SDLF3 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

**Smooth-Star®**  
*All doors available in 8'0" height and 3'0" width.*

**Low-E**



**Smooth-Star**  
S818-LE (Low-E)

**Smooth-Star®**  
EnLiten™ Flush-Glazed Designs  
*All doors available in 8'0" height and 3'0" width.*

**Internal Blinds**



**Smooth-Star**  
S82600-LE (Low-E)

**Low-E**



**Smooth-Star**  
S8140-LE (Low-E)

**8'0" Full-Glass Options**



8'0" 3/4-Glass Options



# 8'0" 3/4-Glass Options

## Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Note: Product images show exterior side of door.

### Saratoga



**Fiber-Classic Oak**  
81956P (1D)

### Wellesley



**Smooth-Star**  
S892 (1D, 1C)

### Kensington




**Smooth-Star**  
S902 (1D)

### Axis



**Smooth-Star**  
S81646 (1D)

### Privacy SDL



**Fiber-Classic Oak**  
81945PXR-SDL (Rainglass)




**Smooth-Star**  
S891 (1D, 1C)



**Smooth-Star**  
S881( )-SDL (XE, XR)

### Privacy SDL



**Fiber-Classic Oak**  
81946PXR-SDL (Rainglass)

### Privacy



**Fiber-Classic Oak**  
81943PXR (Rainglass)

### Internal Blinds



**Fiber-Classic Oak**  
81964P-RTLE (Low-E)  
81964P-RT (Clear)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
81945P-SDLLE (Low-E)  
81945P-SDL (Clear)

### Low-E / Clear SDL



**Fiber-Classic Oak**  
81946P-SDLLE (Low-E)  
81946P-SDL (Clear)



**Smooth-Star**  
S822( )-SDL (XE, XR)



**Smooth-Star**  
S880( ) (XE, XR)



**Smooth-Star**  
S8682-RTLE (Low-E)  
S8682-RT (Clear)



**Smooth-Star**  
S881-SDLLE (Low-E)  
S881-SDL (Clear)



**Smooth-Star**  
S882-SDLLE (Low-E)  
S882-SDL (Clear)

8'0" 3/4-Glass Options

### Key

- 1D Black Nickel
- 1C Brushed Nickel
- XE Satin Etch
- XR Rainglass
- LE Low-E
- SDL Simulated Divided Lites

# 8'0" 3/4-Glass Options

**Fiber-Classic® & Smooth-Star®**

*All doors available in 8'0" height and 3'0" width.*

Note: Product images show exterior side of door.

## GBG Contoured White

## Removable Grilles

## Fixed Grilles



**Smooth-Star**  
S882-GBGCWLE (Low-E)  
S882-GBGCW (Clear)



**Fiber-Classic Oak**  
81946P-RGLE (Low-E)  
81946P-RG (Clear)



**Smooth-Star**  
S882-FXGLE (Low-E)  
S882-FXG (Clear)



**Smooth-Star**  
S882-RGLE (Low-E)  
S882-RG (Clear)

## GBG Contoured White

## Low-E / Clear



**Smooth-Star**  
S898-GBGCWLE (Low-E)



**Fiber-Classic Oak**  
81943P-LE (Low-E)  
81943P (Clear)



**Smooth-Star**  
S880-LE (Low-E)  
S880 (Clear)

8'0" 3/4-Glass Options

Key

- LE Low-E
- GBG Grilles Between Glass
- RG Removable Wood Grilles
- FXG Fixed Grilles



8'0" 3/4-Glass Options



8'0" 1/2-Glass Options

# 8'0" 1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Note: Product images show exterior side of door.

Maple Park



Smooth-Star  
S81939P (1D)

Wellesley



Smooth-Star  
S81941P (1D)

Kensington



Smooth-Star  
S8149 (1D)

Privacy SDL



Smooth-Star  
S8321XR-SDL (Rainglass)

Privacy



Smooth-Star  
S81929PXR (Rainglass)

Internal Blinds



Smooth-Star  
S8132-RTLE (Low-E)  
S8132-RT (Clear)

Low-E / Clear SDL



Smooth-Star  
S8321-SDLLE (Low-E)  
S8321-SDL (Clear)

Removable Grilles



Smooth-Star  
S8321-RGLE (Low-E)  
S8321-RG (Clear)

Low-E / Clear



Smooth-Star  
S81929P-LE (Low-E)  
S81929P (Clear)

Maple Park



Fiber-Classic Oak  
81982P (1D)



Smooth-Star  
S85897 (1D)

8'0" 1/2-Glass Options

Key

- 1D Black Nickel
- XR Rainglass
- LE Low-E
- SDL Simulated Divided Lites
- RG Removable Wood Grilles

# 8'0" 1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Note: Product images show exterior side of door.

## Saratoga




Fiber-Classic Oak  
81981P (1D)

## Wellesley



Smooth-Star  
S85909 (1D)

## Kensington



Smooth-Star  
S89701 (1D)

## Privacy SDL



Fiber-Classic Oak  
FC832XR-SDL (Rainglass)

## Privacy



Fiber-Classic Oak  
81971PXR (Rainglass)



Smooth-Star  
S832XR-SDL (Rainglass)



Smooth-Star  
S830XR (Rainglass)

## Internal Blinds



Smooth-Star  
S8971-RTLE (Low-E)  
S8971-RT (Clear)

## Low-E / Clear SDL



Fiber-Classic Oak  
FC832-SDLLE (Low-E)  
FC832-SDL (Clear)



Smooth-Star  
S832-SDLLE (Low-E)  
S832-SDL (Clear)

## Removable Grilles



Fiber-Classic Oak  
FC832-RGLE (Low-E)  
FC832-RG (Clear)



Smooth-Star  
S832-RGLE (Low-E)  
S832-RG (Clear)

## Low-E / Clear



Fiber-Classic Oak  
81971P-LE (Low-E)  
81971P (Clear)



Smooth-Star  
S830-LE (Low-E)  
S830 (Clear)

8'0" 1/2-Glass Options

Key

1D Black Nickel  
XR Rainglass  
LE Low-E

SDL Simulated Divided Lites  
RG Removable Wood Grilles



8'0" 1/2-Glass Options



Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8230, Sidelites – CCA3500SL, Dentil Shelf

# 8'0" Craftsman Options

**Classic-Craft®**

EnLiten™ Flush-Glazed Designs

*All doors available in 8'0" height and 3'0" width.*

Low-E SDL



Classic-Craft American Style  
CCA8220-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA87200-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA8230-SDLLE (Low-E)



8'0" Craftsman Options

Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8220; Smooth-Star, Satin Etch Glass, Sidelites – S8601XESL

Low-E SDL



Classic-Craft American Style  
CCA87300-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA8240-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style  
CCA8260-SDLLE (Low-E)



**Smooth-Star®**  
*All doors available in 8'0" height and 3'0" width.*

**Low-E**



**Classic-Craft  
 American Style**  
 CCA8210-LE (Low-E)

**Maple Park**



**Smooth-Star**  
 S8609 (1D)

**Saratoga**



**Smooth-Star**  
 S8602 (1D, 1C)

**Axis**



**Smooth-Star**  
 S82620-FF (1D)

**Axis**



**Smooth-Star**  
 S81650 (1D)

**Low-E**



**Classic-Craft  
 American Style**  
 CCA87100-LE (Low-E)



**Privacy SDL**



**Smooth-Star**  
 S8605( )-SDL  
 (XE, XC, XJ, XR, XN)

**Privacy SDL**



**Smooth-Star**  
 S8606( )-SDL  
 (XE, XC, XJ, XR, XN)

**Privacy SDL**



**Smooth-Star**  
 S8607( )-SDL  
 (XE, XC, XJ, XR, XN)

**Privacy SDL**



**Smooth-Star**  
 S8608( )-SDL  
 (XE, XC, XJ, XR, XN)

8'0" Craftsman Options

<b>Key</b>	● Flush-Glazed Glass	XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites
	1D Black Nickel	XC Chord	XN Granite	FF Flat Frame
	1C Brushed Nickel	XJ Chinchilla	LE Low-E	Ⓜ Available in 3'6" Width

# 8'0" Craftsman Options

## Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Privacy



Smooth-Star  
S8600(□)  
(XE, XC, XJ, XR, XN)

Low-E SDL



Smooth-Star  
S8605-SDLLE (Low-E)

Low-E SDL



Smooth-Star  
S8606-SDLLE (Low-E)

Low-E SDL



Smooth-Star  
S8607-SDLLE (Low-E)

Low-E SDL



Smooth-Star  
S8608-SDLLE (Low-E)

Low-E



Smooth-Star  
S82610-FFLE (Low-E)

Low-E



Smooth-Star  
S8601-LE (Low-E)

8'0" Craftsman Options

### Key

●	Flush-Glazed Glass	XJ	Chinchilla	LE	Low-E	FF	Flat Frame
XE	Satin Etch	XR	Rainglass	SDL	Simulated Divided Lites		
XC	Chord	XN	Granite	SDLF1	Simulated Divided Lites		

Note: Product images show exterior side of door.

## Smooth-Star®

EnLiten™ Flush-Glazed Designs


*All doors available in 8'0" height and 3'0" width.*

Low-E SDL




Smooth-Star  
S84812-SDLF1LE (Low-E)

Low-E SDL




Smooth-Star  
S84813-SDLF1LE (Low-E)

Low-E SDL



Smooth-Star  
S84814-SDLF1LE (Low-E)

Low-E SDL



Smooth-Star  
S84816-SDLF1LE (Low-E)

Low-E



Smooth-Star  
S84810-LE (Low-E)




8'0" Craftsman Options

# 8'0" Minimal Glass Options

**Fiber-Classic® & Smooth-Star®**

*All doors available in 8'0" height and 3'0" width.*

## Maple Park



**Fiber-Classic Oak**  
FC86255 (1D, 1C)



**Smooth-Star**  
S83155 (1D, 1C)

## Saratoga




**Fiber-Classic Oak**  
FC86254 (1D, 1C)



**Smooth-Star**  
S83154 (1D, 1C)

## Wellesley



**Fiber-Classic Oak**  
FC86249 (1C)



**Smooth-Star**  
S83149 (1C)

## Concorde



**Smooth-Star**  
S83147 (1C)

## Kensington



**Fiber-Classic Oak**  
FC86242 (1C)



**Smooth-Star**  
S83142 (1C)

## Privacy SDL



**Fiber-Classic Oak**  
FC862203(\_\_)-SDL  
(XC, XR)



**Smooth-Star**  
S831203(\_\_)-SDL  
(XE, XC, XR, XN)

## Privacy



**Fiber-Classic Oak**  
FC86220(\_\_)  
(XC, XR)



**Smooth-Star**  
S83120(\_\_)  
(XE, XC, XR, XN)

## Low-E / Clear SDL



**Fiber-Classic Oak**  
FC862203-SDLLE (Low-E)  
FC862203-SDL (Clear)



**Smooth-Star**  
S831203-SDLLE (Low-E)  
S831203-SDL (Clear)

Note: Product images show exterior side of door.

**GBG Contoured White Removable Grilles**



**Fiber-Classic Oak**  
FC862203-GBGCW (Clear)



**Fiber-Classic Oak**  
FC862203-RGLE (Low-E)  
FC862203-RG (Clear)

**Fixed Grilles**



**Smooth-Star**  
S831203-FXGLE (Low-E)  
S831203-FXG (Clear)

**Low-E / Clear**



**Fiber-Classic Oak**  
FC86220-LE (Low-E)  
FC86220 (Clear)

**Fixed Grilles**



**Smooth-Star**  
S8752-FXG (Clear)



**Smooth-Star**  
S831203-GBGCWLE (Low-E)  
S831203-GBGCW (Clear)



**Smooth-Star**  
S831203-RGLE (Low-E)  
S831203-RG (Clear)



**Smooth-Star**  
S83120-LE (Low-E)  
S83120 (Clear)

**Fixed Grilles**



**Smooth-Star**  
S8704-FXG (Clear)

**Clear**



**Smooth-Star**  
S8708 (Clear)

**Fixed Grilles**



**Smooth-Star**  
S8317-FXG (Clear)

**Privacy**



**Smooth-Star**  
S896XE (Satin Etch)

**Low-E / Clear**



**Smooth-Star**  
S896-LE (Low-E)  
S896 (Clear)

**Key**

- 1D Black Nickel      XC Chord      LE Low-E      RG Removable Wood Grilles
- 1C Brushed Nickel    XR Rainglass    SDL Simulated Divided Lites    FXG Fixed Grilles
- XE Satin Etch      XN Granite      GBG Grilles Between Glass



# 8'0" Solid-Panel Options

Note: Product images show exterior side of door.

## Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

### 2-Panel Square Top




Smooth-Star  
S8200

### 3-Panel



Fiber-Classic Oak  
FC862

### 2-Panel Craftsman Shaker



Smooth-Star  
S84800



Smooth-Star  
S831

### 2-Panel Craftsman




Smooth-Star  
S8600

### 6-Panel



Smooth-Star  
S810

### Flush Panel



Smooth-Star  
S81000 ■

8'0" Pulse. Options





# 8'0" Pulse® Options

All doors available in 8'0" height and 3'0" width.

Note: Product images show exterior side of door.

## Ari

### Saratoga



**Smooth**  
S83SG (1D, 1C)


### Axis



**Smooth**  
S83AX-FF (1D)  
S83AX (1D)


## Línea

### Axis




**Smooth**  
S81(L, C, R)AX (1D)

## Privacy



**Smooth**  
S83(\_\_\_\_)  
(XE, XC, XJ, XR, XN)

## Low-E



**Smooth**  
S83CL-FFLE (Low-E)  
S83CL-LE (Low-E)

## Clear



**Smooth**  
S81(L, C, R)CL (Clear)

8'0" Pulse® Options

### Key

1D Black Nickel	XC Chord	XN Granite	FF Flat Frame
1C Brushed Nickel	XJ Chinchilla	LE Low-E	
XE Satin Etch	XR Rainglass	CL Clear	


# 8'0" Pulse® Options

All doors available in 8'0" height and 3'0" width.

Note: Product images show exterior side of door.


## Echo

### Privacy




**Smooth**  
S84(L, C, R)XE (Satin Etch)

### Privacy




**Smooth**  
S85(L, C, R)XE (Satin Etch)

### Privacy




**Smooth**  
S86(L, C, R)XE (Satin Etch)

### Privacy



**Smooth**  
S811(L, C, R)XE (Satin Etch)

### Privacy




**Smooth**  
S810(L, C, R)XE (Satin Etch)

### Low-E / Clear




**Smooth**  
S84(L, C, R)CL-LE (Low-E)  
S84(L, C, R)CL (Clear)

### Low-E / Clear




**Smooth**  
S85(L, C, R)CL-LE (Low-E)  
S85(L, C, R)CL (Clear)

### Low-E / Clear




**Smooth**  
S86(L, C, R)CL-LE (Low-E)  
S86(L, C, R)CL (Clear)

### Low-E / Clear



**Smooth**  
S811(L, C, R)CL-LE (Low-E)  
S811(L, C, R)CL (Clear)

### Low-E / Clear



**Smooth**  
S810(L, C, R)CL-LE (Low-E)  
S810(L, C, R)CL (Clear)

8'0" Pulse® Options

Key

- XE Satin Etch
- LE Low-E
- CL Clear



# 8'0" Full-Glass Sidelites

## Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

*All sidelites available in 8'0" height and 14" width.*

### Privacy SDL



**Classic-Craft American Style**  
CCA82300XESL-SDLF4 ▲  
(Satin Etch)

### Privacy SDL



**Classic-Craft American Style**  
CCA82310XESL-SDLF4 ▲  
(Satin Etch)

### Privacy SDL



**Classic-Craft American Style**  
CCA82320XESL-SDLF3 ▲  
(Satin Etch)

## Classic-Craft®

EnLiten™ Flush-Glazed Designs

*All sidelites available in 8'0" height and 14" width.*

### Low-E SDL



**Classic-Craft American Style**  
CCA3560SL-SDLLE ▲  
(Low-E)

### Privacy SDL



**Classic-Craft American Style**  
CCA82330XESL-SDLF3 ▲  
(Satin Etch)

### Privacy SDL



**Classic-Craft American Style**  
CCA82340XESL-SDLF3 ▲  
(Satin Etch)

### Privacy



**Classic-Craft American Style**  
CCA82400XESL ▲  
(Satin Etch)

### Low-E



**Classic-Craft American Style**  
CCA3500SL-LE ▲ (Low-E)

Note: Product images show exterior side of sidelite.

## Smooth-Star®

All sidelites available in 8'0" height and 12" width.

Axis



Smooth-Star  
S81652SL (1D)

Axis



Smooth-Star  
S81651SL (1D)

Clear SDL



Smooth-Star  
S808SL-SDL  
(Clear)

Clear SDL



Smooth-Star  
S81186SL-SDL  
(Clear)

Clear SDL



Smooth-Star  
S8605SL-SDL  
(Clear)

Clear SDL



Smooth-Star  
S85924SL-SDL  
(Clear)

Clear SDL



Smooth-Star  
S8606SL-SDL  
(Clear)

Clear SDL



Smooth-Star  
S85925SL-SDL  
(Clear)

Clear SDL



Smooth-Star  
S8607SL-SDL  
(Clear)

Clear SDL



Smooth-Star  
S85926SL-SDL  
(Clear)

Clear



Smooth-Star  
S8601SL  
(Clear)

Clear



Smooth-Star  
S81086SL  
(Clear)

8'0" Full-Glass Sidelites

### Key

■ No Stile Lines

● Flush-Glazed Glass

1D Black Nickel

XE Satin Etch

LE Low-E

SDL Simulated Divided Lites

SDLF3 Simulated Divided Lites

SDLF4 Simulated Divided Lites



8'0" 3/4-Glass Sidelites

# 8'0" 3/4-Glass Sidelites

**Smooth-Star®**

*All sidelites available in 8'0" height and 12" width.*

**Sedona**



**Smooth-Star**  
S887SL (1D)

**Maple Park**



**Smooth-Star**  
S85898SL (1D, 1C)

**Saratoga**



**Smooth-Star**  
S891SL (1D, 1C)

## Sidelite Configurations

Configure a beautiful look to suit your home.



**Wellesley**



**Smooth-Star**  
S892SL (1D, 1C)

**Concorde**



**Smooth-Star**  
S85902SL (1C)

**Kensington**



**Smooth-Star**  
S902SL (1D, 1C)

Note: Product images show exterior side of sidelite.

**Axis**



**Smooth-Star**  
S81646SL (1D)

**Privacy SDL**



**Smooth-Star**  
S881( )SL-SDL  
(XE, XC, XJ, XR, XN)

**Privacy**



**Smooth-Star**  
S880( )SL  
(XE, XC, XJ, XR, XN)

**Internal Blinds**



**Smooth-Star**  
S8682SL-RTLE (Low-E)

**Low-E / Clear SDL**



**Smooth-Star**  
S881SL-SDLLE (Low-E)  
S881SL-SDL (Clear)

**GBG Contoured White**



**Smooth-Star**  
S881SL-GBGCWLE (Low-E)  
S881SL-GBGCW (Clear)

8'0" 3/4-Glass Sidelites

**Removable Grilles Fixed Grilles**



**Smooth-Star**  
S881SL-RGLE (Low-E)  
S881SL-RG (Clear)



**Smooth-Star**  
S881SL-FXG (Clear)

**Low-E / Clear SDL**



**Smooth-Star**  
S8207SL-SDLLE (Low-E)  
S8207SL-SDL (Clear)

**Low-E / Clear SDL**



**Smooth-Star**  
S8202SL-SDLLE (Low-E)  
S8202SL-SDL (Clear)

**Low-E / Clear SDL**



**Smooth-Star**  
S8204SL-SDLLE (Low-E)  
S8204SL-SDL (Clear)

**Low-E / Clear**



**Smooth-Star**  
S880SL-LE (Low-E)  
S880SL (Clear)

**Key**

1D Black Nickel	XC Chord	XN Granite	GBG Grilles Between Glass
1C Brushed Nickel	XJ Chinchilla	LE Low-E	RG Removable Wood Grilles
XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites	FXG Fixed Grilles



8'0" 1/2-Glass Sidelites

# 8'0" 1/2-Glass Sidelites

**Smooth-Star®**

*All sidelites available in 8'0" height and 12" width.*

**Maple Park**



**Smooth-Star**  
S85918SL (1D)

**Low-E / Clear SDL**



**Smooth-Star**  
S3487SL-SDLLE (Low-E)  
S3487SL-SDL (Clear)

## Sidelite Configurations

Configure a beautiful look to suit your home.



**Low-E / Clear**



**Smooth-Star**  
S85910SL-LE (Low-E)  
S85910SL (Clear)




# 8'0" Pulse® Sidelites

All sidelites available in 8'0" height and 12" width.

Note: Product images show exterior side of sidelite.

## Privacy



**Smooth**  
S86XESL (Satin Etch)

## Privacy



**Smooth**  
S85XESL (Satin Etch)

## Privacy




**Smooth**  
S84XESL (Satin Etch)

## Privacy




**Smooth**  
S811XESL (Satin Etch)

## Privacy



**Smooth**  
S810XESL (Satin Etch)

## Low-E / Clear



**Smooth**  
S86CLSLE (Low-E)  
S86CLS (Clear)

## Low-E / Clear



**Smooth**  
S85CLSLE (Low-E)  
S85CLS (Clear)

## Low-E / Clear




**Smooth**  
S84CLSLE (Low-E)  
S84CLS (Clear)

## Low-E / Clear



**Smooth**  
S811CLSLE (Low-E)  
S811CLS (Clear)

## Low-E / Clear



**Smooth**  
S810CLSLE (Low-E)  
S810CLS (Clear)

8'0" Pulse® Sidelites

### Key

- 1D Black Nickel
- XE Satin Etch
- LE Low-E
- CL Clear
- SDL Simulated Divided Lites



Steel Options

# Steel Options

Note: Product images show exterior side of door.

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### Saratoga



**Profiles**  
610 (1D, 1C)  
2'8 3'6 7'0



**Traditions**  
TS610 (1D, 1C)  
2'8 2'10

### Wellesley



**Profiles**  
620 (1D, 1C)  
2'8 3'6 7'0



**Traditions**  
TS620 (1D, 1C)  
2'8 2'10

### Kensington



**Profiles**  
626 (1D)  
2'8 3'6 7'0



**Traditions**  
TS626 (1D)  
2'8 2'10

### Axis




**Profiles**  
1651HD (1D)  
2'8 3'6 7'0



**Traditions**  
TS1651 (1D)  
2'8 2'10

### Privacy SDL



**Profiles**  
128( )-SDL (XE, XR)  
2'8 3'6 7'0



**Traditions**  
TS128( )-SDL (XE, XR)  
2'8 2'10

### Privacy SDL



**Profiles**  
108( )-SDL (XE, XR)  
2'8 3'6 7'0



**Traditions**  
TS108( )-SDL (XE, XR)  
2'8 2'10

### Privacy



**Profiles**  
118( ) (XE, XR)  
2'8 3'6 7'0



**Traditions**  
TS118( ) (XE, XR)  
2'8 2'10

### Internal Blinds




**Profiles**  
130-RTLE (Low-E) 2'8 3'6 7'0  
130-RT (Clear) 2'8 3'6 7'0



**Traditions**  
TS130-RTLE (Low-E)  
2'8 2'8 2'10  
TS130-RT (Clear)  
2'8 2'8 2'10

### Low-E / Clear SDL



**Profiles**  
128-SDLLE (Low-E) 2'8 3'6 7'0  
128-SDL (Clear) 2'8 3'6 7'0



**Traditions**  
TS128-SDLLE (Low-E)  
2'8 2'8 2'10  
TS128-SDL (Clear)  
2'8 2'8 2'10

### Low-E / Clear SDL



**Profiles**  
108-SDLLE (Low-E) 2'8 3'6 7'0  
108-SDL (Clear) 2'8 3'6 7'0



**Traditions**  
TS108-SDLLE (Low-E)  
2'8 2'8 2'10  
TS108-SDL (Clear)  
2'8 2'8 2'10

## Key

1D Black Nickel  
1C Brushed Nickel  
XE Satin Etch

XR Rainglass  
LE Low-E  
SDL Simulated Divided Lites

7'0 7'0" Height in Select Sizes  
2'8 Available in 2'6" Width  
2'8 Available in 2'8" Width

2'10 Available in 2'10" Width  
3'6 Available in 3'6" Width

Steel Options

# Steel Options

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### GBG Contoured White Removable Grilles



#### Profiles

108-GBGCWLE (Low-E)

2'6 3'6 7'0

108-GBGCW (Clear) 2'6 3'6 7'0



#### Traditions

TS108-GBGCWLE (Low-E)

2'6 2'8 2'10

TS108-GBGCW (Clear)

2'6 2'8 2'10



#### Profiles

108-RGLE (Low-E) 2'6 3'6 7'0

108-RG (Clear) 2'6 3'6 7'0



#### Traditions

TS108-RGLE (Low-E)

2'6 2'10

TS108-RG (Clear)

2'6 2'10

### Fixed Grilles



#### Profiles

108-FXGLE (Low-E) 2'6 3'6 7'0

108-FXG (Clear) 2'6 3'6 7'0



#### Traditions

TS108-FXGLE (Low-E)

2'6 2'10

TS108-FXG (Clear)

2'6 2'10

### GBG Contoured White Low-E / Clear



#### Profiles

198-GBGCWLE (Low-E)

2'6 3'6 7'0



#### Traditions

TS198-GBGCWLE (Low-E)

2'6 2'10



#### Profiles

118-LE (Low-E) 2'6 3'6 7'0

118 (Clear) 2'6 3'6 7'0



#### Traditions


TS118-LE (Low-E)

2'6 2'8 2'10

TS118 (Clear)

2'6 2'8 2'10

### Maple Park



#### Profiles

1009HD (1D)

### Wellesley



#### Profiles

1041HD (1D)


### Kensington



#### Profiles

03142HD (1D)

### Privacy SDL



#### Profiles

961HDXR-SDL (Rainglass)

### Privacy



#### Profiles

959HDXR (Rainglass)

Steel Options

## Key

1D Black Nickel  
1C Brushed Nickel  
XR Rainglass

LE Low-E  
SDL Simulated Divided Lites  
GBG Grilles Between Glass

RG Removable Wood Grilles  
FXG Fixed Grilles  
7'0 7'0" Height in Select Sizes

2'6 Available in 2'6" Width  
2'8 Available in 2'8" Width  
2'10 Available in 2'10" Width

**Internal Blinds**



**Profiles**  
5425-RTLE (Low-E)  
5425-RT (Clear)

**Low-E / Clear SDL**



**Profiles**  
961HD-SDLLE (Low-E)  
961HD-SDL (Clear)

**Removable Grilles**



**Profiles**  
961HD-RGLE (Low-E)  
961HD-RG (Clear)

**Low-E / Clear**



**Profiles**  
959HD-LE (Low-E)  
959HD (Clear)

**Sedona**




**Profiles**  
211HD (1D)  
218




**Traditions**  
TS211 (1D)  
218 210

**Sedona**



**Profiles**  
996HD (1D)  
218

**Sedona**



**Profiles**  
1114HD (1D)  
218

**Maple Park**



**Profiles**  
1007HD (1D, 1C)  
218



**Traditions**  
TS963 (1D, 1C)  
218 210

**Maple Park**



**Profiles**  
1011HD (1D, 1C)  
218

**Maple Park**



**Profiles**  
1116HD (1D, 1C)  
218

Steel Options

# Steel Options

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### Maple Park



**Profiles**  
1008HD (1D, 1C)  
2/8



**Traditions**  
TS964 (1D, 1C)  
2/6 2/8 2/10

### Saratoga



**Profiles**  
613HD (1D, 1C)  
2/8




**Traditions**  
TS613 (1D, 1C)  
2/8 2/10

### Saratoga



**Profiles**  
988HD (1D, 1C)  
2/8

### Saratoga



**Profiles**  
1112HD (1D, 1C)  
2/8

### Saratoga



**Profiles**  
615HD (1D, 1C)  
2/8



**Traditions**  
TS615 (1D, 1C)  
2/6 2/8 2/10

### Wellesley



**Profiles**  
623HD (1D, 1C)  
2/8



**Traditions**  
TS623 (1D, 1C)  
2/8 2/10

### Wellesley




**Profiles**  
989HD (1D, 1C)  
2/8

### Wellesley



**Profiles**  
1120HD (1D, 1C)  
2/8

### Wellesley



**Profiles**  
625HD (1C)  
2/8



**Traditions**  
TS625 (1C)  
2/6 2/8 2/10

### Concorde



**Profiles**  
426HD (1D, 1C, 1A)  
2/8



**Traditions**  
TS426 (1D, 1C, 1A)  
2/8 2/10

Note: Product images show exterior side of door.

**Concorde**



**Profiles**  
999HD (1D, 1C, 1A)  
2|8

**Concorde**



**Profiles**  
1118HD (1D, 1C, 1A)  
2|8

**Concorde**



**Profiles**  
430HD (1C)  
2|8



**Traditions**  
TS430 (1C)  
2|6 2|8 2|10

**Kensington**



**Profiles**  
627HD (1D, 1C)  
2|8



**Traditions**  
TS627 (1D, 1C)  
2|8 2|10

**Kensington**



**Profiles**  
631HD (1D, 1C)  
2|8

**Kensington**



**Profiles**  
1113HD (1D, 1C)  
2|8

**Kensington**



**Profiles**  
628HD (1C)  
2|8



**Traditions**  
TS629 (1C)  
2|6 2|8 2|10

**Frosted Images**



**Profiles**  
206EHD  
2|8



**Traditions**  
TS206E  
2|8 2|10

**Frosted Images**



**Profiles**  
985HD  
2|8

**Frosted Images**



**Profiles**  
1110HD  
2|8

Steel Options

**Key**

- 1D Black Nickel
- 1C Brushed Nickel
- 1A Brass
- 2|6 Available in 2'6" Width
- 2|8 Available in 2'8" Width
- 2|10 Available in 2'10" Width

# Steel Options

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### Privacy SDL



**Profiles**  
262HDXR-SDL (Rainglass)  
2jB



**Traditions**  
TS262XR-SDL (Rainglass)  
2jB 2j10

### Privacy SDL




**Profiles**  
982HDXR-SDL (Rainglass)  
2jB

### Privacy SDL



**Profiles**  
1123HDXR-SDL (Rainglass)  
2jB

### Privacy SDL



**Profiles**  
263HD( )-SDL  
(XE, XC, XR, XN) 2jB



**Traditions**  
TS263( )-SDL  
(XE, XC, XR, XN)  
2jB 2jB 2j10

### Privacy



**Profiles**  
206HDXR-SDL (Rainglass)  
2jB



**Traditions**  
TS206XR-SDL (Rainglass)  
2jB 2j10

### Privacy




**Profiles**  
980HDXR (Rainglass)  
2jB

### Privacy



**Profiles**  
1101XRHD (Rainglass)  
2jB

### Privacy



**Profiles**  
104XR (Rainglass)  
2jB 7j0



**Traditions**  
TS104XR (Rainglass)  
2jB 2j10

### Privacy



**Profiles**  
289HD( )  
(XE, XC, XR, XN) 2jB



**Traditions**  
TS289( )  
(XE, XC, XR, XN)  
2jB 2jB 2j10

### Internal Blinds



**Profiles**  
132HD-RTLE (Low-E) 2jB  
132HD-RT (Clear) 2jB



**Traditions**  
TS132-RTLE (Low-E)  
2jB 2j10  
TS132-RT (Clear)  
2jB 2j10



**Internal Blinds**



**Profiles**  
 984HD-RTLE (Low-E) 218  
 984HD-RT (Clear) 218

**Internal Blinds**



**Profiles**  
 1121HD-RTLE (Low-E) 218  
 1121HD-RT (Clear) 218

**Internal Blinds**




**Profiles**  
 131-RTLE (Low-E) 218 710  
 131-RT (Clear) 218 710



**Traditions**  
 TS131-RTLE (Low-E) 218 2110  
 TS131-RT (Clear) 218 2110

**Screen Vented**



**Profiles**  
 243HD 218



**Traditions**  
 TS243 218 2110

**Screen Vented**



**Profiles**  
 1004HD 218

**Screen Vented**



**Profiles**  
 1102HD 218

**Screen Vented**



**Profiles**  
 137 218 710




**Traditions**  
 TS137 218 2110

**Removable Grilles**




**Profiles**  
 6023HD-RGLE (Low-E) 218  
 6023HD-RG (Clear) 218

**Removable Grilles**



**Profiles**  
 1122HD-RGLE (Low-E) 218  
 1122HD-RG (Clear) 218

**Low-E / Clear SDL**



**Profiles**  
 262HD-SDLLE (Low-E) 218  
 262HD-SDL (Clear) 218



**Traditions**  
 TS262-SDLLE (Low-E) 218 2110  
 TS262-SDL (Clear) 218 2110

Steel Options

**Key**

XE	Satin Etch	XN	Granite	RG	Removable Wood Grilles	218	Available in 2'8" Width
XC	Chord	LE	Low-E	710	7'0" Height in Select Sizes	210	Available in 2'10" Width
XR	Rainglass	SDL	Simulated Divided Lites	216	Available in 2'6" Width		

# Steel Options

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### GBG Flat White



**Profiles**  
262HD-GBGFW (Clear) 218



**Traditions**  
TS262-GBGFW  
(Clear) 218 210

### GBG Contoured White Removable Grilles



**Profiles**  
262HD-GBGCWLE (Low-E) 218  
262HD-GBGCW (Clear) 218



**Traditions**  
TS262-GBGCWLE  
(Low-E) 218 210  
TS262-GBGCW  
(Clear) 218 210

### Removable Grilles



**Profiles**  
262HD-RGLE (Low-E) 218  
262HD-RG (Clear) 218



**Traditions**  
TS262-RGLE  
(Low-E) 216 218 210  
TS262-RG  
(Clear) 216 218 210

### Fixed Grilles




**Profiles**  
262HD-FXGLE (Low-E) 218  
262HD-FXG (Clear) 218



**Traditions**  
TS262-FXGLE  
(Low-E) 218 210  
TS262-FXG  
(Clear) 216 218 210

### Low-E / Clear SDL



**Profiles**  
982HD-SDLLE (Low-E) 218  
982HD-SDL (Clear) 218

Steel Options

### GBG Flat White



**Profiles**  
982HD-GBGFW (Clear) 218

### GBG Contoured White Removable Grilles




**Profiles**  
982HD-GBGCWLE (Low-E) 218  
982HD-GBGCW (Clear) 218

### Removable Grilles




**Profiles**  
982HD-RGLE (Low-E) 218  
982HD-RG (Clear) 218

### Fixed Grilles



**Profiles**  
982HD-FXGLE (Low-E) 218  
982HD-FXG (Clear) 218

### Low-E / Clear SDL



**Profiles**  
1123HD-SDLLE (Low-E) 218  
1123HD-SDL (Clear) 218

**GBG Flat White**




**Profiles**  
1123HD-GBGFW (Clear) 2|8

**GBG Contoured White Removable Grilles**




**Profiles**  
1123HD-GBGCWLE (Low-E) 2|8 2|10  
1123HD-GBGCW (Clear) 2|8

**Fixed Grilles**



**Profiles**  
1123HD-RGLE (Low-E) 2|8  
1123HD-RG (Clear) 2|8

**Fixed Grilles**



**Profiles**  
1123HD-FXGLE (Low-E) 2|8  
1123HD-FXG (Clear) 2|8

**Low-E / Clear SDL**



**Profiles**  
263HD-SDLLE (Low-E) 2|8  
263HD-SDL (Clear) 2|8



**Traditions**  
TS263-SDLLE (Low-E) 2|6 2|8 2|10  
TS263-SDL (Clear) 2|6 2|8 2|10

**GBG Contoured White Removable Grilles**



**Profiles**  
263HD-GBGCWLE (Low-E) 2|8  
263HD-GBGCW (Clear) 2|8

**Fixed Grilles**




**Profiles**  
263HD-RGLE (Low-E) 2|8  
263HD-RG (Clear) 2|8

**Fixed Grilles**



**Profiles**  
263HD-FXGLE (Low-E) 2|8  
263HD-FXG (Clear) 2|8

**GBG Flat White**



**Profiles**  
1408HD-GBGFW (Clear) 2|8

**GBG Contoured White**



**Profiles**  
1408HD-GBGCWLE (Low-E) 2|8  
1408HD-GBGCW (Clear) 2|8



**Traditions**  
TS263HD-GBGCWLE (Low-E) 2|6 2|8 2|10  
TS263HD-GBGCW (Clear) 2|6 2|8 2|10



**Traditions**  
TS263-RGLE (Low-E) 2|6 2|8 2|10  
TS263-RG (Clear) 2|6 2|8 2|10



**Traditions**  
TS263-FXGLE (Low-E) 2|6 2|8 2|10  
TS263-FXG (Clear) 2|6 2|8 2|10



**Traditions**  
TS1408-GBGFW (Clear) 2|8 2|10



**Traditions**  
TS1408-GBGCWLE (Low-E) 2|8 2|10  
TS1408-GBGCW (Clear) 2|8 2|10

Steel Options

# Steel Options

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### GBG Flat White




**Profiles**  
1405HD-GBGFW (Clear) 2j6

### GBG Contoured White GBG Flat White



**Profiles**  
1405HD-GBGCWLE (Low-E) 2j6  
1405HD-GBGCW (Clear) 2j6



**Profiles**  
1406HD-GBGFW (Clear) 2j6

### GBG Contoured White Low-E / Clear



**Profiles**  
1406HD-GBGCWLE (Low-E) 2j6  
1406HD-GBGCW (Clear) 2j6



**Profiles**  
206HD-LE (Low-E) 2j6  
206HD (Clear) 2j6



**Traditions**  
TS206-LE (Low-E)  
2j6 2j8 2j10  
TS206 (Clear)  
2j6 2j8 2j10

### Low-E / Clear



**Profiles**  
1101HD-LE (Low-E) 2j6  
1101HD (Clear) 2j6

### Low-E / Clear




**Profiles**  
980HD-LE (Low-E) 2j6  
980HD (Clear) 2j6

### Low-E / Clear



**Profiles**  
104-LE (Low-E) 2j6 7j0  
104 (Clear) 2j6 7j0

### Low-E / Clear



**Profiles**  
289HD-LE (Low-E) 2j6  
289HD (Clear) 2j6

### Wellesley



**Profiles**  
1022HD (1D, 1C)



**Traditions**  
TS104-LE (Low-E)  
2j6 2j8 2j10  
TS104 (Clear)  
2j6 2j8 2j10



**Traditions**  
TS289-LE (Low-E)  
2j6 2j8 2j10  
TS289 (Clear)  
2j6 2j8 2j10

Steel Options

## Key

1D Black Nickel	XC Chord	XN Granite	GBG Grilles Between Glass
1C Brushed Nickel	XJ Chinchilla	LE Low-E	7j0 7'0" Height in Select Sizes
XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites	2j6 Available in 2'6" Width

Note: Product images show exterior side of door.

**Concorde**



**Profiles**  
1024HD (1C)

**Kensington**



**Profiles**  
630HD (1D, 1C)

**Low-E / Clear**



**Profiles**  
105-LE (Low-E) 2j8 7j0  
105 (Clear) 2j8 7j0

**Maple Park**



**Profiles**  
609HD (1D)  
2j8

**Saratoga**



**Profiles**  
602HD (1D, 1C)  
2j8



**Traditions**  
TS105-LE (Low-E)  
2j8 2j8 2j10  
TS105 (Clear)  
2j8 2j8 2j10

**Axis**



**Profiles**  
1650HD (1D)  
2j8

**Privacy SDL**



**Profiles**  
605HD( )-SDL  
(XE, XC, XJ, XR, XN)  
2j8

**Privacy SDL**



**Profiles**  
606HD( )-SDL  
(XE, XC, XJ, XR, XN)  
2j8

**Privacy SDL**



**Profiles**  
607HD( )-SDL  
(XE, XC, XJ, XR, XN)  
2j8

**Privacy SDL**



**Profiles**  
608HD( )-SDL  
(XE, XC, XJ, XR, XN)  
2j8

Steel Options

2j8 Available in 2'8" Width  
2j10 Available in 2'10" Width

# Steel Options

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### Privacy



**Profiles**  
601( )HD  
(XE, XC, XJ, XR, XN)  
2|B

### Low-E SDL



**Profiles**  
605HD-SDLLE (Low-E)  
2|B

### Low-E SDL



**Profiles**  
606HD-SDLLE (Low-E)  
2|B

### Low-E SDL



**Profiles**  
607HD-SDLLE (Low-E)  
2|B

### Low-E SDL



**Profiles**  
608HD-SDLLE (Low-E)  
2|B

### Low-E



**Profiles**  
601HD-LE (Low-E)  
2|B

### Fixed Grilles



**Profiles**  
752HD-FXG (Clear)  
2|B

### Fixed Grilles



**Profiles**  
704HD-FXG (Clear)  
2|B

### Clear



**Profiles**  
708HD (Clear)  
2|B

### GBG Contoured White



**Profiles**  
255HD-GBGCW (Clear)  
2|B



**Traditions**  
TS752-FXG (Clear)  
2|B



**Traditions**  
TS704-FXG (Clear)  
2|B



**Traditions**  
TS708 (Clear)  
2|B



**Traditions**  
TS255-GBGCW (Clear)  
2|B

## Key

🔑 20-Minute Fire-Rated\* XJ Chinchilla  
XE Satin Etch XR Rainglass  
XC Chord XN Granite

LE Low-E  
SDL Simulated Divided Lites  
GBG Grilles Between Glass

FXG Fixed Grilles  
2|B Available in 2'6" Width  
2|B Available in 2'8" Width

Note: Product images show exterior side of door.

### Fixed Grilles



**Profiles**  
255HD-FXG (Clear)  
2/8



**Traditions**  
TS255-FXG (Clear)  
2/8

### Low-E / Clear



**Profiles**  
256HD-LE (Low-E) 2/8  
256HD (Clear) 2/8



**Traditions**  
TS256-LE (Low-E) 2/8  
TS256 (Clear) 2/8

### Fixed Grilles



**Profiles**  
236HD-FXG (Clear)  
2/8



**Traditions**  
TS236-FXG (Clear)  
2/8 2/10

### Privacy



**Profiles**  
296HDXE (Satin Etch)  
2/8



**Traditions**  
TS296XE (Satin Etch)  
2/6 2/8 2/10

### Low-E / Clear



**Profiles**  
296HD-LE (Low-E) 2/8  
296HD (Clear) 2/8



**Traditions**  
TS296-LE (Low-E) 2/6 2/8 2/10  
TS296 (Clear) 2/6 2/8 2/10

### 3-Panel Scroll Top



**Profiles**  
969HD 2/10

### 4-Panel Square Top




**Traditions**  
TS214 2/8 2/10

### 2-Panel Square Top



**Profiles**  
978HD 2/8 2/10

### 2-Panel Soft Arch



**Profiles**  
1005HD 2/8 2/10

### 2-Panel Plank Soft Arch



**Profiles**  
205HD 2/8 2/10

Steel Options

2/10 Available in 2'10" Width

\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.  
Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance).

# Steel Options

## Profiles™ & Traditions

All doors available in 6'8" height and 3'0" width.

### 2-Panel Craftsman




**Profiles**  
203HD 🔗 2j8

### 6-Panel




**Profiles**  
210HD 🔗 2j8

### Flush Panel



**Profiles**  
100 🔗 2j8 3j6 7j0

### Saratoga



**Steel**  
2SG (1D, 1C) 2j8 3j6

### Axis



**Steel**  
2AX-FF (1D) 2j8 3j6  
2AX (1D) 2j8 3j6




**Traditions**  
TS210HD 🔗 2j6 2j8 2j10  
SE210HD 🔗




**Traditions**  
TS100 🔗 2j0 2j4 2j6 2j8 2j10  
SE100 🔗

### Privacy



**Steel**  
2( ) (XE, XC, XJ, XR, XN) 2j8 3j6

### Low-E



**Steel**  
2CL-FFLE (Low-E) 2j8 3j6  
2CL-LE (Low-E) 2j8 3j6

### Sedona



**Steel**  
1(L, C, R)SN (1D) 2j8 3j6

### Saratoga



**Steel**  
1(L, C, R)SG (1D, 1C) 2j8 3j6

### Axis



**Steel**  
1(L, C, R)AX (1D) 2j8 3j6

Steel Options

## Key

- 🔗 20-Minute Fire-Rated\*
- 🔗 90-Minute Fire-Rated\*
- 1D Black Nickel
- 1C Brushed Nickel
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- CL Clear
- FF Flat Frame
- 2j0 Available in 2'0" Width
- 2j4 Available in 2'4" Width
- 2j6 Available in 2'6" Width



**Privacy**



**Steel**  
1(L, C, R)(L)  
(XE, XC, XJ, XR, XN)  
2/8 3/6

**Low-E / Clear**




**Steel**  
1(L, C, R)CL-LE (Low-E)  
2/8 3/6  
1(L, C, R)CL (Clear)  
2/8 3/6

**Privacy**




**Steel**  
4(L, C, R)XE (Satin Etch)  
2/8 3/6

**Privacy**



**Steel**  
5(L, C, R)XE (Satin Etch)  
2/8 3/6

**Privacy**



**Steel**  
9(L, C, R)XE (Satin Etch)  
2/8 3/6

**Privacy**




**Steel**  
8(L, C, R)XE (Satin Etch)  
2/8 3/6

**Low-E / Clear**



**Steel**  
4(L, C, R)CL-LE (Low-E)  
2/8 3/6  
4(L, C, R)CL (Clear)  
2/8 3/6

**Low-E / Clear**




**Steel**  
5(L, C, R)CL-LE (Low-E)  
2/8 3/6  
5(L, C, R)CL (Clear)  
2/8 3/6

**Low-E / Clear**



**Steel**  
9(L, C, R)CL-LE (Low-E)  
2/8 3/6  
9(L, C, R)CL (Clear)  
2/8 3/6

**Low-E / Clear**



**Steel**  
8(L, C, R)CL-LE (Low-E)  
2/8 3/6  
8(L, C, R)CL (Clear)  
2/8 3/6

Steel Options

- 2/8 Available in 2'8" Width
- 2/10 Available in 2'10" Width
- 3/6 Available in 3'6" Width

\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.  
Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance).

# Steel Sidelite Options

## Profiles™ & Traditions

All sidelites available in 6'8" height and 12" and 14" widths.

### Sedona



**Profiles**  
139SL (1D)



**Traditions**  
139SL (1D)

### Maple Park



**Profiles**  
1006SL (1D, 1C)



**Traditions**  
1006SL (1D, 1C)

### Saratoga



**Profiles**  
610SL (1D, 1C)



**Traditions**  
610SL (1D, 1C)

### Wellesley



**Profiles**  
620SL (1D, 1C)



**Traditions**  
620SL (1D, 1C)

### Concorde



**Profiles**  
416SL (1C)



**Traditions**  
416SL (1C)

### Kensington



**Profiles**  
626SL (1D, 1C)



**Traditions**  
626SL (1D, 1C)

### Axis



**Profiles**  
1651SL (1D)



**Traditions**  
1651SL (1D)

### Privacy SDL



**Profiles**  
632(\_\_)SL-SDL  
(XE, XC, XJ, XR, XN)



**Traditions**  
632(\_\_)SL-SDL  
(XE, XC, XJ, XR, XN)

### Privacy SDL



**Profiles**  
6184(\_\_)SL-SDL  
(XE, XC, XJ, XR, XN)



**Traditions**  
6184(\_\_)SL-SDL  
(XE, XC, XJ, XR, XN)

### Privacy SDL



**Profiles**  
6185(\_\_)SL-SDL  
(XE, XC, XJ, XR, XN)



**Traditions**  
6185(\_\_)SL-SDL  
(XE, XC, XJ, XR, XN)

**Privacy SDL**



**Profiles**  
6186( )SL-SDL  
(XE, XC, XJ, XR, XN)



**Traditions**  
6186( )SL-SDL  
(XE, XC, XJ, XR, XN)

**Privacy**



**Profiles**  
100( )SL  
(XE, XC, XJ, XR, XN)



**Traditions**  
100( )SL  
(XE, XC, XJ, XR, XN)

**Internal Blinds**



**Profiles**  
130SL-RTLE (Low-E)



**Traditions**  
130SL-RTLE (Low-E)

**Low-E / Clear SDL**



**Profiles**  
632SL-SDLLE (Low-E)  
632SL-SDL (Clear)



**Traditions**  
632SL-SDLLE (Low-E)  
632SL-SDL (Clear)

**GBG Contoured White**



**Profiles**  
632SL-GBGCWLE (Low-E)  
632SL-GBGCW (Clear)



**Traditions**  
632SL-GBGCWLE (Low-E)  
632SL-GBGCW (Clear)

**Removable Grilles**



**Profiles**  
632SL-RGLE (Low-E)  
632SL-RG (Clear)



**Traditions**  
632SL-RGLE (Low-E)  
632SL-RG (Clear)

**Fixed Grilles**



**Profiles**  
632SL-FXG (Clear)



**Traditions**  
632SL-FXG (Clear)

**Low-E / Clear SDL**



**Profiles**  
6184SL-SDLLE (Low-E)  
6184SL-SDL (Clear)



**Traditions**  
6184SL-SDLLE (Low-E)  
6184SL-SDL (Clear)

**Low-E / Clear SDL**



**Profiles**  
6185SL-SDLLE (Low-E)  
6185SL-SDL (Clear)



**Traditions**  
6185SL-SDLLE (Low-E)  
6185SL-SDL (Clear)

**Low-E / Clear SDL**



**Profiles**  
6186SL-SDLLE (Low-E)  
6186SL-SDL (Clear)



**Traditions**  
6186SL-SDLLE (Low-E)  
6186SL-SDL (Clear)

Steel Sidelite Options

**Key**

1D Black Nickel	XC Chord	XN Granite	GBG Grilles Between Glass
1C Brushed Nickel	XJ Chinchilla	LE Low-E	RG Removable Wood Grilles
XE Satin Etch	XR Rainglass	SDL Simulated Divided Lites	FXG Fixed Grilles

# Steel Sidelite Options

## Profiles™ & Traditions

All sidelites available in 6'8" height and 12" and 14" widths.

### Low-E / Clear



**Profiles**  
100SL-LE (Low-E)  
100SL (Clear)



**Traditions**  
100SL-LE (Low-E)  
100SL (Clear)

### Maple Park



**Profiles**  
1009SLHD (1D)



**Traditions**  
TS963SL (1D, 1C)

### Low-E / Clear SDL



**Profiles**  
6720SLHD-SDLLE (Low-E)  
6720SLHD-SDL (Clear)



**Traditions**  
TS615SL (1D, 1C)

### Low-E / Clear




**Profiles**  
959SLHD-LE (Low-E)  
959SLHD (Clear)



**Traditions**  
TS628SL (1C)

### Maple Park



**Profiles**  
1007SLHD (1D, 1C)



**Traditions**  
TS963SL (1D, 1C)

### Saratoga



**Profiles**  
615SLHD (1D, 1C)



**Traditions**  
TS615SL (1D, 1C)

### Wellesley




**Profiles**  
625SLHD (1C)



**Traditions**  
TS625SL (1C)

### Concorde




**Profiles**  
430SLHD (1C)



**Traditions**  
TS430SL (1C)

### Kensington



**Profiles**  
628SLHD (1C)



**Traditions**  
TS628SL (1C)

### Privacy SDL



**Profiles**  
263SLHD( )-SDL  
(XE, XC, XR, XN)



**Traditions**  
TS263( )SL-SDL  
(XE, XC, XR, XN)

**Privacy**



**Profiles**  
210SLHD(\_\_\_\_)  
(XE, XC, XR, XN)



**Traditions**  
TS210(\_\_\_\_)SL  
(XE, XC, XR, XN)

**Low-E / Clear SDL**



**Profiles**  
263SLHD-SDLLE (Low-E)  
263SLHD-SDL (Clear)



**Traditions**  
TS263SL-SDLLE (Low-E)  
TS263SL-SDL (Clear)

**GBG Contoured White**




**Profiles**  
263SLHD-GBGCWLE (Low-E)  
263SLHD-GBGCW (Clear)



**Traditions**  
TS263SL-GBGCWLE (Low-E)  
TS263SL-GBGCW (Clear)

**Removable Grilles**



**Profiles**  
263SLHD-RGLE (Low-E)  
263SLHD-RG (Clear)



**Traditions**  
TS263SL-RGLE (Low-E)  
TS263SL-RG (Clear)

**Fixed Grilles**



**Profiles**  
263SLHD-FXGLE (Low-E)  
263SLHD-FXG (Clear)



**Traditions**  
TS263SL-FXGLE (Low-E)  
TS263SL-FXG (Clear)

**Low-E / Clear**



**Profiles**  
210SLHD-LE (Low-E)  
210SLHD (Clear)



**Traditions**  
TS210SL-LE (Low-E)  
TS210SL (Clear)

**Privacy**



**Profiles**  
296SLHDXE  
(Satin Etch)



**Traditions**  
TS296XESL  
(Satin Etch)

**Low-E / Clear**



**Profiles**  
296SLHD-LE (Low-E)  
296SLHD (Clear)



**Traditions**  
TS296SL-LE (Low-E)  
TS296SL (Clear)

**Privacy**



**Steel**  
TS5XESL (Satin Etch)

**Privacy**



**Steel**  
TS4XESL (Satin Etch)

Steel Sidelite Options

<b>Key</b>	1D Black Nickel	XC Chord	LE Low-E	RG Removable Wood Grilles
	1C Brushed Nickel	XR Rainglass	SDL Simulated Divided Lites	FXG Fixed Grilles
	XE Satin Etch	XN Granite	GBG Grilles Between Glass	

# Steel Sidelite Options

Note: Product images show exterior side of sidelite.

## Traditions

*All sidelites available in 6'8" height and 12" and 14" widths.*

### Privacy



**Steel**  
TS9XESL (Satin Etch)

### Privacy



**Steel**  
TS10XESL (Satin Etch)

### Low-E / Clear



**Steel**  
TS5CLSLE (Low-E)  
TS5CLS (Clear)

### Low-E / Clear



**Steel**  
TS4CLSLE (Low-E)  
TS4CLS (Clear)

### Low-E / Clear



**Steel**  
TS9CLSLE (Low-E)  
TS9CLS (Clear)

### Low-E / Clear



**Steel**  
TS10CLSLE (Low-E)  
TS10CLS (Clear)

# 8'0" Steel Options

Note: Product images show exterior side of door.

## Traditions


All doors available in 8'0" height and 3'0" width.

### Low-E




**Traditions**  
818-LE (Low-E)

### Flush Panel



**Traditions**  
800

### Saratoga



**Steel**  
TS83SG (1D, 1C)

### Axis



**Steel**  
TS83AX-FF (1D)  
TS83AX (1D)

### Privacy



**Steel**  
TS83(\_\_\_\_)  
(XE, XC, XJ, XR, XN)

### Low-E



**Steel**  
TS83CL-FFLE (Low-E)  
TS83CL-LE (Low-E)

### Axis



**Steel**  
TS81(L, C, R)AX (1D)

### Clear



**Steel**  
TS81(L, C, R)CL (Clear)

### Privacy



**Steel**  
TS84(L, C, R)XE (Satin Etch)

### Privacy



**Steel**  
TS85(L, C, R)XE (Satin Etch)

8'0" Steel Options

## Key

1D	Black Nickel	XC	Chord	XN	Granite	FF	Flat Frame
1C	Brushed Nickel	XJ	Chinchilla	LE	Low-E		
XE	Satin Etch	XR	Rainglass	CL	Clear		

# 8'0" Steel Options

Note: Product images show exterior side of door.

## Traditions

All doors available in 8'0" height and 3'0" width.

### Privacy



**Steel**  
TS86(L, C, R)XE (Satin Etch)

### Privacy




**Steel**  
TS811(L, C, R)XE (Satin Etch)

### Privacy



**Steel**  
TS810(L, C, R)XE (Satin Etch)

### Low-E / Clear



**Steel**  
TS84(L, C, R)CL-LE (Low-E)  
TS84(L, C, R)CL (Clear)

### Low-E / Clear




**Steel**  
TS85(L, C, R)CL-LE (Low-E)  
TS85(L, C, R)CL (Clear)

### Low-E / Clear




**Steel**  
TS86(L, C, R)CL-LE (Low-E)  
TS86(L, C, R)CL (Clear)

### Low-E / Clear



**Steel**  
TS811(L, C, R)CL-LE (Low-E)  
TS811(L, C, R)CL (Clear)

### Low-E / Clear



**Steel**  
TS810(L, C, R)CL-LE (Low-E)  
TS810(L, C, R)CL (Clear)

8'0" Steel Options

### Key

- XE Satin Etch
- LE Low-E
- CL Clear




# Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



- 1 **Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.
- 2 **Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.
- 3 **Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.
- 4 **Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**.
- 5 **Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.
- 6 **Lip-lite frame** features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



## A Complete Door System




### Composite Adjustable Sills

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



### Dual-Bulb / Dual-Fin Bottom Sweeps (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.




### 7-Shape Corner Seal Pads

(Inswing Only) Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



### Removable Weatherstrip

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.



### Multi-Point Locking Systems

(Recommended) Increased engagement between door and frame enhances stability and the homeowner's sense of security.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



### Ball-Bearing Hinges

Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability.

(Recommended for Classic-Craft. doors, 8'0" doors, doors with glass, and Fire-rated fiberglass doors.)



### Frame Components

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.

Additional components:

Sill Pans, Rain Protection, Strike Plate and Astragals.



**10 YEAR**  
LIMITED  
WARRANTY  
10-Year Warranty



Durable Topcoat



Professional Application

## PrismaGuard® Stain

Brings the authentic look of wood to life with rich tones that add dimension to enhance wood grain doors.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A wiping stain enhances the base coat to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability.

## PrismaGuard® Paint

Delivers a pop of color, allowing you to tailor the look to make a beautiful lasting impression.



- 1 It starts with the realistic wood grains or premium smooth surface of a Therma-Tru® door.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A durable topcoat enhances the color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard warranty and exclusions.

# Stain & Paint Finishing Options

Choose a stain or paint color to bring out the beauty of your door.


Available in a variety of colors to complement the finishes in your home.



## PrismaGuard®

Available for Classic-Craft® and Fiber-Classic® only. Finish colors may vary from an actual application due to fluctuations in finishing, product selected, application method, and printing of this brochure. Please refer to the MDI Exterior Door Prefinish Stain Options color deck for matching purposes.

*Do not use for color selection*



## Standard Paint Colors

Available for all Therma-Tru Door Systems. Colors may vary from an actual application due to fluctuations in the printing process of this brochure. Please refer to the MDI Paint Color Chart for matching purposes.

*Do not use for color selection*



We will also custom color match any paint color desired.

***Our "Standard" is what you desire in solid color***

# MDI Prehung Options

## Standard Options

- 4-9/16" Primed Rot-Resistant DuraFrame
- Primed Rot-Resistant Brickmould
- Composite Adjustable Sill (Mill finish)  
*(Fixed Sill on MDI Series Doors)*
- HP Mull Post on Sidelite Systems  
*(Provides superior system integrity)*
- Kerf applied bronze door bottom (sweep)
- Simulated Brass Ball Bearing Hinges  
*(Non-Ball Bearing on Traditions and MDI Series)*
- Foam Filled Weatherstrip
- Brass Security Strike Plate



Composite Adjustable Sill (mill finish with Darkwood cap)



HP Mull Post (2" x 2-1/2" fatboys)

## Upgrade Options


- Frame Options:  
Dura-Tech | Oak | Mahogany | Fir | Clear Pine
- Sill Options:  
Satin Nickel or Bronze Composite Adjustable Sill  
Mill or Bronze Low-Profile (Ramp) Sill  
Fixed Sill  
No Sill
- Security Strike Plate Options:  
Brushed Nickel | Antique Brass | Oil-Rubbed Bronze  
Antique Nickel | Stainless Steel
- 4 Deadbolt Bore prep options

## Clad Frame Options

### Maintenance-free Aluminum Clad Entry Door Frames

#### Standard Clad Frames

- No exposed fasteners
- Does not require painting
- Heavy duty - resists denting
- More durable than vinyl
- Limited lifetime warranty
- Storm door-ready
- Heavy extruded aluminum nailing flange
- Available options: Crownline Profile  
Brickmould Profile  
Outswing



Crownline Profile

Brickmould Profile

#### Available Colors

*Do not use for color selection*

Refer to Frontline Color Card



\* Allow extra leadtime R Stocked in Retro Clad


#### Retro Clad Frames

- Perfect for Remodeling Applications
- No exposed fasteners
- Brickmould Nosing (shipped loose)
- Integral Nailing Fin




Outswing

## Hinge Finish Options



B - Ball Bearing N - Non-Ball Bearing S - Spring Hinges

## Multi-Point Hardware Options



Brushed Nickel and Oil-Rubbed Bronze finish

All available in Brushed Nickel and Oil-Rubbed Bronze finish

MDI Prehung Options

# Garage Door

Maintenance-free Aluminum Clad Garage Door Frames



## Pro Series

All Aluminum - 90°

- .062 (16 gauge) Extruded aluminum
- All aluminum (no wood)
- Virtually indestructible
- Completely maintenance free
- Available jamb depths of 5-1/2" (2x4 walls) and 7-1/2" (2x6 walls)
- Matches Crownline Entry Door Cladding
- Rough opening - add 3" in width, 1-1/2" in height
- Stock sizes 9'x7', 16'x7', 8'x8', 9'x8', 10'x8', 16'x8', 18'x8'
- Stock colors - Almond, Black, Bronze, Eggshell, Green, Sandstone, Terratone, White

*(Not all colors are stocked in all sizes)*

**Do not use for color selection**

Refer to Frontline Color Card




## Arch Top Frames

All Aluminum - 10" Rise

- .062 (16 gauge) Extruded aluminum
- All aluminum (no wood)
- Virtually indestructible
- Completely maintenance free
- Available jamb depth of 5-1/2" (2x4 walls)
- Matches Crownline Entry Door Cladding
- Rough opening - add 3" in width, 1-1/2" in height
- Stock sizes 9'x8', 16'x8', 18'x8'
- Stock colors - Sandstone, White

**Do not use for color selection**

Refer to Frontline Color Card



MDI Garage Door Frames



# Pella® Storm Doors

Pella® storm doors are built to last. With quality features that help ensure years of dependable performance.

- One-Touch® closer holds door open at the touch of a button
- Overlapping frame with double weatherstrip prevents drafts and offers a clean look
- Lifetime Finish Guarantee on most solid brass handles
- All Pella® storm doors reduce energy loss by up to 45%
- Two closers ensure smooth operation and are color-matched to door
- Heavy-duty hinges provide dependable performance
- Installation screws are covered for a clean, finished appearance
- Fully tempered glass ensures added safety



Pella's exclusive Express Install™ feature allows you to install this door in as little as 60 minutes.

## Rolscreen®




These doors offer a refreshing breeze when you want it and a clear view when you don't. Easily adjust the screen to any position for flexible ventilation options. Or roll it up, out of sight, for full light and to show off the beauty of your entryway.




- Self-Storing Fullview with Rolscreen-
- Express Install
- Touch'n Hold Closure
- Keyed Deadbolt

**Model 3900**  
36" x 81"  
White - Bright Brass, Satin Nickel Handles



- Self-Storing Midview with Rolscreen.
- Express Install
- Touch'n Hold Closure
- Keyed Deadbolt

**Model 3925**  
36" x 81"  
White - Bright Brass, Satin Nickel Handles



## Self-Storing

Self-storing screens are always there when you need them and never need to be removed.



- Self-Storing Highview
- 1" Solid Core
- Full Screen
- 2 Movable Glass Panels

**Model 3030**  
32", 36" x 81"  
White - White Handle



- Self-Storing Midview
- 1" Solid Core
- Full Screen
- 2 Movable Glass Panels

**Model 3031**  
32", 36" x 81"  
White - White Handle



## Northwoods™ wood core

Protection from the elements at a great value.



- 1" Wood Core
- Full Screen
- 2 Movable Glass Panels

**Model N80-01**  
32", 36" x 81"  
White - White Handle



- 1" Wood Core
- Self-Storing Half Screen
- 1 Movable Glass Panel

**Model N80-08**  
30", 32", 34", 36" x 81"  
White - White Handle  
32", 36" x 81"  
Brown - Black Handle



# Pre-Clad Hinged Patio Door Systems

The Frontline® Pre-Clad Center-Hinged Patio Door Frame is designed to utilize standard Therma-Tru components for flexibility, performance and superior aesthetics. This complete system allows Therma-Tru. to fill that premiere opening on every project, connecting the home to the ever growing outdoor living space that homeowners desire today.




## Standard Package Includes

- White Pre-Clad jamb with new integrated screen track and crownline nosing.
- 2-1/2" x 4-3/8" LVL-reinforced mull post with extruded aluminum cover for long-lasting durability and strength
- Center-Hinged only
- 6-0x6-8
- 4-9/16" or 6-9/16"
- Heavy-duty extruded screen with fiberglass mesh
- Rigid folding aluminum nail fin
- Deadbolt Prepped
- TRU-LOC™ Installation Anchors (Box of 8)

## Add-on Options

- J-mould to achieve brickmould appearance
- 3-1/2" flat casing
- Multi-point Locking System

## Available Colors



White

Almond\*

Black\*

Bronze\*

Sandstone\*

*Do not use for color selection*

*\*Allow extra leadtime*



6-9/16"



4-9/16"

- 1 Rigid, folding aluminum nail fin
- 2 Lifetime warranty, no-rot primed composite frame
- 3 Crownline profile
- 4 16 gauge aluminum extrusions for long-lasting durability
- 5 Integrated screentrack and Heavy-duty screen (*not shown*)

### EnLiten™ Flush-Glazed with Internal Blinds



#### Available Door Collections

Fiber-Classic® Mahogany / Fiber-Classic® Oak / Smooth-Star®


#### Available Door Styles & Sizes



**Width**  
6'0"

**Height**  
6'8"

#### Available Configurations



### EnLiten™ Flush-Glazed Low-E Simulated Divided Lites



#### Available Door Collections

Fiber-Classic® Oak / Smooth-Star®


#### Available Door Styles & Sizes



**Width**  
6'0"

**Height**  
6'8"

#### Available Configurations






## EnLiten™ Flush-Glazed Low-E Glass



**Available Door Collections**  
Fiber-Classic, Oak / Smooth-Star.


### Available Door Styles & Sizes



**Width**  
6'0"

**Height**  
6'8"

### Available Configurations



## Vented Sidelites\*



**Enjoy the view – and a fresh breeze, too.**

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

\*For inswing use only.

Above Left: Smooth-Star, Clear Glass, Doors – S2000, Sidelites –S2000SL


Above Right: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

# Classic-Craft® 6'8" & 8'0" Doorglass & Sidelites

🕒 Glass Designs Available in 2 Weeks


Rapid Ship

Glass Design & Caming Options	6'8" Options													
	25" x 66"	25" x 51"	25" x 51" Arch	10" x 51"	10" x 51" L R	25" x 42"	25" x 42" Arch	21" x 35"	25" x 35"	15" x 38"	10" x 42"	10" x 8"	8" x 66"	
													12"	14"
Villager™	◆												▼▲◆	▼▲◆
Homeward™	◆	▲											▼▲◆	▼▲◆
Arcadia™	◆	▼	▼	▼	▼	▼	◆			▼▲	▼▲		▼▲◆	▼▲◆
Augustine®	✗	▼◆	▼◆	▼			◆◆	◆◆						
Bella™	◆	▼▲	▼▲	▼		◆◆				▼	▼		▼▲◆	▼▲◆
Arborwatch®	◆	▼◆							▼◆				▼▲◆	▼▲◆
Borrassa®	✗	◆◆				◆◆								
Provincial™	◆	▲	▲			◆◆			▲	▲	▲		◆▲	◆▲
Longford™	◆	▼	▼◆	▼	▼	▼	◆◆			▼	▼		▼◆	▼◆
Cambridge™	◆	▲					◆◆		▲	▲	▲		◆▲	◆▲
Zaha®	◆	▼◆	▼			◆◆							▼◆	▼◆
Lucerna®	◆	▲	▼▲	▼		◆◆			▼▲	▼▲	▼▲		▼▲◆	▼▲◆
Geometric													▼▲◆	▼▲◆
Chord		▼											▼▲◆	▼▲◆
Chinchilla													▼▲◆	▼▲◆
Rainglass													▼▲◆	▼▲◆
Granite													▼▲◆	▼▲◆
Hammered													▼◆	▼◆
Low-E Glass	▼▲◆	▼▲◆		▼		◆◆		▲	▼▲		▲		▼▲◆	▼▲◆




8'0" Options																									
8" x 66" Shaker		6" x 52"		8" x 52"		8" x 45"		8" x 35"		8" x 41"		8" x 18"		25" x 66"		25" x 51"		25" x 51" Arch		31" x 51" Arch		8" x 80"		8" x 80" Shaker	
12" 14"		10"		12" 14"		12" 14"		12" 14"		12" 14"		12" 14"										12" 14"		12" 14"	
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
		▼	▼	▼	▲	▲	▲	▲	▲	▲	▲	▼	▼									▼	▲	▲	▲
		▼	▼	▼	▲	▲	▲	▲	▲	▲	▲	▼	▼									▼	▲	▲	▲
		▼	▼	▼	▲	▲	▲	▲	▲	▲	▲	▼	▼									▼	▲	▲	▲
														▼	◆	◆	◆	◆							
		▼	▼	▼								▼	▼									▼	▲	▲	▲
																						▼	▲	▲	▲
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
■	■											■	■									■	■	■	■
■	■	▼	▼	▼	▲	▲	▲	▲	▲	▲	▲	■	■									■	■	■	■

Longford



Cambridge




Zaha




Lucerna



Privacy & Textured Glass



Low-E



Key













■ ▼ ◆ ▲ ● New this year      ■ ▼ ◆ ▲ ● Still available      ■ ▼ ◆ ▲ ● Removed this year

- American Style Collection..
- ◆ Rustic Collection..
- Canvas Collection.
- Brushed Nickel Caming (1C) ✕ Wrought Iron (1W)
- ▼ Mahogany Collection..
- ▲ Oak Collection..
- ◆ Black Nickel Caming (1D)
- ✕ Brass Caming (1A)

# Fiber-Classic®, Smooth-Star® & Steel 6'8" & 8'0" Doorglass & Sidelites

🕒 Glass Designs Available in 2 Weeks


Rapid Ship

Glass Design & Caming Options	6'8" Options											
												
	16" x 64"	20" x 64"	22" x 64"	22" x 47"	20" x 36"	22" x 36"	22" x 36" Round	16" x 40"	21" x 15"	21" x 15" Flat Frame	8" x 42"	22" x 10" Arch
Blackstone®	◆		▼*	▼*		▼*		▼*			▼*	
	⊞		*	▼*		▼*		▼*			▼*	
Crystalline™	◆		*			▼*						
	⊞		▼			▼						
	⊠					*						
Sedona	◆		▼*	▼*		▼*					*	
	⊞		*	▼*		▼*			*			
Salinas®	✗					▼	*					
Maple Park®	◆		▼*			▼			*		▼	
	⊞		▼*	▼		▼			*		▼*	
Avonlea®	◆		▼*	▼*		▼*		*			▼*	
Saratoga™	◆		▼	▼*		▼					▼*	
	⊞		▼	▼*		▼					▼*	
Texas Star	⊞			▼		▼*						
Wellesley™	◆		*					▼*				
	⊞		▼*	▼*		▼*		▼			▼*	
	⊠		▼*	▼*		▼*		▼*			▼*	
Riserva™	✗	▼*			▼*						▼*	
Concorde™	◆					▼		*				
	⊞		▼*	▼*	*	▼*	*	▼			▼	
	⊠			▼*		▼*	*	▼*			▼*	
Kensington™	◆		*	*		*		▼*				
	⊞		▼					▼			▼*	
Pembridge™	◆	*	*		*						*	*
	⊞		*	*	*				*	*	*	*
	⊠		*	*		*		*	*	*	*	*
Axis™	◆	▼	▼*			▼						
Satin Etch												
Chord			▼*	*		*						
Chinchilla			*	*		*						
Rainglass			▼*	▼*		▼*						
Granite			▼*	▼*		▼*						




									8'0" Options			
			▼		▼*	▼						
			▼		▼*	▼						
▼*	▼		▼*			▼*		*				
▼	▼*		▼			▼				*	*	
▼	▼		▼*			▼*						
			▼		▼	▼*						
			*		▼*	▼*						
			▼		▼*	▼				▼*	*	
			▼		▼*	▼						
			▼		▼*	▼*						
			▼		▼*	▼						
			▼		▼*	▼						
			*				▼*			*	*	
					▼*	▼				▼*	▼*	▼*
▼*			▼		▼*	▼	▼*	*			*	
▼*			▼		▼*	▼*	*	*				
			▼*			*						
		*			*					*	*	*
	*	*		*	*	*						*
	*		*		*	*						
	▼		▼		▼	▼				▼	▼	
	▼*		▼		*	▼						
	*		▼			▼*						
	▼*		▼		▼*	▼						
	▼*		▼		*	▼						


Wellesley



Riserva




Concorde



Kensington




Pembridge



Axis



Privacy & Textured Glass



- Satin Etch
- Chord
- Chinchilla
- Rainglass
- Granite

Key

- ▼ Fiber-Classic.
- \* Smooth-Star. / Steel
- ◆ Black Nickel Caming (1D)
- ⊞ Brushed Nickel Caming (1C)
- ⊞ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- ▼\* New this year
- ▼\* Still available
- ▼\* Removed this year

# Therma-Tru® Door Systems

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [www.thermatru.com](http://www.thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru Door Surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, and Fiber-Classic. Door Systems.
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products

## Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.**

## Therma-Tru. Owner's Manual & Warranties

[www.thermatru.com/warranty](http://www.thermatru.com/warranty)





2751 Universal Street  
P.O. Box 2465  
Oshkosh, WI 54903  
ph. 920-235-8110 / 800-236-3554  
[www.mdi-oshkosh.com](http://www.mdi-oshkosh.com)

Above: Classic-Craft American Style Collection Door – CCA1133; Low-E Glass, Sidelites – CCA2400SL

©2019 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are property of their respective owners. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit [ConsumersDigest.com](http://ConsumersDigest.com). ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. MET19.2949 / AUG 2019

**THERMA-TRU**  
DOORS

[thermatru.com](http://thermatru.com)  
1-800-THERMA-TRU (843-7628)