

2024 FIBERGLASS & STEEL CATALOG

DOORS • SYSTEMS • FINISHING • DECORATIVE GLASS • HANDLESETS





Therma-Tru. Manifest your outer home.

We reinvented the door, so you can reinvent your first impression.

Thanks to decades of material science expertise, Therma-Tru_{*} doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.



Uncompromising quality, inside and out.

FIND YOUR FAVORITE DOORS

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction	2–27
NEW Products Therma-Tru ₈ Thrive	
Curb Appeal	
Door Selections	. 13–15
Door System Components	
Tru-Defense	
Safety & Security Decorative & Specialty Glass	
Impact-Rated Products	
•	
Patio, Storm & Vent Hinged Patio Door Systems	
Retractable Screen Doors	
Impressions™ Integrated Storm	
& Entry Door System	32–33
Veris Collection Overview	
	34-43
Classic Craft.	
Decorative & Specialty Glass	
Accessories 10 Hinged Patio Doors	
_	J 4 -107
Fiber-Classic & Smooth-Star	00 015
Decorative & Specialty Glass	
Accessories	
Hinged Patio Doors2	10-215
Steel2	16-239
Profiles	
Traditions	
Decorative & Specialty Glass	
Fire Doors24	0-243
Pulse _® 24	14-257
Finish Options25	8-264
PrismaGuard. Stain & Paint	
Same-Day _® Stain Kit	264
Door System Components	
20	35–279
Special Quote Program	280
3'6" Width Options Chart	
	281
7'0" & 6'6" Height Options	
Charts 28	32–283
Product Details 28	4–285
Index 28	6-298
Trade Resources	299

NEW Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star, Doors





Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Available in Smooth-Star, starting on page 133.

7'0" sizes available Q3 2024.









EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles for Smooth-Star, Doors





On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry.

New DDB and SDL styles for flush-glazed full-lite and solid-panel

Shaker-style doors blend on-trend contours with purposeful Shaker

design to complete the look of Contemporary and Modern home styles.

Available in Smooth-Star, starting on page 126.







EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star, Doors





More light along the coast.

Enjoy the clean style and increased daylight opening of full-lite EnLiten flush-glazed glass, now engineered to withstand extreme weather conditions.* Available with privacy and textured, energy-efficient Low-E glass and a wide selection of simulated divided lite styles.

Available in Smooth-Star, starting on page 128.

Available Q3 2024.





Commercial





EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

^{*}Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions, details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Advanta_® Lite Frame***

for Fiber-Classic, Smooth-Star, Profiles, Traditions & Pulse





The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 139; Profiles and Traditions, starting on page 221; and Pulse, starting on page 248.

· LIMITED WARRANTY Fiber-Classic, Smooth-Star,

Pulse Fiberglass





ENERGY STAR PARTNER

AVAILABLE LITE FRAME SIZES

Fiber-Classic / Smooth-Star / Profiles / Traditions / Pulse



AVAILABLE GLASS OPTIONS

Glass options vary by size.

Decorative Glass
Privacy & Textured
Internal Blinds

Divided Lites Clear / Low-E

NEW 8'0" Smooth-Star. Doors & Sidelites

with Elevated Bottom Rail





Classic style - elevated.

Our assortment of popular Smooth-Star doors and sidelites expands to include new elevated bottom rail options. The new flush-glazed full-lite sidelite features a 10" bottom rail to match doors with elevated bottom rails for a consistent look across the door system. The new 8'0" 2-panel square top Shaker-style door offers new ways to bring transitional style to tall entries.

Available in Smooth-Star, starting on page 207.

Door available Q3 2024.





Commercial





ð

Fire-Rated Options



8'0" 2-Panel Square Top Shaker Door

Minimum 10" Bottom Rail

8'0" Flush-Glazed Full-Lite Sidelite

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW 8'0" Smooth-Star_® Flush-Glazed Doors

with Internal Blinds & Elevated Bottom Rail



More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications**, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 126.





EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners

Multi-Family / Commercial



8'0" Flush-Glazed Full-Lite Door

Elevated Bottom Rail U1: 10-1/4" Book / Hybrid: 10-15/32"

**For ADA compliance, door must be 3'0" wide.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.



We're doing our part to build a better world, every chance we get. Therma-Tru. Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.



Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood*. Ours feature a polyurethane foam core, an **energy-efficient insulating material.**

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard. paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance.** (AAMA 1304)



Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2023 Brand Leader**** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material.**

Being a good neighbor.


For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.








^{*}Comparison of fiberglass to wood doors (both without glass).

^{**}Brand Index, 2023 Green Builder magazine.

Make a Smart Investment



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.*




^{*}Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

^{**}Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.


The Beauty of Choice

The architectural beauty of a Therma-Tru_{*} door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 14–15.



DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22–25.



FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard, premium finish and Same-Day, stain on pages 258–264.



DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 16–21.

Designed for peace of mind.

LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.





QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab – approved to perform specific test methods with a third-party witness** – as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft_® Series Pages 44–107

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain. technology.













Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Fiber-Classic Collections Pages 108-215

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.











Smooth-Star_® Pages 108–215

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Steel Pages 216-239

Bring style and affordability together to create very attractive results with our steel doors.







Pulse_{® Pages 244-257}


A contemporary series of door styles and glass designs that can be combined to make a bold statement.














Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.







Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame. In addition, a rot-free Therma-Tru composite door frame* delivers extra protection from the damaging effects of moisture.




2 Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.



4 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



6 Multi-point locking system (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the weatherstrip's seal even under wind pressure.



G Lip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.



Composite Door Frame*

featuring Tru-Guard™ Composite Technology

Therma-Tru₀ composite door frame featuring Tru-Guard composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense. Warranty Rider



A Therma-Tru_{*} door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the () icon.



^{*}The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

^{**}Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



DOOR FRAME .

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



CORNER SEAL PADS 💠

(Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



COMPOSITE ADJUSTABLE SILL ❖

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



WEATHERSTRIP •

Features a resilient design to help deliver a precise seal between the door and frame.



BOTTOM SWEEP ♣

(Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



ASTRAGAL 💠

(Double Doors)

Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



HINGES .

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



RAIN GUARD 💠

(Outswing Only)

Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



MULTI-POINT LOCKING SYSTEM ❖ (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement		
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

34% Front Door³ 22% Back Door³

THERMA-TRU, COMPOSITE DOOR FRAME

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

³Source: asecurelife.com



THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS

 Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Decorative & Specialty Glass

A Therma-Tru_{*} door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.



TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic, Smooth-Star, Profiles and Traditions doors and sidelites.

Privacy & Textured Glass

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse, doors and sidelites.





Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (*) icon.



Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.


Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, and Traditions.



EnLiten™ Flush-Glazed Designs

for Classic Craft, Fiber-Classic, & Smooth-Star, Doors & Sidelites





STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.





*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing. Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors - CCA82320XE, Finish - Raven

Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door - S2104XJ, Finish - Granite

Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors - S2600

Right Page: Smooth-Star, Granite Glass with SDLs, Door - S83400XN, Sidelites - S85225XNSL, Finish - Peregrine



DURABLE BY DESIGN

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*




Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)


EnLiten_™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 123 for details.

Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru. product options in this catalog.



3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*




IMPACT DOORS

Feature a built-in 24-gauge steel plate lining.

NEW IMPACT FLUSH-GLAZED GLASS

Offers clean style and an increased daylight opening.



IMPACT GLASS

Features special laminated glass construction.



IMPACT INTERNAL BLINDS

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



OTHER CONSIDERATIONS

Fire Doors


See pages 240-243.

Noise Reduction Doors
See page 205.

E Elevated 10" Bottom Rail Look for the (E) symbol.

IMPACT LIP-LITE FRAME

Features durable, paintable aluminum construction.
An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Hinged Patio Door Systems



Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru_® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru_• patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- **5** Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- **7** Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens



VENTED SIDELITES

Enjoy the view - and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the () symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.




Classic Craft, starting on page 104.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 210.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru_{*} entry door systems.



^{*}Adjusts quickly for 32"–36" doors. If less than 32", a hacksaw is required for one cut to each track.

^{**}Based on average DIY skills and standard door application, widths 32"-36".


^{***}Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.




AVAILABLE SIZES

(Available for most inswing units.)



Single Door System Widths: 32"-36" Heights: 6'6", 6'8", 8'0"



French Door System Widths: 68"-73" Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.**

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.***



....



Brown Black

AVAILABLE CONFIGURATIONS









See your Therma-Tru seller for details on product availability and ordering.

WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.







Fiber-Classic, Smooth-Star, Pulse Fiberglass

Profiles, Traditions, Pulse Steel

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Impressions_™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a **Therma-Tru**₀ **entry door** to create an entry that complements your home's architectural style.



2 The Impressions system comes standard with composite brickmould and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a composite frame featuring

Tru-Guard™ composite technology.



3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's flat-profile composite brickmould.

^{*}Patent pending

^{**}The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

^{***}Not suitable for use with Therma-Tru grip-style handlesets.



THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE

The concealed hinges featuring retractable pins 4 and the revolutionary hidden closer with Click&Hold_m technology 5 enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job.

Scan the QR code to learn more about storm door panel installation.









6 ALUMINUM STORM DOOR OPTIONS

Available Sizes & Configurations

Choose Low-E or clear glass.
Interchangeable screen panel included.



Single

Color Options

Features a maintenance-free finish.




White Gray
Color matched to
PrismaGuard Alpine. Color matched to
PrismaGuard Granite.

Brown
Color matched to
PrismaGuard Elk and
complements most
stain options.



BlackColor matched to
PrismaGuard Onyx.

7 QuickFit_™ Handlesets***



Home, unbound.

The feeling of home extends beyond four walls as homeowners focus on connecting with nature. Blur the lines between indoor and outdoor living spaces with entry doors designed as beautiful connection points.







Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.* Redefine indoor and outdoor living with the Veris Collection.



Open to possibilities.

The Veris™ Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS COLLECTION



Folding Doors



Sliding Doors



Hinged Doors



Pivot Doors






Expand their horizon.




Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.



Contemporary connections.



Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.











Scan the QR code to view the complete Veris Collection catalog.


Print copies are available — contact your Therma-Tru_® representative for ordering information.



Explore options and see it in your home with our visualizer at **veriscollection.com**.








An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.









Comprehensive warranties for peace of mind.



Uniquely designed by Therma-Tru, Classic Craft. complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at thermatru.com/warranty.



Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft, premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term

performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru. Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGraintechnology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain, technology.

AccuGrain.

Bottom: Classic Craft Walnut Grain, Door - CCW900L, Finish - Shale



Fir Grain Formerly Classic-Craft American Style Designed to echo the grain of the largest species of American Hemlocks - the Western Hemlock tree - found in lush coastal rainforests of the Pacific Northwest.





most renowned woods in the world.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



Decorative & Specialty Glass Designs

Homeward_™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

GLASS SHAPES





GLASS PRIVACY RATING







Brushed Nickel

Arborwatch.

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines

1 narrow reeded glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and

6 clear bevels.

GLASS SHAPES



GLASS PRIVACY RATING



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 60 to see an example on a home.



Black Nickel



Brushed Nickel

Augustine

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

GLASS SHAPES



Corresponding sidelites feature Granite glass without wrought iron.

GLASS PRIVACY RATING





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 77 to see an example on a home.

Borrassa.

A statement of strength and beauty,
Borrassa combines linear and curved
wrought iron with 1 hammered glass
for the ultimate in privacy. Wrought iron
decorative accents add an authentic Old
World feel to this stately design.

GLASS SHAPES



Corresponding sidelites feature Hammered glass without wrought iron.

GLASS PRIVACY RATING





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 46 to see an example on a home.

Decorative & Specialty Glass Designs

Provincial_™

A unique diamond-based motif features

1 double waterglass, 2 clear bevels and
caming surrounded by a 3 gray baroque
glass border. Provincial captivates with
stunning clarity.

GLASS SHAPES



GLASS PRIVACY RATING









Brushed Nickel

Longford™

The traditional design of Longford integrates a hint of a Celtic knot with


- 1 seeded glass, 2 clear bevels,
- **3** granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES



GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Lucerna

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 10 curved, 22 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured **5** diamond border glass.

GLASS SHAPES



GLASS PRIVACY RATING







Brushed Nickel

Zaha

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES



GLASS PRIVACY RATING








Black Nickel Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

GLASS PRIVACY RATING





Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

GLASS PRIVACY RATING





Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

GLASS PRIVACY RATING





Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

GLASS PRIVACY RATING



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

GLASS PRIVACY RATING





Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

GLASS PRIVACY RATING





Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (►) icon.



Fir Grain Canvas





Flush-Glazed Sticking Profiles

Look for the (♠) and (♠) icons.



Detailed StickingLook for the (♠) icon.



Square StickingLook for the (**b**) icon.

EnLiten_™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 123 for details.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs Sidelites – S1170SL, Clear Glass Transom – 19220T; Clavos Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Finish – Lynx; Strap Hinges




Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.





Full Lites



Canvas

Key

- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)

HOMEWARD...




CCR9925 3'0" x 6'8"



CCR9925SL

12" x 6'8" 14" x 6'8"



CCV9925 3'0" x 6'8"



CCV911SL

12" x 6'8" 14" x 6'8"

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)

ARBORWATCH_®



Mahogany CCR1423 3'0" x 6'8"



Mahogany CCR1423SL

12" x 6'8" 14" x 6'8"



Canvas CCV1423

3'0" x 6'8"



Canvas

CCV1423SL 12" x 6'8" 14" x 6'8"

AUGUSTINE,×



CCR30027 3'0" x 6'8"




CCR3400XNSL 12" x 6'8"

14" x 6'8"



CCV10027 3'0" x 6'8'




CCV100XNSL 12" x 6'8" 14" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.







Full Lites

continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 56-57.

XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.


ZAHA




Mahogany CCR1851 3'0" x 6'8"



CCR1851SL 12" x 6'8" 14" x 6'8"




CCV1851 3'0" x 6'8"



CCV1851SL 12" x 6'8" 14" x 6'8"







CCA82310_ **4 ▲** 4 E 3'0" x 6'8" 3'0" x 8'0"












*Not available with Reeded (XK) glass.

Note: See page 285 for important product details that may help with your purchase decision.



♦ 5 E 3'0" x 8'0"

∆ 5 3'0" x 6'8"

♦ E 3'0" x 8'0"

∆ 3'0" x 6'8"

Full Lites

continued



Key

Flush-Glazed Glass with Square Sticking (FG)

****** Low-E Glass (LE)

Simulated Divided Lites (SDLF3)

Simulated Divided Lites (SDLF4)

Simulated Divided Lites (SDLF5)

E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

 $\begin{array}{ll} XK = Reeded & XJ = Chinchilla \\ XE = Satin Etch & XR = Rainglass \\ XC = Chord & XN = Granite \\ \end{array}$

PRIVACY & TEXTURED CCA82310__SL CCA2300__SL CCA82300__SL CCA2310__SL CCA2320__SL CCA82320__SL ▲ 4 12" x 6'8" 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0" ▲ 3 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8" 14" x 6'8" Fir CCA2330__SL CCA82330__SL CCA2340__SL CCA82340__SL CCA2400__SL CCA82400__SL 12" x 6'8" 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0" 12" x 8'0" 14" x 8'0" 14" x 6'8" OW-E Fir Fir CCA2310 ** 4 3'0" x 6'8" CCA82310 CCA2320 CCA82320 CCA2300 CCA82300 **♦ ★ ③** 3'0" x 6'8" **♦ # 4** 3'0" x 6'8" **♦ * □ E** 3'0" x 8'0" **♦ * □ E** 3'0" x 8'0" **♦ * □ E** 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.























Full Lites


continued



Key

- Low-E Glass (LE)

- Simulated Divided Lites (SDLF4)
- 5



For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

14" x 6'8"


Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2340, Sidelites - CCA2400SL, Finish - Rustic Clay Right Page Bottom: Classic Craft American Style Collection, Low-E Glass with SDLs, Doors - CCA4940

14" x 8'0"

14" x 6'8"




CCA2340SL ** 3 12" x 6'8" 14" x 6'8"



CCA2400SL **≜ *** 12" x 6'8" 14" x 6'8"

CCA82400SL **♦ *** 12" x 8'0" 14" x 8'0"



Mahogany

CCR30020 3'0" x 6'8"

Mahogany



Mahogany

CCR3400SL ▲ **
12" x 6'8"
14" x 6'8"



Canvas CCV10020

3'0" x 6'8"



CCV950SL

12" x 6'8" 14" x 6'8"



CCV100SL

♦ * 12" x 6'8" 14" x 6'8"



3/4 Lites



Canvas

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)



Mahogany CCM2801 CCM82801

♦3'0" x 6'8" | **♦**3'0" x 8'0"



CCM9923 3'0"x 6'8"



Mahogany

CCR9925SL 12" x 6'8" 14" x 6'8"

CCR89925SL 12" x 8'0" 14" x 8'0"



- Flush-Glazed Glass with Square Sticking (FG)



CCV9922 CCV89922 3'0" x 6'8" 3'0" x 8'0"



CCV911SL CCV8111SL

12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



CCM81418 3'0" x 8'0"



CCM1419 3'0"x 6'8"




CCR1423SL 12" x 6'8"

14" x 6'8"

Mahogany CCR81423SL 12" x 8'0" 14" x 8'0"



CCV1418 CCV81418 3'0" x 6'8" 3'0" x 8'0"



CCV1423SL 12" x 6'8" 14" x 6'8"

CCV81423SL **▲** 12" x 8'0" 14" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.





Mahogany CCM805027 3'0" x 8'0"



CCM1485

3'0"x 6'8"



CCM1495 3'0" x 6'8"



Mahogany

CCR3400XNSL 12" x 6'8" 14" x 6'8"

CCR8000XNSL 12" x 8'0" 14" x 8'0"



CCV805027 CCV05027 3'0" x 6'8" 3'0" x 8'0"



Canvas

CCV100XNSL 12" x 6'8" 14" x 6'8"

CCV8100XNSL 12" x 8'0" 14" x 8'0"





Mahogany

CCM81519 3'0" x 8'0"



Mahogany

CCM1475 3'0" x 6'8"



Mahogany

CCM1465 3'0" x 6'8"



Mahogany

12" x 6'8" 14" x 6'8"

CCR3400XHSL | CCR8000XHSL 12" x 8'0" 14" x 8'0"



CCV1519 3'0" x 6'8" CCV81519 3'0" x 8'0"



12" x 6'8" 14" x 6'8"

CCV100XHSL | CCV8100XHSL 12" x 8'0" 14" x 8'0"



Mahogany

CCM892 3'0" x 8'0"



Mahogany

CCM203 3'0"x 6'8"



Mahogany

CCM303 3'0" x 6'8"

3/4 Lites

continued



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XK = Reeded XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = ChordXN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.







CCM3303SL

12"x 6'8"

14"x 6'8"





CCR8007SL

12" x 8'0"

14" x 8'0"





CCV8103SL 12" x 8'0" 12" x 6'8" 14" x 6'8" 14" x 8'0"

LUCERNA



Mahogany CCM82802 CCM2802 **♦**3'0" x 6'8" | **♦**3'0" x 8'0"



CCR3407SL

12" x 6'8"

14" x 6'8"

Mahogany CCR8102SL CCR3412SL

12" x 8'0" 12" x 6'8" 14" x 8'0" 14" x 6'8"



CCM204 3'0"x 6'8"



Mahogany CCM302 3'0"x 6'8"



Mahogany CCM3302SL 12"x 6'8" 14"x 6'8"



Canvas CCV05022 CCV805022 3'0" x 6'8" 3'0" x 8'0"




Canvas CCV3412SL CCV8102SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

*Not available with Chinchilla (XJ) glass.

Note: See page 285 for important product details that may help with your purchase decision.

















CCM1844 3'0"x 6'8"




CCM1842 3'0"x 6'8"



CCM1843SL 12"x 6'8" 14"x 6'8"



CCV1843 CCV81843 3'0" x 6'8" 3'0" x 8'0"



CCV81851SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8"











CCM2812__* CCM82815__* **6** 3'0" x 6'8" 3'0" x 8'0"



CCM2800__* CCM82800__* 3'0" x 6'8" 3'0" x 8'0"

3/4 Lites

continued



Canvas

Key

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

* Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

XJ = Chinchilla

For transoms, see page 102.

Note: Product images show exterior side of door.

PRIVACY & TEXTURED



CCM200XC CCM200XN 3'0"x 6'8"



CCM300XC CCM300XN 3'0" x 6'8"



Mahogany

CCR2025_SL | CCR82035_SL

↓ □
12" x 6'8" | 12" x 8'0" | 14" x 8'0"



Manogany



CCV05020XC CCV05020XN 3'0"x 6'8"





CCV100_SL | CCV8100_SL* 12" x 6'8" | 12" x 8'0"

14" x 6'8"

Mahogany



*Not available with Satin Etch (XE) glass.

14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door - CCM2806, Finish - Acorn







Mahogany

CCM2800

CCM82800 **♦ * 3**'0" x 6'8" **3**'0" x 8'0"



Mahogany





Mahogany

CCR3400SL | CCR8000SL

♦ **
12" x 8'0"
14" x 8'0" **♦ *** 12" x 6'8" 14" x 6'8"



Mahogany

CCM200

3'0"x 6'8"



Mahogany

CCM300

3'0" x 6'8"



Mahogany

CCM3300SL

10"x 6'8" 12"x 6'8" 14"x 6'8"



Canvas

CCV05020

3'0" x 6'8"

CCV805020

3'0" x 8'0"





Canvas

CCV100SL **♦ *** 12" x 6'8" 14" x 6'8"

CCV8100SL **♦ ***12" x 8'0"
14" x 8'0"





Canvas



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Optional Accessories





Strap Hinge



Mahogany CCR9921 CCR89921

3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8"



Mahogany

CCR9919 3'0" x 6'8" CCR89919 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR9918 3'0" x 6'8"

CCR89918 3'0" x 8'0"

Mahogany

CCR822218 3'0" x 8'0" 3'6" x 8'0"



CCV9919 CCV89919 3'0" x 6'8" 3'0" x 8'0"



Canvas

CCV9918

3'0" x 6'8"

CCV89918 3'0" x 8'0"

ARBORWATCH_®



Mahogany

CCR1417 3'0" x 6'8"

CCR81417 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1415 3'0" x 6'8' CCR81415 3'0" x 8'0" 3'6" x 8'0"



CCR1414

3'0" x 6'8"

CCR81414 3'0" x 8'0"

For transoms, see page 102.



Mahogany

CCR822214 3'0" x 8'0" 3'6" x 8'0"




Canvas

CCV1415 3'0" x 6'8" CCV81415 3'0" x 8'0"



Canvas

CCV1414 | CCV81414 3'0" x 6'8" | 3'0" x 8'0"





Mahogany

CCR04027 3'0" x 6'8" CCR804027 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20527 3'0" x 6'8" CCR820527 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20027 3'0" x 6'8"

27 | CCR820027 '8" | 3'0" x 8'0"



Mahogany


CCR822227 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR04037 3'0" x 6'8" CCR804037 3'0" x 8'0" 3'6" x 8'0"


AUGUSTINE Continues on next page.



continued



Canvas





Mahogany

CCR20537 3'0" x 6'8"

CCR820537 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20037 CCR820037 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR20537A 3'0" x 6'8"

CCR820537A 3'0" x 8'0" 3'6" x 8'0"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (W)

Optional Accessories





Strap Hinge



Mahogany

3'0" x 6'8"

CCR20037A | CCR820037A 3'0" x 8'0"



Canvas

CCV20527 3'0" x 6'8"

CCV820527 3'0" x 8'0"



Canvas

CCV22027 3'0" x 6'8"

CCV822027 3'0" x 8'0"



CCV20537 3'0" x 6'8"

CCV820537 3'0" x 8'0"



CCR1518 3'0" x 6'8"

CCR81518 3'0" x 8'0" 3'6" x 8'0"



CCR1516 3'0" x 6'8"

CCR81516 3'0" x 8'0" 3'6" x 8'0"

For transoms, see page 102.



Mahogany

CCR1515 3'0" x 6'8"

CCR81515 3'0" x 8'0"



Mahogany

CCR822215 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1514 CCR81514 3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8"



Mahogany

CCR1512 3'0" x 6'8"

CCR81512 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511 3'0" x 6'8"

CCR81511 3'0" x 8'0"



Mahogany

CCR1512A 3'0" x 6'8"

CCR81512A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1511A 3'0" x 6'8"

CCR81511A 3'0" x 8'0"



Canvas

CCV1516 3'0" x 6'8"

CCV81516 3'0" x 8'0"



CCV1515

CCV81515 3'0" x 6'8" 3'0" x 8'0"



CCV1512 | CCV81512 3'0" x 6'8" | 3'0" x 8'0" CCV81512



Mahogany

CCR804028 3'0" x 8'0"



Mahogany

CCR820528 3'0" x 8'0"

continued



Canvas



Brushed Nickel Caming (1C)





Strap Hinge

PROVINCIAL.

LONGFORD ... +



Mahogany

CCR820028 3'0" x 8'0"



Mahogany

CCR822228 3'0" x 8'0"



Canvas

CCV820528 3'0" x 8'0"



Canvas

CCV822028 3'0" x 8'0"

Black Nickel Caming (1D)

Optional Accessories







CCR04023 3'0" x 6'8" CCR804023 3'0" x 8'0"



Mahogany

CCR20523 3'0" x 6'8"

CCR820523 3'0" x 8'0"



Mahogany

CCR20023 3'0" x 6'8"

CCR820023 3'0" x 8'0"



Mahogany

CCR822223 3'0" x 8'0"



CCV20523 3'0" x 6'8" CCV820523 3'0" x 8'0"



CCV822023 3'0" x 8'0" CCV22023 3'0" x 6'8"

For transoms, see page 102.









CCR822222 3'0" x 8'0" 3'6" x 8'0"

Mahogany CCR04022 CCR804022 3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8"

CCR20522 CCR820522 3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8"

CCR20022 3'0" x 6'8"

CCR820022 3'0" x 8'0"



CCR804032 3'0" x 8'0"



CCR820532 3'0" x 8'0"



CCR820032 3'0" x 8'0"



CCR820532A 3'0" x 8'0"



CCR820032A 3'0" x 8'0"



CCV20522 3'0" x 6'8"

CCV820522 3'0" x 8'0"



CCV22022 3'0" x 6'8"

CCV822022 3'0" x 8'0"



CCV820532 3'0" x 8'0"



CCR1841 3'0" x 6'8"

CCR81841 3'0" x 8'0"

continued



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch XR = Rainglass XC = ChordXN = Granite

Optional Accessories





Strap Hinge



CCR1839 CCR81839 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR1838 CCR81838 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR822238 3'0" x 8'0"



Mahogany

CCR81847 3'0" x 8'0"



Mahogany

CCR81846 3'0" x 8'0"



CCR81845 3'0" x 8'0"



CCR81846A 3'0" x 8'0"



CCR81845A 3'0" x 8'0"



CCV1839 CCV81839 3'0" x 6'8" 3'0" x 8'0"



CCV1838 CCV81838 3'0" x 6'8" 3'0" x 8'0'



CCV81846 3'0" x 8'0"

For transoms, see page 102.









CCR20020__* | CCR820020__* | CCR822020_ 3'0" x 6'8" | 3'0" x 8'0" | 3'0" x 8'0"



CCR804030__* 3'0" x 8'0"



Mahogany CCR820530__* 3'0" x 8'0"



CCR820030__* 3'0" x 8'0"



CCR820530A__* 3'0" x 8'0"



CCV20520__* | CCV820520__* 3'0" x 6'8" | 3'0" x 8'0"













continued



Key



Flush-Glazed Glass with Square Sticking (FG)



Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

TEXTURED ŏ PRIVACY





Mahogany


CCM304L__ **∆ 6** 3'0" x 6'8"

CCM304R_ **6** 3'0" x 6'8"



CCM8304L__ **1 6 6 1 1 2 1 3 1 0 " x 8 1 0 "**

CCM8304R__ **6** 3'0" x 8'0"



For details on glass options, see pages 62-63.

XE = Satin Etch XR = Rainglass XC = ChordXN = Granite



Mahogany

CCM303L__

CCM303R__ **▲ 6** 3'0" x 6'8"



Mahogany

CCM8303L__

CCM8303R__ **▲ 6** 3'0" x 8'0"



3'0" x 6'8"

CCM301CAR_ **∆** 3'0" x 6'8"



Mahogany CCM8301CAL_

∆ 3'0" x 8'0"

CCM8301CAR_ 3'0" x 8'0"

For transoms, see page 102.



Mahogany

CCR804030

3'0" x 8'0"

Mahogany

CCR822220

3'0" x 8'0" 3'6" x 8'0"


Mahogany

CCR820020

3'0" x 8'0"

CCR20020

3'0" x 6'8"



CCR820030

3'0" x 8'0"

Mahogany

Mahogany

CCR820530

3'0" x 8'0"

continued



Canvas



Strap Hinge







For transoms, see page 102.













Mahogany

CCM301CAL **♦ *** 3'0" x 6'8"

CCM301CAR **♦ *** 3'0" x 6'8"



Mahogany

CCM8301CAL CCM8301CAR

♦ * 3'0" x 8'0" **♦ *** 3'0" x 8'0"



Mahogany

CCM305CAL ♦ ※ 6 3'0" x 6'8"

CCM305CAR ♦ * © 3'0" x 6'8"



Mahogany



Mahogany

CCM306CAL ▲ ※ ⑤ 3'0" x 6'8"


CCM306CAR ▲ ※ ⑥ 3'0" x 6'8"



Mahogany

CCM8306CAR ♦ *** 6** 3'0" x 8'0"

1/2 Lites



Canvas





CCM9926 3'0" x 6'8"



CCV9926 3'0" x 6'8"

ARBORWATCH_°

Mahogany CCM1424 3'0" x 6'8"



CCV1424 3'0" x 6'8"

Key

Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch





CCV06028 3'0" x 6'8"





CCM603 3'0" x 6'8"



CCV06023 3'0" x 6'8"





CCM612 3'0" x 6'8'



CCV06022 3'0" x 6'8'



CCM600XE 3'0" x 6'8'



CCV06020XE 3'0" x 6'8"

For transoms, see page 102.





Craftsman Lites



Canvas



- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XC = ChordXR = Rainglass XN = Granite XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

.....

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.









3'0" x 8'0"



CCA87112 3'6" x 8'0"



CCA3401SL CCA3501SL 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"




CCA211SL 12" x 6'8" 14" x 6'8"




CCV931 **3**'0" x 6'8"



CCV911 3'0" x 6'8"










CCA87131 3'6"x 8'0"



Craftsman Lites

continued



Canvas



Flush-Glazed Glass with **Detailed Sticking (FG)**

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch

XR = Rainglass

XC = Chord

XN = Granite

XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

TITLIFE THE TITLIFE

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf Pairs with 3'6" wide doors.

4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.







3'0" x 8'0"




3'6" x 8'0"



CCA3450__SL* 12" x 6'8" 14" x 6'8"

CCA3560__SL* **12**" x 8'0" 14" x 8'0"



CCA3400__SL* CCA3500__SL* 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



Fir CCA220__SL* 12" x 6'8" 14" x 6'8"



CCA210__SL* 12" x 6'8" 14" x 6'8"



CCV920__* 3'0" x 6'8"



CCV930__* 3'0" x 6'8"



CCV940__* 3'0" x 6'8"



CCV960__* **3**'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

^{*}Not available with Satin Etch (XE) glass.



Craftsman Lites

continued



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf



4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.















CCA3400SL CCA3500SL **≜ *** 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"

CCA220SL **≜ * ■** 12" x 6'8" 14" x 6'8"










Canvas CCV940 **≜ ≋** ■ 3'0" x 6'8"

≜ ≈ ≈ 3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision. Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven





Solid Panels



Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- **9** WBDR Options
- E Elevated 10" Bottom Rail Options



CCA1125 5 9 3'0" x 6'8" CCA81125 3'0" x 8'0"

CCA1149 CCA81149 **5 6 E** 3'0" x 6'8" 3'0" x 8'0"

Fir


CCA81127 9 E 3'0" x 8'0"



CCA4905 3'0" x 6'8" CCA84905 **9 E** 3'0" x 8'0"



CCA4915L 3 9 3'0" x 6'8" CCA4915R 3'0" x 6'8"



CCA84915L 3'0" x 8'0"

CCA84915R **6** E 3'0" x 8'0"





CCA4925L | CCA4925R | 5 6 3'0" x 6'8"

For transoms, see page 102.


















CCA2410SL

12"x 6'8" 14"x 6'8" CCA82410SL

12" x 8'0" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.









Solid Panels



Key

* Low-E Glass (LE)

9 WBDR Options

E Elevated 10" Bottom Rail Options



Walnut

CCW1000 9 E

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW81000

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW900L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900L

0") 2'6" x 8'0" 0") 2'8" x 8'0" 2'10" x 8'0" 0") 3'0" x 8'0" 0") 3'6" x 8'0"



Walnut

CCW900R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW901L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW8901L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW901R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW8901R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW902L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW8902L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door - CCW902R; Low-E Glass Direct Set Sidelites - DRS2131SL, Transoms - 19200T, 19210T, Finish - Shale

Right Page: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelites - DRS82131SL, Finish - Tumbleweed



Walnut

CCW8902R

CCW902R

2'6" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 8'0" 3'6" x 8'0"



Walnut

CCW8903

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

CCM303

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



Walnut

CCW904L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8904L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW904R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW8904R 9 2'6" x 8'0"

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW8905

9E 2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6" x 8'0"

CCW905

5 E2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



Walnut

CCW906L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW906R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW907L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") ÇCW8907L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





Walnut

CCW907R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





Direct Set

DRS2131SL

DRS82131SL **

12" x 6'8" (7'0") | 12" x 8'0" 14" x 6'8" (7'0") | 14" x 8'0"

Solid Panels



Canvas

Key

Flush-Glazed Glass with Square Sticking (FG)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF6)

WBDR Options

WBDR / HVHZ Options

Optional Accessories



Clavos





Mahogany
CCR100 | CCR8100

3'0" x 6'8" 3'0" x 8'0" 3'6" x 6'8" 3'6" x 8'0"



Mahogany

CCM890 5 3'0" x 8'0"



Mahogany

CCR8222 5 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR100R | CCI 3'0" x 6'8" | 3'0 3'6" x 6'8" | 3'6

CCR8100R 8" 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR8005A 3'0" x 8'0"



Mahogany

CCR205A 3'0" x 6'8" | CCR8205A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR200A | CCR8200A 3'0"x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225 6 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR8005 6 3'0" x 8'0"

For transoms, see page 102.








Mahogany CCR8205 CCR205 **6** 3'0" x 6'8" 5 3'0" x 8'0" 3'6" x 8'0"



CCR200 CCR8200



CCM60 6 3'0" x 6'8"







6 3'0" x 6'8"



	Canvas
CCV205	CCV8205
6	6
3'0" x 6'8"	3'0" x 8'0"














Transoms

Transoms can be stained or painted to match Classic Craft. door systems.

HOMEWARD™ ◆::



HWRT


3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T

3'0" Door Only

ARBORWATCH. • ::





ABRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

AB30T 3'0" Door Only

LONGFORD_{TM} • ::



LFET

I FRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites

Continuous Sill Systems Only









LF30T 3'0" Door Only

PROVINCIAL ...



CC040T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





CC420T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LUCERNA. • ::



LCET

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LCRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LC30T 3'0" Door Only

ZAHA. • ::



ZHRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

LOW-E



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





3'0" Door Only



19210T

12" & 14" Sidelite Only

Key





Brushed Nickel Caming (1C)



Classic Craft_® Hinged Patio Doors



A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

GRAIN & TEXTURE OPTIONS



Fir GrainFormerly Classic-Craft American Style




Mahogany GrainFormerly Classic-Craft Mahogany & Rustic



Canvas

GLASS OPTIONS



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

I = Available	Classic Craft
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites	•
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	•
Privacy & Textured Glass with and without Divided Lites	•
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	

AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft_® Fir Grain
- · Classic Craft. Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




AVAILABLE COLLECTIONS

- Classic Craft_® Mahogany Grain


AVAILABLE DOOR STYLES





AVAILABLE CONFIGURATIONS











Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft_® Mahogany Grain
- Classic Craft_® Canvas

AVAILABLE DOOR STYLES




AVAILABLE CONFIGURATIONS





Fiber-Classic. & Smooth-Star. Fiberglass Doors




Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door - FC678, Finish - Barley

Right Page: Smooth-Star Door - S3501, Finish - Golden Wheat















Fiber-Classic₀ Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic_®
Oak Collection_™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star.

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



SEE THE DIFFERENCE COLOR CAN MAKE.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuarda premium finish and Same-Daya Stain color options on pages 258–264.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 114.
- Lite frame options include Advanta, lite frame with no screw plugs and a standard Lip-lite frame, starting on page 139. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten flush-glazed designs with 25–27" wide glass, starting on page 124.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.*
Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru_{*} fiberglass doors insulate against cold and heat for exceptional energy efficiency.

^{*}Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

^{**}Comparison of fiberglass to wood doors (both without glass).

Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- Fire-Rated Options: Available on solid-panel doors. See pages 240–243.

Flush-Glazed Options: Look for these icons (▲ ♠) to find doors styles with flush-glazed glass. See pages 124–137.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 285 for more information.

- ▲ Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners. See page 123 for more information.
 - Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense. Warranty Rider when properly assembled and installed with all Therma-Truspecified system components, in accordance with the Rider. See page 18–19 for details.



■ = Available • = Not Applicable S = Stain P = Paint	Fiber-Classic。 Mahogany Collection。	Fiber-Classic。 Oak Collection	Smooth-Star.		
Door Widths					
2'0"					
2'4"					
2'6"					
2'8"					
2'10"					
3'0"					
3'6"		-			
Door Heights					
6'6"					
6'8"					
7'0"					
8'0"					
Glass Options					
Decorative	16	16	16		
Privacy & Textured	6	6	6		
Internal Blinds					
Flush-Glazed					
Screen Vented					
Simulated Divided Lites					
Grilles Between Glass					
Low-E					
Clear					
Additional Options					
Finish	S/P	S/P	Р		
Vented Sidelites					

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 210–215.

6'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140 Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the () icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white – are designed for worry-free use.

AVAILABLE SIZES

Width	
12"	14"



AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Decorative & Specialty Glass Designs


Blackstone

Traditional English design meets
clear curved bevels, 2 rainglass
and caming to create the distinctive
styling of Blackstone. Entries get

the best of both privacy and simple refinement.









Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with

- 1 glue chip glass, 2 glue chip bevels,
- 3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel





Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

- 1 slump glass, 2 clear bevels,
- 3 clear artique glass and caming.





Black Nickel






Brushed Nickel

Salinas_®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.









Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.







Brushed Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 10 clear bevels,

2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



Black Nickel





Texas Star

Beautifully crafted with 10 clear bevels,

- 2 curved bevels, 3 clear waterglass,
- 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Black Nickel





Brushed Nickel


Wellesley_{TM}

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.



Glass Privacy Rating

Black Nickel





Brushed Nickel




Riserva_®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron




Concorde_™

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.







Brushed Nickel



Brass

Black Nickel

Kensington™

Kensington speaks European elegance while offering modest privacy with its

- 1 clear bevels, 2 glue chip glass,
- 3 granite glass and caming.







Brushed Nickel

Black Nickel

$\textbf{Pembridge}_{^{\text{\tiny{M}}}}$


Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.

Black Nickel





Brushed Nickel




Brass*

Axis.

Simple and smart, Axis combines 1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.







Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.



Black Nickel





Brass


Latitude

Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.



Black Nickel





Brushed Nickel




^{*}See your Therma-Tru seller for details on product availability.

Echelon

Echelon provides ① clear glass accented with eased angles and and clean edges infused with elements of diamonds and triangles.

Available with Advanta_™ lite frame* or Impact-rated lite frame only.







Brushed Nickel



Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

1 Single-Hand Operator





Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



REEDED



Glass Privacy Rating



CHINCHILLA



Glass Privacy Rating



SATIN ETCH





RAINGLASS





CHORD





GRANITE



Glass Privacy Rating

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.







^{*}Almond and Bronze GBGs available in flat bars only.


^{**}Available in Special Quote Program.

Note: See page 285 for important product details that may help with your purchase decision.





SDL BAR OPTIONS






Fixed Grilles (FXG)

Key

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*

Smooth-Star. 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T,


Finish – Acorn; Dentil Shelf



EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.





Flush-Glazed Glass

Lip-Lite Frame

WARRANTY RIDERS FOR PEACE OF MIND

EnLiten... Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

SEE THE DIFFERENCE

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking Look for the (•) symbol.



Flush-Glazed Glass with Square Sticking Look for the (•) symbol.



Lip-Lite Frame

EnLiten™ Flush-Glazed Full Lites



TRANSOMS

For transoms, see page 209.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



FC1205_

2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC1207_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"






2010_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050_ 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2050_SL 12" x 6'8' 14"x 6'8"



FC5700_ FC85700_ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC5710_ **2** 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC85710_ **2** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC5720_ **2** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC85720 **2** 2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC691_ FC8691_ **2 2** 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8" x 8'0" 3'0" x 6'8" 2'10" x 8'0"

3'0" x 8'0"



FC685L **2** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



FC8685L **2** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC685R **2** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC8685R **2** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 285 for important product details that may help with your purchase decision.



FC5700_SL 12" x 6'8" 14" x 6'8"



FC5710_SL 12" x 6'8" 14" x 6'8"



FC5720_SL 12" x 6'8" 14" x 6'8"



\$1205_ 2'6" x 6'8" \$\(\) 2'8" x 6'8" \$\(\) 2'10" x 6'8" \$\(\) 3'0" x 6'8" \$\(\) 3'0" x 6'8" \$\(\)









2'10" x 8'0"

3'0" x 8'0"



S85715

♦ RJ E 9

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



\$5725_ \$85725_ \$6\$ \$6\$ \$1 \$26" \$26" \$80" \$210" \$868" \$30" \$210" \$868" \$30" \$210" \$868" \$30" \$30" \$868" \$30" \$870"



\$2010_\$L\$
\$85226_\$L\$

10"x 6'8" \$\frac{1}{4}\$

12"x 6'8" \$\frac{1}{4}\$

14"x 6'8" \$\frac{1}{4}\$

(7'0")

\$14" x 8'0"



\$2000_\$L-2C* 10"x 6'8" \$ 12" x 6'8" \$ (7'0") 14" x 6'8" \$ (7'0")



2'10" x 6'8" A

3'0" x 6'8" 🕸



S85700_

▲ 2 3 E 5

2'6"x 8'0"


2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

\$5700_ **E 5**2'6" x 6'8" \$\frac{1}{2}\$
2'8" x 6'8" \$\frac{1}{2}\$
2'10" x 6'8" \$\frac{1}{2}\$
3'0" x 6'8" \$\frac{1}{2}\$








PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continues on next page.

Key





- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDR Options
- **■** Elevated 10" Bottom Rail Options

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continued ▲



\$3400_ • 2 E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83400 **▲ 2 E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S3300

≜ 2 E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S3500 APE 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



NEW

S685L **▲ 図 E 9** 2'10" x 6'8" Å 3'0" x 6'8" 1

S8685L **△ 2 E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S685R **△ 2 E 9** 2'6"x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" 1

△ 2 E 9 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

S8685R



S3600_ **△ 2** E 9 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S83600_ **△ 2 E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0'



S5700_SL **A 21 0**



S83300

≜ 2 E 6

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S85227_SL **▲ 2 E**



S5710_SL

▲ ② E 12" x 8'0" **A 2 O**



S85228_SL

S5720_SL **2 2**

Smooth S85229_SL

▲ 2 E

PRIVACY & TEXTURED GLASS **\(\)**



2000 8000_ 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8"



12" x 6'8" 14"x 6'8"



S2000 S8000 **∆** E 6 **≜** E 9 2'6"x 6'8" A 2'6"x 8'0" 2'8" x 6'8" Å 2'8" x 8'0" 2'10" x 6'8" 🛕 2'10" x 8'0" 3'0" x 6'8" 🛕 3'0" x 8'0'



≜E 12" x 8'0" 14" x 8'0"

S2600 \$82600

INTERNAL BLINDS

2000	302000
* E	♦ * E
'6" x 6'8"	2'6"x 8'0"
'8" x 6'8"	2'8" x 8'0"
'10" x 6'8" ੈ	2'10" x 8'0
'0" x 6'8" ੈ	3'0" x 8'0"

Privacy & Textured Glass Options

3'0" x 8'0'

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

2

2

3

CLEAR GLASS WITH DIVIDED LITES 6



CLEAR GLASS WITH DIVIDED LITES Continues on next page.

FC85700

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

***** * 2

FC5710

***** 2

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

Key

FC1204SL

♦ * † † † 12" x 6'8"

14" x 6'8"

Flush-Glazed Glass with **Detailed Sticking (FG)**

2050SL

* * *

12" x 6'8"

14"x 6'8"

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL) Simulated Divided Lites (SDLF1)

8000-9 **△ * † †**

2'0"x 8'0"

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

2009SL

♦ * ♦ ♦ ♦ 12" x 6'8"

14"x 6'8"

2009

▲ * ♦ ♦ ♦

2'0"x 6'8"

2'6"x 6'8"

2'8" x 6'8"

3'0" x 6'8"

- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

FC5700

***** 2

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- **Vented Sidelite Options**
- ★ 6'6" Height Available

FC85710

2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

6 **WBDR Options**



FC5720

2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC85720 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC691 **≜ * 2** 2'6"x 6'8"

FC8691 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



Oak

FC685L 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



FC685R

2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC8685R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC5700SL **♦ * 2** 12" x 6'8" 14"x 6'8"



FC5710SL **♦ * 2** 12" x 6'8" 14"x 6'8"



FC5720SL **♦ * 2** 12" x 6'8" 14"x 6'8"



S1205 *****************



2'10" x 6'8" \$ 3'0" x 6'8" A



S1206 **△*** † † † **E** 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å



S1207 3'0" x 6'8" A



3'0" x 6'8" \$

S2010



S1204

△* † † † E 2'6" x 6'8" \$\(\) 2'8" x 6'8" \$\(\) 2'10" x 6'8" \$\(\) 3'0" x 6'8" \$\(\)



Smooth

S2050 **♦** * **■** † † † † **E** 6 3'0" x 6'8" Å



S8000-12 **△** * † † † E

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8000-18 **△** * * * * * E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




S5705 **♦ * © E 6** 2'6" x 6'8" \$\frac{1}{2}\$2'8" x 6'8" \$\frac{1}{2}\$ 2'10" x 6'8" \(\frac{1}{2} \)
3'0" x 6'8" \(\frac{1}{2} \)

S85705 **♦ * □ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S5715 **♦ * N** E 6 2'6" x 6'8" \$\frac{1}{2}\$2'8" x 6'8" \$\frac{1}{2}\$ 2'10" x 6'8" Å 3'0" x 6'8" 🛕

S85715 **♦ * ■ E 9** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"













Smooth

S5710

■ ★ □ E 9

2'6" x 6'8" Å

2'8" x 6'8" Å

2'10" x 6'8" Å

3'0" x 6'8" Å

3'0" x 8'0"




Smooth

\$5720

★ ★ ② E 6

2'6" x 6'8" Å
2'10" x 6'8" Å
2'10" x 6'8" Å
3'0" x 6'8" Å
3'0" x 8'0"
3'0" x 8'0"



CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- ***** Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- **9** WBDR Options
- E Elevated 10" Bottom Rail Options
- Å 6'6" Height Available



S685R

♦ * 🔁 E 9 2'10" x 6'8" \$ 3'0" x 6'8" Å

S8685R **△** * **□ E 9** 2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

NEW NEW Smooth

S3600

S83600 **♦ ★ ≥ E 9** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

NEW

S5700SL S85227SL

♦ * 2 E 12" x 8'0" ***** 2 •



S85228SL

S5710SL

♦ * ② E 12" x 8'0" 14" x 8'0"



S5720SL

S85229SL

CLEAR GLASS ****



2000 2'0"x 6'8" 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"





2000SL 12" x 6'8" 14"x 6'8"



S2000 S8000 **▲** * E 6 2'0"x 8'0" 2'6"x 8'0" 2'8" x 6'8" \$\frac{1}{2}\$ 2'10" x 6'8" \$\frac{1}{2}\$ 3'0" x 6'8" \$\frac{1}{2}\$ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



		ЭII	100111		
S2000 *					5225SL E
10"x	8'6			12	" x 8'0"
12" x	6'8"	\$	(7'0")	14	" x 8'0"
14" x	6'8"	\$	(7'0")		

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = ReededXE = Satin Etch


XC = Chord XJ = Chinchilla


XR = Rainglass XN = Granite



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES **♦**







Key

Flush-Glazed Glass with Detailed Sticking (FG)



Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

Simulated Divided Lites (SDLF2)

Vented Sidelite Options

WBDR Options

Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES **\(\)**





3'0" x 6'8"



3'0" x 8'0"



S2104 S82104 **♦ * ♦ ♦ ♦ 2**'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S2105 S82105 **△** * **≥** † **△** * **♦ ♦ ♦** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S2250 S82250 **△** * **≥** 1 **△** * ♦ ♦ ♦ 2'6"x 8'0" 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



S82106 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S82107 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S84886SL **♦ * □** 12" x 8'0" 14" x 8'0"



S2103SL **△** * **≥** † 12" x 6'8" 14"x 6'8"



Smooth S2104SL 12" x 6'8"

14"x 6'8"



S92SL ***** * * * * * 12" x 6'8" 14"x 6'8"



S1401 S81401 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8"



S1401SL **♦ * ♦ ♦ ♦ 12"** x 6'8" 14" x 6'8"

CLEAR GLASS ****



S2200 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S8000SL 12" x 8'0" 14" x 8'0"



S90SL 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XJ = Chinchilla XC = Chord

XR = Rainglass

XN = Granite

EnLiten™ Flush-Glazed 1/2 Lites



TRANSOMS

For transoms, see page 209.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES |



S4200 **≜ E** E 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0")

3'0" x 6'8"(7'0")

S84200 **≜** N E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6200 A RII E 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8"(7'0")

S86200 A RIE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9200 S89200 A RIE A RIE 2'8" x 6'8"(7'0") 2'8" x 8'0" 2'10" x 6'8"(7'0") 2'10" x 8'0" 3'0" x 6'8"(7'0") 3'0" x 8'0"

NEW NEW

S4200_SL S84200_SL A RUE **♦ F E** 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



S6200_SL S86200_SL **å ₽** E **♦ F I** E

PRIVACY & TEXTURED GLASS **\(\)**



S3200_ S83200 2'8" x 6'8"(7'0") 2'8" x 8'0" 2'10" x 6'8"(7'0") 2'10" x 8'0" 3'0" x 6'8"(7'0") 3'0" x 8'0"

NEW NEW

S3200_SL **♦**E 12" x 6'8" (7'0")

S83200 SL 12" x 8'0" 14" x 6'8" (7'0") | 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



S1350 **≜ * □** 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"



S2150 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"



2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- E Elevated 10" Bottom **Rail Options**

CLEAR GLASS WITH DIVIDED LITES Continued





2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



2'8" x 8'0"

2'10" x 8'0"





	S84200SL	\$6200\$L ♦ * □ E
12" x 6'8" (7'0") 14" x 6'8" (7'0")		12" x 6'8" (14" x 6'8" (

S86200SL (7'0") | 14" x 8'0" | 14" x 8'0"



2'10" x 8'0"

3'0" x 8'0"

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")







\$3200	\$83200
★ E	♦ * E
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



2'10" x 8'0"

3'0" x 8'0"

Smoot	h	
S3200SL	S832	
♦ * E 12" x 6'8" (7'0")	♦ * I 12" x	_
14" x 6'8" (7'0")	14" x	



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

^{*}Not available with Reeded (XK) glass.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 285 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Craftsman Lites







PRIVACY & TEXTURED GLASS WITH DIVIDED LITES ♦



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES Continued



FCM4812_SL* | FCM84812_SL* | 12" x 6'8"(7'0") | 12" x 8'0" | 14" x 8'0" | 14" x 8'0"






\$4813_* \$18" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"






\$4816_*

| E | 2'8" x 6'8" (7'0") | 2'10" x 6'8" (7'0") | 2'10" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"









Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass

XN = Granite



Mahogany

FCM4814 **♦ * 📦 E**

<u>۵</u> 🗱 🚺 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"

FCM84814



Mahogany

FCM84816

2'8" x 8'0"

2'10" x 8'0"

FCM4816 **♦ * 🔁 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM2050SL | FCM84886SL 12" x 6'8"(7'0") 14" x 8'0"



FCM4812SL FCM84812SL * 12" x 6'8" (7'0") 12" x 8'0" 14" x 6'8" (7'0") 14" x 8'0"



Smooth

S4812 S84812 **♦ # N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

♦ * □ 2'8" x 8'0"



S4813

2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S4814 **♦ * N** E

2'8" x 6'8" (7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S84814 2'8" x 8'0"

2'10" x 8'0"



S4816 **♦ * N** E

2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0' 3'0" x 6'8" (7'0") 3'0" x 8'0"

S84816



S2010SL

S84886SL

♦ * № • 12" x 8'0" 10"x 6'8" 🗘 14" x 8'0" 12" x 6'8" \$\(\frac{1}{2}\)(7'0")
14" x 6'8" \$\(\frac{1}{2}\)(7'0")



S4812SL S84812SL 12" x 6'8"(7'0") | 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"

CLEAR GLASS ****

S84813



FCM4810 FCM84810 **E 2'8" x 6'8"(7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8"(7'0") 3'0" x 8'0"



FCM2000SL 12" x 6'8"(7'0") | 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"

Mahogany FCM8000SL

Mahogany FCM4810SL FCM84810SL

12" x 6'8"(7'0") | 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"



Smooth

♦ ** E2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S4810 S84810

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth S8000SL

S2000SL



S4810SL

S84810SL 12" x 6'8"(7'0") | 12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"

Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC) **Vented Sidelite Options**
- Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available

Lite Frames

Therma-Tru₀ doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.







Advanta_® Lite Frame*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	Advanta Lite Frame	Standard Lite Frame
Flat Option		
Scrolled Option		
Plugless Design	•	
Buff Option	-	-
White Option (Alpine Color-Matched)	•	•
Durable Weather- Resistant Material		•

^{*}See your Therma-Tru seller for details on product availability. Note: See page 285 for important product details that may help with your purchase decision.

Full Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FCM871

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

46

FCM108 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany

FCM816

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

4

FCM310 ■**1**9E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM871SL **12**"x 8'0" 14" x 8'0"



FCM808SL FCM81918SL **•• -1 1 6**

■●⊿1/6 10"x 6'8" 12"x 8'0" 12" x 6'8" (7'0") | 14" x 8'0" 14" x 6'8" (7'0")



81918P FC108 9 **I** E **4**6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0")



FC310 ■ 16 E 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")

FC816 **4 6** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC108SL 116 10" x 6'8" 12"x 6'8" 14"x 6'8"



FC808SL 81918SL 12"x 6'8" \(\(\frac{1}{2} \) (7'0") 12"x 8'0" 12"x 8'0" 14" x 8'0"




S6002 S85892 **566 E**2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S310 3'6"x 6'8"

S6002SL S85892SL 12" x 6'8" **12**"x 8'0" 14" x 6'8" 14" x 8'0"



S4570SL S85927SL 16 ■●⊿16 10"x 6'8"

Key

No Stile Lines



81918PSL

12"x 8'0"

14" x 8'0"

116

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Flat Lite Frame





Rail Options

S816

a 4 6

2'6"x 8'0" 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6"x 8'0"

Å 6'6" Height Available



FCM8114 FCM16 **4**6 **4**9 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"





FCM668 FCM814 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FCM8114SL **1 1 6** 12" x 8'0" 14" x 8'0"



FCM18101SL FCM81800SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 8'0" **•• • • •** 14"x 6'8" (7'0")



81800P FC16 **1**6€ **4**9 2'8" x 6'8" (7'0") | 2'8" x 8'0" 2'10"x 6'8" (7'0") | 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FC668

FC814 2'8" x 6'8" Å (7'0") 2'10"x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 8'0"



FC46SL 81800PSL 1 16 **1** 16 12" x 8'0" 10" x 6'8" 12" x 6'8" 14" x 8'0" 14" x 6'8'



18101SL 81800SL --116 14" x 8'0"



S916 S814 **16** E 16 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S668 S815 ■ **2 5 E** 2'8" x 6'8" Å (7'0") 2'10"x 6'8" Å (7'0") **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" \$ (7'0") 3'0" x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S916SL S814SL 116 116 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6130SL S84586SL **1**0416 **■** • **⊿** 12" x 8'0" 10" x 6'8" 12" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 8'0"

SEDONA ♦



FCM100 FCM872 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FCM241 ■ 🛮 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM872SL 12" x 8'0" 14" x 8'0"



FCM816SL FCM81968SL 10"x 6'8" 12" x 8'0" 12" x 6'8" (7'0") 14" x 8'0" 14" x 6'8" (7'0")



FC100 81968P ∡ E 2'6"x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 8'0" 2'10"x 8'0"



FC241 FC822 2'8" x 8'0" ■ 🖊 E 3'0" x 6'8" \$ (7'0")

FCM822

2'10"x 8'0"



81968PSL FC100SL **_ _** 10" x 6'8" 12" x 8'0" 12" x 6'8" 14" x 8'0" 14" x 6'8"



FC816SL 81968SI



S139 **∡ E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S241 2'10"x 6'8" \$ (7'0") 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"



S139SL **_** 12" x 6'8" 14"x 6'8"



S604SL 10"x 6'8' 12" x 6'8" \$\(\begin{array}{c} (7'0") \\ 14" x 6'8" \$\(\beta\) (7'0")

SALINAS. X



FCM873

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"


FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM369 FCM817 ■ **16** E **1**6 2'6" x 6'8" (7'0") 2'6"x 8'0" 2'8" x 6'8" (7'0") | 2'8" x 8'0" 2'10" x 6'8" (7'0") | 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0'



FCM814SL FCM81919SL **--1 6 --1**6 10"x 6'8" 12" x 8'0" 12" x 6'8" (7'0") | 14" x 8'0" 14" x 6'8" (7'0")



Mahogany FCM873SL **-1 1 6** 12" x 8'0" 14" x 8'0"



81919P

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

16

FC113 **1**6E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC369 ■ **1** 6 E 2'6" x 6'8" \(\frac{1}{2} \) (7'0") 2'8" x 6'8" \(\frac{1}{2} \) (7'0") 2'8" x 6'8" \(\frac{1}{2} \) (7'0") 2'10" x 6'8" \(\frac{1}{2} \) (7'0") 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"





FC113SL 81919PSL ⊿ 🛮 6 10" x 6'8" 12" x 8'0' 12" x 6'8" 14" x 8'0" 14" x 6'8'




FC814SL 81919SL ■●→■6 **9 9 9** 12" x 6'8" \$ (7'0") 12" x 8'0' 14" x 6'8" \$\(\frac{1}{4}\) (7'0") 14" x 8'0"




16 € **4**6 2'6"x 6'8" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0' 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S369 ■ 16 E 2'6"x 6'8" A 2'8" x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'6"x 6'8"



S6008SL S85893SL **⊿ 4 6 4** 6 12" x 6'8" 12" x 8'0' 14" x 6'8" | 14" x 8'0"



S6134SL ■ ● ⊿ 🛮 6 10"x 6'8" 12" x 6'8" \$\delta\$ (7'0") | 14" x 8'0" 14" x 6'8" \$ (7'0")



Key





4 6



Wrought Iron (1W)







S817

4 9

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0'

3'6"x 8'0



FCM900 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM1006 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





FC900 **6** E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC1006 E2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")

SARATOGA_™ ♦ ##



FC900SL 10"x 6'8" 12" x 6'8" 14"x 6'8"





S6100

6 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



\$1006 \$\bigs\{ \bigs\} \bigs\{ \bigs\} \bigs\} \bigs\{ \bigs\} \bigs\} \bigs\{ \bigs\} \bigs\



S6100SL 12" x 6'8" 14" x 6'8"



S6131SL 10"x 6'8" 12" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0")



FCM905 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM6093

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FCM815SL
10"x 6'8"
12"x 6'8" (7'0")
14" x 6'8" (7'0")



FCM893SL 12" x 8'0" 14" x 8'0"



Oak
FC905
6 E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC6093

5 E
2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")



FC905SL | 81986PSL | 12" x 6'8" | 12" x 8'0" | 14" x 8'0" | 14" x 6'8"



FC815SL 12" x 6'8" \$\(\frac{1}{2} \) (7'0") 14" x 6'8" \$\(\frac{1}{2} \) (7'0") 14" x 8'0"




\$154 **6** E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





\$154\$L 12" x 6'8" \$14" x 6'8" \$14" x 6'8" \$14" x 8'0"

TEXAS STAR • ::



S602SL **-01 4 6** 10" x 6'8" 12" x 6'8" \$\(\delta\) (7'0") 14" x 8'0" 14" x 6'8" \$ (7'0")





FCM142 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM1029 ■ **/** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM817SL 10"x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FC142 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC1029 ■ **/** E 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 6'8" \$ (7'0")

WELLESLEY_™ ◆ **:**: ❖



FC142SL 10"x 6'8" 12" x 6'8" 14"x 6'8"



Oak FC817SL 12" x 6'8" \$ (7'0")

14" x 6'8" (7'0")



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")




S1029 ■ 🛮 E 2'8" x 6'8" $\stackrel{\bot}{\Delta}$ (7'0") 2'10" x 6'8" $\stackrel{\bot}{\Delta}$ (7'0") 3'0" x 6'8" $\stackrel{\bot}{\Delta}$ (7'0") 3'6" x 6'8"



Smooth S6070SL 12" x 6'8"

14"x 6'8"



S6135SL 10"x 6'8" 12" x 6'8" \$ (7'0") 14" x 6'8" \$\(\bar{\lambda}\) (7'0")



FCM104 FCM874 16 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6094 FCM821 ■ **2 9 E** 2'6"x 6'8" (7'0") **4 9** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM818SL FCM81921SL ■ ● 🛮 6 10"x6'8" **•• 1 6** 12" x 8'0" 14" x 8'0" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM874SL 12" x 8'0" 14" x 8'0"



FC104 81921P **4**9 E **1**9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC6094 ■ **1**9E 2'6" x 6'8" \$\(\begin{array}{c} (7'0") \\ 2'8" x 6'8" \$\(\beta\) (7'0") \\ 2'10" x 6'8" \$\(\beta\) (7'0") 3'0" x 6'8" \$ (7'0")

FC821 **= 1** 9 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

WELLESLEY Continues on next page.

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)



Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites. **Vented Sidelite Options**

WBDR Options WBDR / HVHZ Options E Elevated 10" Bottom **Rail Options**

Å 6'6" Height Available





FC818SL

12" x 6'8" \$\frac{1}{2}\$ (7'0") | 14" x 8'0" | 14" x 8'0"



\$155 \$\sum_{\text{\$G\$}} \text{\$G\$} \text{\$S85896} \text{\$G\$} \tex





\$155\$L \$85896\$L 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

RISERVA. X




\$5870\$L \$85934\$L \$0" \$4 \$0" \$12" x 6'8" \$12" x 6'8" \$14" x 6'8" \$170") \$14" x 8'0"



FCM574
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 6'8"

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'0" x 8'0"





FCM572SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0") FCM8572SL

12" x 8'0"

14" x 8'0"



FCM8573SL 12" x 8'0" 14" x 8'0"



FC574
6 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC571

2 6 E
26"x 6'8" Å (7'0")
2'10"x 6'8" Å (7'0")
2'10"x 6'8" Å (7'0")
3'0" x 6'8" Å (7'0")
3'0" x 8'0"





FC572SL 12" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 6'8" \$\(\frac{1}{2}\) (7'0") 14" x 8'0"



5574

6 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

\$8574 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S571

■ 🛮 🤇 E 3'6"x 6'8"

S8571

4 9

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

3'6"x 8'0"



Smooth S573SL S8573SL **1 1 1 9 1 2 " x 8 0 " ⊿** 🛮 6


14" x 8'0'

12" x 6'8"

14"x 6'8"



S572SL ■ ● → ¾ 6 10"x 6'8" 12" x 6'8" Å (7'0") 14" x 6'8" \$\frac{1}{\Delta} (7'0")



S8572SL **■●⊿ ¼ 6** 12" x 8'0" 14" x 8'0"

CONCORDE™ ◆ ## ❖

Mahogany FCM910 16 2'8" x 6'8" 2'10"x 6'8"

FCM890 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6095 ■ **1**9E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

FCM820 **4 4 9** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM809SL **-1**6

FCM81928SL ■●146 10"x 6'8" 12" x 8'0" 12" x 6'8" \$\(\frac{1}{2}\) (7'0") | 14" x 8'0" | 14" x 8'0"



Mahogany FCM890SL 12" x 8'0" 14" x 8'0"



FC910 **16** € 2'6" x 6'8" | 2'8" x 8'0" | 2'8" x 8'0" | 2'10"x 6'8" (7'0") | 2'10"x 8'0" | 2'10"x 8'0" 3'0" x 6'8" (7'0")

Oak 81928P **4**6



FC6095 **■** 🛮 6 E 2'6"x 6'8" 1 (7'0") 2'8" x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0")

FC910SL

81928PSL 12" x 8'0" 16 10"x 6'8" 14" x 8'0" 12" x 6'8" 14"x 6'8"



FC809SL ■ ●146

81928SL **9 9 1 9** 12" x 6'8" \$ (7'0") 12" x 8'0" 14" x 6'8" \$\(\hat{A}\) (7'0") 14" x 8'0"



S6090 S85895 **1**6 €

16 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0' 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S820

= 16

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0'

3'0" x 8'0"

3'6"x 8'0"

S6095 ■ 16 E

2'6"x 6'8" A 2'8" x 6'8" \$\(\Delta\) (7'0") 2'10"x 6'8" \$\(\Delta\) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



4 9

2'6"x 8'0"

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

S416SL S85895SL **-1 4** 6 **4 6** 12" x 6'8" | 12" x 8'0' 14" x 6'8" | 14" x 8'0"



S4070SL **-16**

S85930SL **8 9 1 9** 10"x 6'8" 12" x 6'8" \$\(\frac{1}{2}\) 12" x 8'0" 14" x 8'0" 14" x 6'8" \$\(\frac{1}{2}\) (7'0")

Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)



Flat Lite Frame

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options



Rail Options

★ 6'6" Height Available



FCM148 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM626 ■ 19E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM813SL **9 9** 10"x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FC148

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC626 ■ 19E



FC148SL 10"x 6'8" 12" x 6'8" 14"x 6'8"



FC813SL 12" x 6'8" \$\(\frac{1}{2}\) (7'0")
14" x 6'8" \$\(\frac{1}{2}\) (7'0")




S160 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")




S626 3'0"x 6'8" \$\(\frac{1}{2}\)(7'0") 3'6"x 6'8"



S160SL **12** x 6'8" 14"x 6'8"




S6132SL **- 4** 10"x 6'8" 12" x 6'8" \$ (7'0") 14" x 6'8" \$\(\frac{1}{4}\) (7'0")




Mahogany FCM6550 FCM86550 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6500 FCM86500 ■ 16E **4 6** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'4"x 6'8' 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM86550SL **1**46 12"x 8'0" 14" x 8'0"



--1 6

12"x 8'0"

14" x 8'0"


FCM6500SL **--1 6** 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC6550 FC86550 **16** € 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FC6500 FC86500 ■ **1** 9 E **4** 9 2'4"x 6'8" 2'6"x 8'0" 2'6"x 6'8" (7'0") 2'8" x 8'0" 2'8" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'10" x 8'0
2'10" x 6'8" \$\(\frac{1}{4}\) (7'0") 3'0" x 8'0" 2'10" x 8'0" 3'0" x 6'8" \$ (7'0")



FC6550SL **4 6 4** 6 10"x 6'8" 12"x 6'8" 14"x 6'8



FC86550SL 12"x 8'0" 14" x 8'0"



FC6500SL FC86500SL 12"x 6'8" \(\frac{1}{2} \) (7'0") 14"x 6'8" \(\frac{1}{2} \) (7'0") 14" x 8'0" **•• 1 1 6**



S6550

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

S86550



S86500

2'8" x 8'0" 2'10" x 8'0"


3'0" x 8'0"

S6500

2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 8'0' 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 8'0" 3'0" x 6'8" 1 (7'0") 3'6"x 6'8"



S6550SL S86550SL 116 116 12"x 6'8" 12"x 8'0" 14" x 8'0"



S6500SL 4456

10"x 6'8" 14" x 8'0" 14"x 6'8" 1 (7'0")





FCM1652 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM81652 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM1651

■ **1**9E 2'4"x 6'8" 2'6" x 6'8" (7'0") | 2'8" x 8'0" 2'8" x 6'8" (7'0") | 2'10" x 8'0" 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"



FCM81651SL

--1 6

FCM1651SL **--1 6**

10" x 6'8" 12" x 8'0" 12" x 8'0" 14" x 8'0" 14" x 6'8" (7'0")



Mahogany FCM81652SL

12" x 8'0" 14" x 8'0"



FC1652

16€ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S81651

4 9

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

3'6"x 8'0'



16 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC1651 ■ **1**6 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0' 3'0" x 6'8" \$ (7'0")



446 14"x 6'8"





FC1651SL FC81651SL 12" x 6'8" \$\(\delta\) (7'0") 12" x 8'0" 14" x 8'0"




S1652 **1**6 € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 2'10" x 8'0 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S81652 16 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0'



S1651 ■ **1** 9 E 2'4"x 6'8" A 2'6"x 6'8" 🕸 2'8" x 6'8" \$\(\begin{array}{c} (7'0") \\ 2'10" x 6'8" \$\(\beta\) (7'0") 3'0" x 6'8" \$ (7'0")



S1652SL S81652SL **⊿ 4 6 4 4 6** 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S1651SL ■ ● ⊿ ¾ 6 10"x 6'8" 12" x 6'8" \$\(\Delta\) (7'0") 14" x 8'0" 14" x 6'8" \$ (7'0")



Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)

Flat Lite Frame Scrolled & Flat

Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites



3'6"x 6'8"

Vented Sidelite Options

WBDR Options 6 WBDR / HVHZ Options E Elevated 10" Bottom **Rail Options**

★ 6'6" Height Available

CALIX ♦ # ❖



FCM2223 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



Mahogany

FCM82389

2'8" x 8'0" 2'10" x 8'0"

19

FCM2389 ■ 16 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



FCM2389SL FCM82389SL **9 9 4 9 •• 4 6** 10" x 6'8" 12"x 8'0" 12" x 6'8" (7'0") 14" x 8'0" 14" x 6'8" (7'0")




Mahogany

FCM82223SL 12" x 8'0" 14" x 8'0"



16 € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")






FC2389


FC2389

| 3 | E
| 2'8" x 6'8" \(\(\) (7'0" \) | 2'10" x 6'8" \(\) (7'0" \) | 2'10" x 8'0"
| 3'0" x 6'8" \(\) (7'0" \) | 3'0" x 8'0"




FC2223SL 106

FC82223SL 12" x 8'0" 10" x 6'8" 12" x 6'8" 14" x 6'8" 14" x 8'0"



FC2389SL


FC82389SL 12" x 6'8" \$ (7'0")



S2223

32223 3 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0" 2'10" x 8'0"


S82223




S2389

■ **1 5 E**2'8" x 6'8" **\(\(\)** (7'0")
2'10" x 6'8" **\(\)** (7'0") 3'0" x 6'8" \$ (7'0") 3'6"x 6'8"

S82389 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0"



S2223SL S82223SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



S2389SL **20**6 10"x 6'8" 12" x 6'8" 🛕 (7'0") 14" x 6'8" \$\(\bar{\Delta}\) (7'0")








FCM2213 FCM82213

2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM2382 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0") | 3'0" x 8'0"



FCM82382


2'8" x 8'0" 2'10" x 8'0"

I 4 6

FCM2382SL 10"x6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM82382SL **• • 1** 6 12"x 8'0" 14" x 8'0"



Mahogany

FCM82213SL 12" x 8'0" 14" x 8'0"



FC2213

16 € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak


FC2382 ■ 16E 2'8" x 6'8" 1 (7'0") 2'10" x 6'8" \$\hat{\(\)}(7'0") 3'0" x 6'8" \$\(\delta\) (7'0") | 3'0" x 8'0"





FC2213SL

FC82213SL 10"x 6'8" 12" x 8'0" 14" x 8'0" 12"x 6'8" 14" x 6'8"



FC2382SL **1 6** 12" x 6'8" **Å** (7'0") 14" x 6'8" \$\overline{\Delta} (7'0") | 14" x 8'0"





S2213 S82213 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FC82213

S2382

3'0" x 6'8" Å (7'0") 3'6"x 6'8"



2'10" x 8'0"


S82382

2'8" x 8'0"

3'0" x 8'0"

3'6"x 8'0"

S2213SL 6 12" x 6'8" \$82213\$L 46 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S2382SL

S82382SL

■1●6 1 9 14" x 6'8" \$\(\bar{\Delta}\) (7'0")



FCM2233

46 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM82233 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


Mahogany



FCM2385 ■ **46** E

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"





FCM2385SL **• • 4 6**



Mahogany FCM82233SL

12" x 8'0" 14" x 8'0"



FC2233

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FC82233 2'8" x 8'0" 2'10" x 8'0"



FC2385

■ **3 5 E**2'8" x 6'8" ★ (7'0")
2'10" x 6'8" ★ (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") | 3'0" x 8'0"

2'8" x 8'0" 2'10" x 8'0"

FC82385

ECHELON Continues on next page.

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites

FCM82385SL

• • 4 6


Vented Sidelite Options

E Elevated 10" Bottom Rail Options

WBDR Options WBDR / HVHZ Options


Å 6'6" Height Available

149



FC2233SL FC82233SL 6 12" x 8'0" 12" x 8'0" 14" x 8'0"

14"x 6'8"



Oak

FC2385SL


2 6
12" x 6'8" Å (7'0")
14" x 6'8" Å (7'0")
14" x 8'0"




\$2233 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES













FCM1285_ E2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")




FCM18_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1284_ E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



FCM6124_SL*

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



FCM6125_SL*

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



FCM6126_SL*
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



FC138_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1285_ □ □ ☑ ☑ E 2'8" x 6'8" Å (7'0") 2'10" x 6'8" Å (7'0") 3'0" x 6'8" Å (7'0")



FC18_____ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")





1284 ■ ► E 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite







Key

No Stile Lines

Simulated Divided Lites (SDL)

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites. Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites

Vented Sidelite Options

E Elevated 10" Bottom

WBDR Options

6 WBDR / HVHZ Options Å 6'6" Height Available

151



Privacy & Textured Glass Options

FCM8115

*** 3 6** 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

FCM1286

■ * **1**6E

2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

3'0" x 6'8" (7'0")

2'10" x 6'8" (7'0") 3'0" x 8'0"

2'4"x 6'8"

XK = Reeded XE = Satin Etch

FCM81225SL

■ * ● 🛮 6 12" x 8'0"

14" x 8'0"

FCM1286SL

■ * ● 🛮 6 10"x 6'8"

12" x 6'8" (7'0") 14" x 6'8" (7'0")

> XC = Chord XJ = Chinchilla

FC141

* **1** 6 E

2'6"x 6'8"

2'8" x 6'8" (7'0")

3'0" x 6'8" (7'0")

2'10" x 6'8" (7'0") 3'0" x 8'0"

XR = Rainglass XN = Granite

81225P

* 2'8" x 8'0" 2'10" x 8'0"

FCM141

*** 2 6** 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

FCM81225

*** 4 6**

2'6"x 8'0"

2'8" x 8'0"

2'10" x 8'0"

FCM8115SL

* **4 6** 12" x 8'0"

14" x 8'0"





*** 4 9**



FC141SL | 81225PSL * **1**6 *** 2 6** 12" x 8'0" 10"x 6'8" | 12" x 8'0" | 12" x 8'0" | 14" x 8'0" 14"x 6'8"



1286SL 81225SL 12865L

12" x 6'8" \(\frac{1}{2} \) (7'0")

14" x 6'8" \(\frac{1}{2} \) (7'0")

14" x 8'0"



S130 S829 *** 1** 6 *** ■ 9 E** 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"



S6061 S81225 * 4 5 E 2'4"x 6'8" \$ 2'6"x 6'8" \$ ■ *** 2 6** 2'6"x 8'0" 3'6"x 6'8"



S130SL S829SL *****⊿**1**6 *⊿16 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6128SL S85928SL ■ * **●**⊿ **¾ 6** 10"x 6'8" **4**6 12" x 6'8" \$ (7'0") | 12" x 8'0" 14" x 6'8" \$ (7'0") | 14" x 8'0"



FCM1209 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1201 ■ * † † *** ! E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1211 ***** ♦ ♦ ♦ 🗾 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1202 ■ * † † *** ≥** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1212 2'8" x 6'8' 2'10" x 6'8" 3'0" x 6'8"



FCM1203 ■ * † † † **|** E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7[']0")



FCM138 *** ≥** † † † **≥** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1285 ■* **■ † † † 4 9 E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM1208 * * * * **4 4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1200 ■ * * * * * 4 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM18 * Pat + + 1 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options ★ 6'6" Height Available





14" x 6'8" \$\(\hat{\lambda}\) (7'0")

FCM198 * † † † 🛮 **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



14" x 6'8" 🛕 (7'0")

FCM1289 ■ * † † 1 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



■ * * * * * • ■ 2

10"x 6'8"



14" x 8'0"

FC1209 * ↑ ↑ ↑ 🛮 E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")




FC1201 ■ * † † **/ /** E 2'6" x 6'8" \$\frac{1}{2}\$ (7'0") 2'8" x 6'8" \$\frac{1}{2}\$ (7'0") 2'10" x 6'8" \$ (7'0") 3'0" x 6'8" \$ (7'0")



FC1211 * † † † 🛮 E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC1202 ■ * † † † **|** E 2'6" x 6'8" \$\frac{1}{2}\$ (7'0") 2'8" x 6'8" \$\frac{1}{2}\$ (7'0") 2'10" x 6'8" \$ (7'0") 3'0" x 6'8" \$ (7'0")



CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
 - Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Vented Sidelite Options**
- **WBDR Options** WBDR / HVHZ Options
- E Elevated 10" Bottom **Rail Options** Å 6'6" Height Available



FC06188SL

* 10"x 6'8"
12" x 6'8"
14"x 6'8"





Oak




FC06185SL

* \(\bigcirc \)

12" \(x \, 6'8" \\ \Lambda \) (7'0")

14" \(x \, 6'8" \\ \Lambda \) (7'0")









1289


** * * * * * * * 5 E

2'6" x 6'8" \$\(\) (7'0")

2'8" x 6'8" \$\(\) (7'0")

2'10" x 6'8" \$\(\) (7'0")

3'0" x 6'8" \$\(\) (7'0")



FC198SL * • • • • 2 10"x 6'8" 12" x 6'8" 14"x 6'8"





\$1209 * • • • • • • E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Smooth


























CLEAR GLASS WITH DIVIDED LITES Continues on next page.







Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Vented Sidelite Options**

6 **WBDR Options** WBDR / HVHZ Options



Rail Options





^{*}Available with Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.

3/4 Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FCM765 16 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM765SL | FCM882SL 12"x 6'8" **4**46 12"x 8'0" 14" x 8'0" 14"x 6'8"



FC765 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC770 81952P 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0" **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CRYSTALLINE™ ◆ ##



81952PSL FC765SL **4 6** 12" x 6'8" **1 6** 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S975 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S979 **16** 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Smooth S894 **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$894\$L 12"x 8'0" S975SL 12"x 6'8" 14"x 6'8" | 14" x 8'0"



FCM38 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM38SL | FCM8105SL 12" x 6'8" 14" x 8'0" 14" x 8'0"



FC38 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC772 81953P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"

CRYSTALLINE Continues on next page.

Key

- No Stile Lines
- Low-E Glass (LE)
- Turtle Glass Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- **Flat or Contour White Grilles** Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Vented Sidelite Options**

WBDR Options

- WBDR / HVHZ Options Elevated 10" Bottom **Rail Options**
- ★ 6'6" Height Available

CRYSTALLINE™ ◆ **::** Continued



FC38SL 81953PSL 4 6 5 12" x 6'8" 12" x 8'0" 14" x 8'0"



S977 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





\$758\$L \$888\$L \$\frac{1}{2}\frac{6}{5}\frac{1}{2}\frac{1

SEDONA ♦ ∷



FCM131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM131SL | FCM883SL 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FC131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC773 | 81954P 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



FC131SL | 81954PSL | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



\$95 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$91 2'8" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



\$91\$L 12" x 6'8" 14" x 6'8" 14" x 8'0" 14" x 8'0"

SALINAS. X



FCM115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM115SL | FCM884SL | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



FC115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC775
2 '8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 6'8"
3'0" x 8'0"



FC115SL 81955PSL 4 6 12" x 6'8" 12" x 8'0" 14" x 8'0"



\$6009 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S895

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S6010 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6009SL 12" x 6'8" 12" x 8'0" 14" x 8'0"

S895SL

MAPLE PARK. • ::



FCM902 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM902SL | FCM887SL 12" x 6'8" 12" x 6'8" 14" x 6'8" 14" x 8'0"



FC902 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81957P **16** 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"




81957PSL FC902SL 12" x 6'8" 14" x 6'8" 14" x 8'0"



S6102 **4**6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S6103 S85898 2'8" x 8'0" **16** 2'8" x 6'8" 2'10" x 8'0" 2'10"x 6'8" 3'0" x 6'8" 3'0" x 8'0"



S85898SL S6102SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



FC777



FCM907 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM907SL 12" x 6'8" FCM889SL 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC907 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81956P FC776 2'8" x 6'8" **16** 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

Oak 81956PSL FC907SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S6092 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S891

46

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S982 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S6092SL |S891SL 12" x 6'8" 14" x 6'8" 14" x 8'0"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

X Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR Options





FCM143 **4**6 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM143SL FCM8103SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC143 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC778 81958P 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FC143SL 81958PSL 12" x 6'8" 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6071 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6072 S85901 **4**6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0 3'0" x 6'8" | 3'0" x 8'0" 2'10" x 8'0"



S6071SL 6 12" x 6'8" 85901SL 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FCM147 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM147SL | 6 | 6 | 12" x 6'8" | FCM885SL 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC147 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81959P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC147SL 81959PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S6091 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S983 S892 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



S6091SL S892SL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"

RISERVA. X



FCM543 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC779

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"

FCM545SL FCM8545SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC543 **2**'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8529

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

46

FC529 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC545SL FC8545SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 6'8"



S543 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8529 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



S545SL S8545SL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"

CONCORDE™ ◆ ****** ❖



FCM912 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM912SL | FCM892SL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FC912 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC780 81960P 2'8" x 6'8" **4**6 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC912SL 81960PSL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



S912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S97 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S85902 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



\$757\$L 4 6 12" x 6'8" S85902SL 12" x 6'8" 12" x 8'0" 14" x 8'0"

KENSINGTON™ ◆



FCM156 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1442SL FCM8107SL 12" x 8'0" 14" x 8'0" 12" x 6'8" 14" x 6'8"



FC156 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"




FC20042 81961P 2'8" x 6'8" 2'10" x 6'8" **4**6 3'0" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

KENSINGTON Continues on next page.

Key



Brushed Nickel Caming (1C)

Brass Caming (1A) X Wrought Iron (1W) Flat Lite Frame Scrolled & Flat

Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR / HVHZ Options

KENSINGTON™ ◆ **::** Continued



FC1442SL 81961PSL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S20042 S902 2'8" x 6'8" 2'10" x 6'8" **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S156 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




S1442SL S902SL 12" x 6'8" 14" x 6'8" 14" x 8'0"

PEMBRIDGE™ ◆ ****** ❖



FCM6582 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12"x 6'8"

14"x 6'8"

FCM86580SL FCM6580SL 12"x 8'0" 14" x 8'0"



FC6582 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC6580 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86580 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




FC6580SL FC86580SL 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S6582 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6580 S86580 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6580SL S86580SL 12"x 6'8" 12"x 8'0" 14" x 8'0" 14"x 6'8"





FCM1647 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1646SL FCM81646SL 12" x 6'8" 14" x 6'8" **4 4 9** 12" x 8'0" 14" x 8'0"



FC1647 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC1646 FC81646 **16 4**6 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC1646SL | FC81646SL 16 **4**46 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S1647 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$1646 **6**2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" S81646 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$1646SL \$81646SL \$12" x 6'8" 12" x 8'0" 14" x 8'0"

CALIX ♦ # ❖



FCM389

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




FCM4521SL | FCM84521SL | 4 9 | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



FC389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




FC4521 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FC84521 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC4521SL | FC84521SL

6 | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



\$389 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$4521 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



\$4521\$L | \$84521\$L | \$6 | \$12" x 6'8" | 12" x 8'0" | 14" x 8'0"





FCM476 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"






FC476 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC4525 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FC84525
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"





\$476 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



16

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

\$4525 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)Flat Lite Frame

Scrolled & Flat
Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.

WBDR Options



WBDR / HVHZ Options



14" x 8'0"



2'10" x 8'0"

3'0" x 8'0"



14" x 8'0"





2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES





14" x 8'0"




2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

14"x 6'8"











2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FC766_ 81943P_ **16 4**6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"







S80_ **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S90_ S880_ 2'8" x 8'0" **4**6 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



Mahogany \$880_\$L 12" x 8'0" 14" x 8'0" 12" x 6'8" 14"x 6'8"

INTERNAL BLINDS

FCM5425 *** 4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM5425SL * **4 6** 12" x 6'8" * **4 5** 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC5425 * 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1964P * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81964P * 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC5425SL * **4 6** 12" x 6'8" 81964PSL *** 2 6** 12" x 8'0" 14" x 6'8" 14" x 8'0"



\$5425 *** 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S682 * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

* **4 5** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



\$5425\$L *** 4 6** 12" x 6'8" | \$8682\$L *** 4 6** 12" x 8'0" 14" x 6'8" | 14" x 8'0"

Key





Flat Lite Frame
















FCM2108

* • • • • 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





FCM1089SL *** ♦ ♦ ♦ ☑** 12" x 6'8" 14" x 6'8" 14" x 8'0"









FCM81900SL * ~ [12"x 8'0" 14" x 8'0"



FCM81947SL * \[\frac{7}{2} \]
12"x 8'0"
14" x 8'0"





FCM1402 * • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





FC2106

* • • • • 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





FC2108

* • • • •
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"









FC2102 2'8" x 6'8" 2'10" x 6'8'

FC8316 * 🕈 🕈 🗸 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



81945P * 📦 🕈 🕈 🗸 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC92 FC8310 * • • • 🛮 **6 4**6 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



81946P * 📦 🕈 🕯 💆 🌀 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1089SL FC8311SL ***** ♦ ♦ ♦ ∡ 12" x 8'0" * • • • 🔏 12" x 6'8" 14"x 6'8" 14" x 8'0"



FC2101SL | FC8313SL ***** ♦ ♦ ♦ ∡ 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC92SL FC8310SL * **■ † † †** * * * * * 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



81946PSL ***≥**††† 12" x 8'0" 14" x 8'0"



81900PSL 12"x 8'0" 14" x 8'0"



81947PSL 12"x 8'0" 14" x 8'0"




81949PSL 12"x 8'0" 14" x 8'0"



FC1402 * • • • 🗸 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC1400 * • • • 2 2'8" x 6'8" 81944P * • • • 2 6 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC1400SL | 81944PSL *** ♦ ♦ ▼** 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S2106 * • • • • 🛮 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S2107 * + + + + 1 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S2108 * • • • • 🛮 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S82 * 📦 † † † 🛮 🌀 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1089 * • • • • 🛮 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8311 ***** • • • • 🗾 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


CLEAR GLASS WITH DIVIDED LITES Continues on next page.


Key





- **Flat or Contour White Grilles** Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Scrolled Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **WBDR Options**











81943P * 1 2 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





\$80 * **4** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$90 * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





\$751\$L \$880\$L \$12" x 6'8" 12" x 8'0" 14" x 8'0"



Key





Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

 Flat Lite Frame
- Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR Options

WBDR / HVHZ Options

Oval Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FCM110 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM164

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC714 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC164

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Oak

FC794 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S771

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S6085

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

WELLESLEY™ ◆ ******



S997

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM106

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC713

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC163 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC796

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S774

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6082

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S999 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CONCORDE™ ◆ # ❖



Mahogany

FCM916

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM915

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC916

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC915

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Oak

FC797

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S773 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S6084

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S1000

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Mahogany

FCM151 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM789

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC709

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC151

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC798

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S709

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S163

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1001

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





FCM6577


2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6575 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE Continues on next page.

Key









Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



FC6577

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC06575

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"




FC6576

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S6577



S6575 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6576 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



FCM80 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM160

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC710

Oak

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC160

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Oak

FC789 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S770 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S6080



S992

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Note: See page 285 for important product details that may help with your purchase decision.

1/2 Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



Mahogany

FCM109 16 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM863 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM6032 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6052

16 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"



Mahogany

FCM109SL 12"x 6'8" 14"x 6'8"

FCM863SL 12"x 8'0" 14" x 8'0"



FC109 81933P **4**6

4 6 E2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



81975P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

2'8" x 8'0" 2'10"x 8'0"

3'0" x 8'0"



FC109SL 12"x 6'8"

81933PSL 12"x 8'0" 14" x 6'8" 14" x 8'0"



S6000 **1**9€ 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")

S81933P **16** 2'8"x 8'0" 2'10"x 8'0"



S6032 **1**6 €

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$4314 **26 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



S6052

16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S972 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S85905 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



12"x 6'8" 14"x 6'8"

S6000SL S85912SL 12"x 8'0" 14"x 8'0"

Key

Low-E Glass (LE)







S86032


16€

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"









Mahogany

FCM898 **6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM898SL 4 12" x 8'0" 14" x 8'0"



81935P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81977P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81935PSL 12" x 8'0" 14" x 8'0"



\$81935P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$86027 **6** E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$84319 2'6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$85907 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$85914\$L 26 12" x 8'0" 14" x 8'0"



SEDONA ♦ #

FCM101 | FCM864 2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



FCM6025 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6045 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM101SL | FCM864SL | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



FC101

E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



81978P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC101SL | 81936PSL | 12" x 6'8" | 12" x 8'0" | 14" x 6'8" | 14" x 8'0"





S6025

2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0"x 8'0"

S86025



\$4328 **E** 2'8" x 6'8" 2'10" x 6'8" S84328 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6045 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S35 S833 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S294SL S85915SL 12" x 6'8" 12" x 8'0" 14" x 8'0" 14"x 6'8"

SALINAS. X



FCM114 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM865 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6031 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6051 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM114SL 2 6 12" x 6'8" FCM865SL 12" x 8'0" 14" x 8'0" 14"x 6'8"



FC114 81937P 16E 16 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



81980P 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81937PSL FC114SL 12" x 6'8" | 12" x 8'0"

14" x 6'8" 14" x 8'0"

S6006 S81937P **16** € 16 2'6"x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0"x 8'0" 3'0" x 6'8" (7'0")



S6031 S86031 **16** € 16E 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0"x 8'0"



S84325

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

S4325 **6 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth

S6051 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options



Elevated 10" Bottom Rail Options

SALINAS_® X Continued



\$973 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

| \$893 | 6 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"



\$6006\$L \$85916\$L \$6 \$12" x 6'8" \$12" x 8'0" \$14" x 6'8" \$14" x 8'0"

MAPLE PARK. • ::



FCM901 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

FCM886 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6107 6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM6108 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM901SL | FCM886SL | 5 | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"

NEW



FC901

6 E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81939P

2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"



81982P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC901SL 81939PSL 6 9 12" x 6'8" 12" x 8'0" 14" x 8'0"



S6101 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



S6107

6 E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'0" x 6'8" (7'0")



\$4324 **6** E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$84324 \$\bigsep\$6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6108 2'6' x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$6106 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8" \$85897 2'8" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$6101\$L \$85918\$L \$6101\$L \$85918\$L \$6101\$L \$12" x 8'0" \$12" x 8'0" \$14" x 8'0"

SARATOGA™ ◆



Mahogany

FCM906
6
2'8" x 6'8"
2'10"x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 8'0"



FCM6029 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM906SL | FCM888SL 12" x 6'8" **16** 12" x 8'0" 14" x 8'0"

14"x 6'8"



81938P FC906 2'6" x 6'8" 2'8" x 6'8" (7'0") 19 2'8" x 8'0" 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



81981P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC906SL 81938PSL 12" x 6'8" 16 12" x 8'0" 14"x 6'8" | 14" x 8'0"



S81938P S213 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



S86029 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") **19 E** 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S4327 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S6049 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S85908 S41 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S291SL S85917SL 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FCM144 FCM899 **4**6 **4**6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6074 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6075

16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM899SL 16 12" x 8'0" 14" x 8'0"



FC144 **2'8"** x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"

81940P **4**6 2'8" x 8'0" 2'10"x 8'0"



81983P **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81940PSL 12" x 8'0" 14" x 8'0"



S6073 S81940P 16E **4**6 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S6074 **36 E** 2'8" x 6'8" (7'0")

S86074 **4**9 E 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

TEXAS STAR Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR / HVHZ Options Elevated 10" Bottom Rail Options

TEXAS STAR ♦ **■** Continued



S4329 **⊿**6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



S6075 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6076 S81983 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



85919SL 12" x 8'0" 14" x 8'0"

WELLESLEY™ ♦ ## ❖



FCM105 FCM866 **4**6 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM6030 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6050 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM866SL FCM105SL | 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



81941P FC105 **1**6€ **16** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0"



81984P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC105SL 81941PSL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S81941P **19** € **16** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0"



S6030 S86030 16E **4**9 E 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



NEW

S4330 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S6050 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S85909 S42 16 **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S214

S292SL S85922SL 14" x 6'8" | 14" x 8'0"

RISERVA. X



FCM581 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8581 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM575 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM577 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM583SL | FCM8583SL 12" x 6'8" 12" x 6'8" 12" x 8'0" 14" x 8'0"





FC581

19 € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





FC8579

16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC583SL

FC8583SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S581

2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8581 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S575

6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8575 **1**6€

2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



S4326 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 8'0"



S577

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S579 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8579 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S583SL S8583SL

12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"





FCM911 **16** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

FCM891 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Mahogany

FCM6026 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6046

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12" x 6'8"

FCM911SL | FCM891SL 12" x 8'0" 14" x 6'8" | 14" x 8'0"

CONCORDE Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options



E Elevated 10" Bottom Rail Options



FC911 81942P 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")



81985P 2'8" x 8'0" 2'10"x 8'0"

3'0" x 8'0"



FC911SL 81942PSL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S81942P

2'8" x 8'0" 2'10"x 8'0"

46

S426 **1**9E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6026 **1**9 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"

S86026 **1**9 E 2'8" x 8'0" 2'10"x 8'0"



S4316 **49** € 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84316 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6046 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S37 S837 16 16 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



\$430\$L | \$85920\$L | \$6 | \$12" x 6'8" | 12" x 8'0" | 14" x 8'0"





FCM149 FCM8149 2'8" x 8'0" 2'10" x 8'0" 2'10"x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FCM6036 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6056 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM149SL FCM867SL 12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"



FC149 FC8149 **46 E** 2'8" x 6'8" (7'0") **4**6 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



FC89701 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC149SL FC8867SL 12" x 6'8" 12" x 8'0" 14" x 8'0"



S161 S8149 2'8" x 8'0" **46** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S6036 **19E**

S86036 **49E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S4320 2'8" x 6'8"

S84320 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6056 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8'



S43 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S89701 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$161SL | \$867\$L | \$6 12" x 6'8" | 12" x 8'0" | 14" x 6'8" | 14" x 8'0"

PEMBRIDGE_™ ◆ **::** ❖



FCM6560 **4 6** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

FCM86560 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6565 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6568 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6565SL FCM86560SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"



FC6560 **1**6€ 16 2'8" x 8'0" 2'10" x 8'0" 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC86536 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC6565SL 16 12"x 6'8"

FC86560SL 12"x 8'0" 14" x 6'8" 14" x 8'0"



S6560 **2'6"**x 6'8" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0"

3'0" x 6'8" (7'0")



S86560 2'8" x 8'0" 2'10" x 8'0"



S6565 S86565 **36 E** 2'8" x 8'0" **1**9 E 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S4323 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S84323 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6568 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

PEMBRIDGE Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- 9 WBDR Options



E Elevated 10" Bottom Rail Options



S6536 **1**6 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S86536 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PEMBRIDGE™ ◆ **!!** ❖ Continued



S86560SL S6565SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"

AXIS.



FCM81654 FCM1654 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

Mahogany

FCM1656 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany

FCM1658 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1656SL 4 6 12" x 6'8" FCM81654SL 12" x 8'0" 14" x 8'0"

14"x 6'8"



FC1654 FC81654 **16** € **4**6 2'8"x 8'0" 2'6"x 6'8" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC81653 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC1656SL | FC81654SL 12" x 6'8" 12" x 6'8" 12" x 8'0" 14" x 8'0"



S1654 S81654 2'8" x 8'0" 2'10" x 8'0" **19** € 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S1656 S81656 **16** € **16** € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S4311 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S84311 **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S1658 **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1653 S81653 **1**6 **16** 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"





FCM8386

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

46

FCM386 **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany

FCM387 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM394 **16** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM387SL FCM8386SL 12" x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"



FC8386 FC386 2'6" x 6'8" 2'8" x 8'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0")



FC8392 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC387SL FC8386SL 5 5 12" x 6'8" 12" x 8'0" 14" x 8'0"



S8386 **9 6 E**2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") **4**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" (7'0")



S387 **1**6 € 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S84310

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"

S4310 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S394 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S392 S8392 2'8" x 6'8" 16 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S387SL S8386SL 12" x 6'8" | 12" x 8'0" 14"x 6'8" | 14" x 8'0"

LATITUDE • :: •

S8387

2'8" x 8'0" 2'10" x 8'0"



FCM8498 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM8498SL 4 6 12" x 8'0" 14" x 8'0"



FC8498 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8489 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8498SL 4 6 12" x 8'0" 14" x 8'0"



S8498 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8467 **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

LATITUDE Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

LATITUDE ◆ **::** ❖ Continued

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



\$84322 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8489 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8498\$L 2 9 12" x 8'0" 14" x 8'0"



FCM65_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6022_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65_SL 12" x 6'8" 14" x 6'8"



FCM3487_SL 12" x 8'0" 14" x 8'0"



FC65_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8321_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC63_SL 12"x 6'8" 14"x 6'8"



FC3487_SL 12" x 8'0" 14" x 8'0"



\$262_ **E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



\$6022_ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




\$86022_ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$832_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS









FCM6021_ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM104_ **2'8"** x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





FC62_ **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"





81971P__ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"









\$4305_ **2** 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



\$6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

\$30_

\$50

2'8" x 6'8"

2'8" x 6'8"

2'10" x 6'8"

2'10" x 6'8"

3'0" x 8'0"

3'0" x 8'0"



Key



Brushed Nickel Caming (1C)

Brass Caming (1A)



Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



WBDR Options





FCM678 **₩ 1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8678 * **4** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM6035 # **1**6 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM6055 * **4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM116 ■ * 16 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM8678SL

* **4 6** 12" x 8'0"

14" x 8'0"

FCM678SL 14" x 6'8"



*** ■** 6 E * 🛮 6 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



FC116 ■ * **1**6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC8971 * **4 5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC678SL FC8678SL * 2 6 12" x 6'8" 14" x 6'8" 14" x 8'0"



S8132 * **4 5** 2'8" x 8'0" 2'10" x 8'0" 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0")



S6035 S86035 ** **3 6 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
2'10" x 6'8" (7'0")
2'10" x 8'0"
2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"



S4308 S84308 *** □ 6 E** 2'8" x 6'8" *** 4 6** 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S6055 * 🛮 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S131 ■ * **3**6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S971 S8971 *** 4 6** * 🛮 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"







CLEAR GLASS WITH DIVIDED LITES



\$6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$137 **E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FCM8322 ** • • • • 2'8" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FCM8324 * • • • • 1 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"









FCM8321

* • • • • • 2 6

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



Mahogany

FCM8675SL

★ ↑ ↑ ↑ 1

12" x 8'0"

14" x 8'0"









FCM1405 * • • • • 1 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1406 * • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1405SL ★ ♦ ♦ ♦ ☑ 12" x 6'8" 14" x 6'8" 14" x 8'0"



FC8322 * • • • • 2 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FC8324 * • • • • 1 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key









FC8318 * • • • 🗾 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8319 3'0" x 8'0"



FC8320 * • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



*** ≥** † † † **2** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC8675SL *** • • •** 12" x 8'0" 14" x 8'0"



FC63SL * *** 1** 1 1 1 1 **2** 6 12" x 6'8" 14" x 6'8" | 14" x 8'0"







FC1408 ***** ♦ ♦ ♦ **I** E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")

2'8" x 8'0"

2'10" x 8'0"



FC8144 * • • • 2 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1408SL | FC8145SL ***** ♦ ♦ ♦ ▼ | ***** ♦ ♦ ♦ ▼ 12" x 6'8" 12" x 8'0" 14" x 6'8" | 14" x 8'0"



\$8322 ***** ♦ ♦ ♦ ▼ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8326 ***** ♦ ♦ ♦ ♦ *** E** 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



\$84318 ***** ♦ ♦ ♦ ₽ **Z** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



2'10"x 8'0" 3'0"x 8'0"



S8327 * * * * * * 1 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S84313 * • • • • 🛮 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8324 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8328 * ♦ ♦ ♦ ♦ **]** E 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S84309 * • • • • 🔽 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S262 * 📦 † † † † 🔷 🗾 **9E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6022 # **■** † † † † ♦ 🛮 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S4307 * • • • • 🗾 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6042 * **| + + + + +** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S8321 * N * * * * * * * 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8325 *** ■ ↑ ↑ ↑ 6 E**2'8" x 8'0"
2'10"x 8'0" 3'0" x 8'0"



S84312 * • • • 🛮 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8319 ** * * * **1** 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8320 * • • • • • 2 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S32 **♦ 6** 2'8" x 6'8"

\$832 * • • • • • • • • • 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"

NEW



S115 ■ * ◆ E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8675SL * • • 12" x 8'0" 14" x 8'0"



S263SL S7125SL *** ■ * * * ♦ ♦ 6** 12" x 6'8" 14"x 6'8"



S3487SL \$1408 ****** ♦ ♦ ♦ *** E** 2'6"x 6'8" 2'8" x 6'8" (7'0") 14" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S8145 ***** ♦ ♦ ♦ ***** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$1405 ***** ♦ ♦ ♦ *** E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Smooth S4321 S84321 * • • • • 🔽 * * * * * | Z E 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

NEW



\$1406 * • • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$1407 * • • • • • 2 2'8" x 6'8" 2'10" x 6'8" \$8144 * • • • • • 2 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0'



\$8145\$L * • • • • • 1 12" x 8'0" 14" x 8'0" S1405SL * • • • • 12" x 6'8" 14"x 6'8"

Key

Low-E Glass (LE)



Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
 - Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR Options















2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"

FCM6021 * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM6041 * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM670 ■* **1**6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FCM62SL | FCM862SL * **3 5** * **3 6** 12" x 6'8" 14" x 8'0" 14" x 8'0"

* **2 6** 2'8" x 8'0" 2'10" x 8'0" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")







81971P * **4 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC48SL 81929PSL * **26** 12" x 6'8" 14" x 6'8" 14" x 8'0"



S206 S81929P *** 1** 6 E *** 4 6** 2'6"x 6'8" 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")



S6021 S86021 * **4 5 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") *** 3 9 E** 2'8" x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S84315 **☀** ✓ 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

3'0" x 6'8"



S6041 *** 4** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S104 ■* **3**6 E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S105 ■ * **I** E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S830 S30 * **2 6** 2'8" x 8'0" 2'10" x 8'0" * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



S85910SL S210SL *** 4 6 * 4 6** 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"

Twin 1/2 Lites







\$6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SEDONA 🔷 🎞



\$294 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. X



\$6014 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK. • ::



S6104 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SARATOGA™ ♦



\$291 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY™ ◆ :: ❖



\$292 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

RISERVA. X



\$585 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CONCORDE™ ◆ :: ❖



Smooth

\$430
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key



- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)










2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"















2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



CLEAR GLASS



\$289 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Center Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. • ::



FC80943 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86243 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9343 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83143 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SEDONA +::



FC80952 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9352 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. X



\$83152 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80953 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86253 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9353 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83153 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FC80955 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86255 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
 - Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Simulated Divided Lites (SDL)

 Flat or Contour White Grilles
 Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

MAPLE PARK. • ::



\$9355 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



S83155 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SARATOGA_{TM} •



FC80954 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86254 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9354 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83154 **6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

WELLESLEY™ ♦ ## ❖



FC80949 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86249 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9349 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83149 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

RISERVA. X



FC507 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



\$507 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

KENSINGTON™ ◆ ##

CONCORDE™ ◆ **::** ❖



\$549 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80947 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86247 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9347 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83147 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80942 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86242 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite



\$9342 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83142 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



PEMBRIDGE_™ ♦ **::** ❖

FC6534 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6534 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





FC1655 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC81649

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



\$1655 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$81649 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"





FC393 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8390 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S393 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



\$8390 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC809203_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862203_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$93203_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$831203_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key









Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



PRIVACY & TEXTURED GLASS

FC80920_ **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86220_ 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9320_ **1**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83120_ **1**6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

INTERNAL BLINDS



FC925 **₩¥∮** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8972 * 🛮 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth S925 *** 1** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



S8972 * 🛮 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



* 📦 † † 🖟 🌀 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862203 * 🖿 🕈 🖠 💪 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



S93203 * 🖿 🕈 🗎 🔞 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S831203 3'0" x 8'0'



FC1404 * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8141 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


CLEAR GLASS



S1404 * • • • • 🗾 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"











FC86220 * 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9320 *** 1** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83120 *** ■ 6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

^{*}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. **Available with flat lite frame or Advanta flat lite frame only.

^{***}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision. Top: Smooth-Star, Calix Glass, Door- S3540, Finish - Arctic Ice

Craftsman Lites



TRANSOMS

For transoms, see page 209.

OPTIONAL DENTIL SHELVES*

4-Block Dentil Shelf Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf Available for all Craftsman-lite Smooth-Star doors.

SEDONA +



S2650** 🔟 🛮 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S82650** **_** 2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FCM604 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S604 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'

S8604 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

MAPLE PARK. • ::



2'8" x 6'8" 2'10" x 6'8"

S82630*** 116 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"

FCM609 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8609 S609 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

SARATOGA... • ::



FCM602 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S2660*** S82660*** **⊿** 🛭 9 **E ⊿**⊈6 2'8" x 8'0" 2'10" x 8'0' 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8" 3'0" x 8'0'

S602 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth S8602 **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

RISERVA. X



FCM508

16 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S2670*** _1 4 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S82670*** 146 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

RISERVA Continues on next page.

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
 - Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - **Flat Almond Grilles** Between Glass (GBGF)
- **Flat Bronze Grilles** Between Glass (GBGF)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites
- **Scrolled Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.





6 WBDR / HVHZ Options





RISERVA. X Continued



PEMBRIDGE_™ ◆ **::** ❖







AXIS.

16 46 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"

FCM6520 **16** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

_146 E 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

146 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CALIX • :: •

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"











FCM6975 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S3540* S83540* _1 4 6 E 146 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S86975 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



FCM605_ 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM606_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM607_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM608_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S605_ S8605_ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

S606_ S8606_ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS



S607_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8607_ 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



S608_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8608_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM601_ **4**6





\$2610_* 10 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S601_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8600_ **1**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



FCM605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM606 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM608 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S607 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S8607 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S608 S8608 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM601 *** 4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany



S2610* S82610* * ⊿ 🛭 6 E ***** _ **4 6** 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S601 *** 4 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

***** 🛮 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key



Brushed Nickel Caming (1C)

Brass Caming (1A) X Wrought Iron (1W)



Flat Lite Frame

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and
2'6" doors or 10" sidelites.



Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Minimal Lites



TRANSOMS

For transoms, see page 209.



MAPLE PARK. • ::



Mahogany

FCM736 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8736 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC736 FC8736 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S736 S8736 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")

SARATOGA™ ♦



FCM707 FCM8707 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



FC707 FC8707 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

WELLESLEY™ ♦ ## ❖



S707

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM721 FCM8721 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FC721 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S721

S8721 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDE™ ◆ :: ❖



FCM8735

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

FCM735 2'8" x 6'8' 2'10"x 6'8' 3'0" x 6'8"



FC735 FC8735 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"



S735 2'8" x 6'8" (7'0")

S8735 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" (7'0") | 3'0" x 8'0" 3'0" x 6'8" (7'0")

PEMBRIDGE™ ◆ ## ❖



FCM745 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC745 FC8745 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



S745

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



Mahogany

FCM752 *** • • • •** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8752 * • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC752 *** • • • •**

FC8752 * • • • • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") | 3'0" x 8'0"

CLEAR GLASS



S752 * * * * • E

* • • • • 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

S8752



Mahogany

FCM704 * 🄷 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8704 * 🄷 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FC704

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0"

Oak

FC8704 2'8" x 8'0" 2'10" x 8'0"



S704

* 🔷 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8704 * 🔷 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany FCM708

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8708 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



FC708

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"

FC8708 2'8" x 8'0" 2'10" x 8'0"



S708

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0 3'0" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0"

S8708

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Simulated Divided Lites (SDL)

Flat Lite Frame

Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites



Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



Rail Options





FC917 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S454 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



FC23 *** • • • •** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S255 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



FC803 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S256 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



S236 S8317 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



S237 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)

PEMBRIDGE_™ ♦ :: ❖



FCM6570 FCM86570 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FC6570 FC86570 ΔE 2'6"x 6'8" (7'0") 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



S86570 S6570 **∡**E 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0"

AXIS.



FCM1645 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



FC1645 FC81645 ∡E 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0")



S1645	S81645
∡ E	
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Privacy & Textured Glass Options

FCM81645

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite



FCM61 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM861 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC61 FC861 ∡E 2'6" x 6'8" (7'0") 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")



S296_ ΔE 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0"

CLEAR GLASS



FCM61 */ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC61 * Z 2'8" x 8'0" * 🛮 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0")

* 🛮 E 2'6"x 6'8"

S296 S896 * 🛮 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" (7'0")



Noise Reduction Doors

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



S140STC ■ * E

S8140STC 2'6" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")

S141STC ■ * **+** E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S6063STC ■ * **+** E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Key

No Stile Lines

Low-E Glass (LE)

Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**

- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
 - Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat White Grilles Between Glass Only (GBGFW)



Not available for 2'4" and 2'6" doors or 10" sidelites.

E Elevated 10" Bottom **Rail Options**

Solid Panel



TRANSOMS

For transoms, see page 209.





FCM31 **6** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM220 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM600 **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM60 FCM860 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany FCM1000

FCM81000 ■ 9E **6** 2'0"x 8'0" 2'4"x 8'0" 2'0"x 6'8" 2'4"x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'6"x 8'0" 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



FC31 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC809 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC60 **9**Е 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

XR = Rainglass

XN = Granite

FC860 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla





• 6

2'0"x 8'0"

2'4" x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S45 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S220 S8200 **9E 9E** 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



\$1100 **9 E** S81100 6 2'8" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S3401 S83401 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S3501 S83501 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"




\$3601 2 6 E 2'8" x 6'8" 2'10" x 6'8" S83601 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S5701 S85701 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



\$5721 2'6 E 2'8" x 6'8" 2'10" x 6'8" S85721 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S85230SL **≜E** 12" x 8'0" 14" x 8'0"



S85700_SL 12" x 8'0" 14" x 8'0"



S85710_SL 12" x 8'0" 14" x 8'0"



S85720_SL 12" x 8'0" 14" x 8'0"



S85700SL ***** 2 12" x 8'0" 14" x 8'0"



S85710SL ***** 2 12" x 8'0" 14" x 8'0"



* 2 12" x 8'0" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.

Key





- Door Divider Bars (DDBF2)
- Simulated Divided Lites (SDLF2)
- WBDR Options



- **Å** 6'6" Height Available
- **■** Elevated 10" Bottom Rail Options



\$120 **9 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$8120 **6** E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S200 S897 2'8" x 8'0" 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



S205 S8201 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S31 S831 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S960 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S84800

2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

S4800 **5 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S600 5 2'8" x 6'8" 2'10" x 6'8"

S8600 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S210 S810 6Е **6** 2'6"x 8'0" 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"



S100 S81000 ■ **5 E**2'0" x 6'8" Å
2'4" x 6'8" Å **5** 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" \$\(\frac{1}{2}\)(7'0") 3'0" x 8'0" 3'6" x 6'8" 3'6"x 8'0"



Note: See page 285 for important product details that may help with your purchase decision.

Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

BLACKSTONE. • ::



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

SEDONA 🔷 🏭



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SALINAS, X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

MAPLE PARK. • ::



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SARATOGA... • ::



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

WELLESLEY™ ◆ **::** ❖



3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

RISERVA. X



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

CONCORDE_™ ◆ :: ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

KENSINGTON™ ◆



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

PEMBRIDGE_™ ◆ **!!!** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

AXIS.





AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CALIX • :: *



CXRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



CX30T 3'0" Door Only

LATITUDE • :: •




LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



LT30T 3'0" Door Only

ECHELON ♦ :: ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



FC30T 3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only

19210T

12" & 14" Sidelite Only

Key





Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**



WBDR Options

WBDR / HVHZ Options

Å 6'6" Height Available

Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic₀, Smooth-Star₀, Profiles™ & Traditions



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx Bottom: Smooth-Star, Clear Glass, Doors – S118

DOOR SELECTIONS







Fiber-Classic. Oak Collection_{TM}



Smooth-Star.



Profiles_™ & Traditions

(Wood-grained images shown in Driftwood stain.)

GLASS SELECTIONS



Internal Blinds



Low-E / Clear



Divided Lites



For details on divided lite options, see pages 120–121.



Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30-31 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed **Warranty Riders**

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

= Available	Fiber-Classic.	Smooth-Star.	Profiles™	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds				
Low-E Glass with and without Divided Lites	•	•		
Clear Glass with and without Divided Lites		•		
Privacy & Textured Glass with and without Divided Lites		•		
Lip-Lite Glass Selections				
Internal Blinds				
Low-E Glass with and without Divided Lites	•	•	•	•
Clear Glass with and without Divided Lites	•	•	•	•
Privacy & Textured Glass with and without Divided Lites	•	•	•	•
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"
Double Widths	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options				
Tru-Defense Eligible	-			

EnLiten™ Flush-Glazed Internal Blinds ♦




AVAILABLE COLLECTIONS

■ Smooth-Star。

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Internal Blinds




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Fiber-Classic Oak
- Smooth-Star。
- Profiles™
- Traditions

AVAILABLE DOOR STYLES





EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites ▶


Colonial Style




AVAILABLE COLLECTIONS

- Fiber-Classic Oak
- Smooth-Star_®

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Prairie Style




AVAILABLE COLLECTIONS

- Fiber-Classic Oak
- Smooth-Star.

AVAILABLE DOOR STYLES





EnLiten™ Flush-Glazed Low-E / Clear Glass ♦




AVAILABLE COLLECTIONS

- Fiber-Classic Oak
- Smooth-Star。

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass with Divided Lites

Colonial Style




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Profiles™
- Fiber-Classic_⋄ Oak
- Traditions
- Smooth-Star.

AVAILABLE DOOR STYLES





Prairie Style




AVAILABLE COLLECTIONS

- Fiber-Classic_® Mahogany
- Fiber-Classic_∗ Oak
- Smooth-Star。
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS


- Fiber-Classic Mahogany
- Fiber-Classic Oak
- Smooth-Star.
- Profiles™
- Traditions

AVAILABLE DOOR STYLES





Profiles™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door - 996HD, Sidelite - 139SL Bottom: Profiles, Screen Vented Glass, Door - 1004HD

Profiles™ & Traditions Steel

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210 Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 240–243.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.







Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.







■ = Available - = Not Applicable P = Paint	Profiles	Traditions						
Door Widths								
2'0"								
2'4"								
2'6"								
2'8"								
2'10"								
3'0"								
3'6"		•						
Door Heights								
6'6"								
6'8"								
7'0"		•						
8'0"	•							
Glass Options								
Decorative	16	16						
Privacy & Textured	6	6						
Internal Blinds								
Screen Vented Lites								
Simulated Divided Lites								
Grilles Between Glass								
Fixed Grilles								
Low-E								
Clear								
Frame Options								
Advanta Lite Frame								
Standard Lite Frame								
Impact Lite Frame								
Additional Options								
Finish	Р	Р						

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors


6'0" Patio Opening = (2) 2'10" Doors

^{*}Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

^{**}Decorative glass designs are shown in Profiles only.

^{***}Brass caming not available for Impact.

Decorative & Specialty Glass Designs**



Blackstone. Glass Privacy Rating: 7



Crystalline_™ Glass Privacy Rating: 7



Sedona Glass Privacy Rating: 7



Wrought Iron Salinas_® Glass Privacy Rating: 10



Black Nickel **Brushed Nickel**




Black Nickel Saratoga_™

Glass Privacy Rating: 7



Black Nickel **Texas Star**

Glass Privacy Rating: 5



Black Nickel



Wellesley_m Glass Privacy Rating: 6

Maple Park. Glass Privacy Rating: 6



Riserva. Glass Privacy Rating: 10



Concorde_™ Glass Privacy Rating: 8





Kensington™ Glass Privacy Rating: 8





Pembridge_™ Glass Privacy Rating: 7



Axis. Glass Privacy Rating: 7



Calix Glass Privacy Rating: 1



Latitude Glass Privacy Rating: 2



Echelon Glass Privacy Rating: 1

Also Available:

Internal Blinds Screen Vented **Glass Privacy Rating Scale**



Clear

Opaque

Privacy & Textured Glass



Reeded (XK)
Glass Privacy Rating: 7



Satin Etch (XE) Glass Privacy Rating: 10



Chord (XC) Glass Privacy Rating: 10



Chinchilla (XJ) Glass Privacy Rating: 10



Rainglass (XR) Glass Privacy Rating: 8



Granite (XN) Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites Clear Glass



Full Lites

BLACKSTONE. • ::



310 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

3'6" x 6'8" (7'0")



310SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CRYSTALLINE™ ♦



916 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



916SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SEDONA ♦



139 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



139SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SALINAS. X



369 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



369SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

MAPLE PARK. • ::



1006 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1006SL 5 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SARATOGA™ ♦



610 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



610SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

TEXAS STAR ♦



1029
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1029SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

WELLESLEY™ ♦ ## ❖



620 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



620SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

RISERVA. X



571 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



TS572SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Key



Brushed Nickel Caming (1C)







CONCORDE™ ◆ **!!** ❖



1028 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



416SL 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

KENSINGTON™ ♦



626 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



626SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PEMBRIDGE_™ ◆ **∷** ❖



6500HD
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



6500SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

AXIS.




1651HD 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1651SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CALIX ♦ # ❖



2389HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")




2389SL 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

LATITUDE • :: .



2382HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2382SL 26 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

ECHELON ♦ # ❖



2385HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2385SL 2 5 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



128_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



108_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



10" x 6'8" 10" x 6'8" 12" x 6'8" (7'0") 12" x 6'8" (7'0") 14" x 6'8" (7'0")



6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



632_SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

PRIVACY & TEXTURED GLASS



118_ **4**6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



100_SL **4 6** 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

INTERNAL BLINDS



130 * **4 6** 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



130SL *** 1 6 1 0 1 0 1 0 1 1 0 1 1 0** 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



1201 ***** • • • • **3** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1202 ***** • • • • 🗾 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1203 *** • • • •** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



128 * in ++++ 16 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1200 * * * * * **3** 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



* *** †** † † † † 🗸 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



1201SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



1202SL *** • • • •** 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



1200SL * * * * * **1 3 6** 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



632SL *****16 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

6184SL



6185SL * 📦 🛚 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")



* + + + + 1 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



198SL * • • • • 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS



118

* **1 5**2'0" x 6'8"**
2'4" x 6'8"** 2'6" x 6'8" (7'0")** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



100SL * 4 5 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Key







- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)



Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





BLACKSTONE. • ::



1037HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1037SLHD 16 12" x 6'8" 14" x 6'8"





1042HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



956SLHD 12" x 6'8" 14" x 6'8"

SEDONA ♦ #



965HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

965SLHD 12" x 6'8" 14" x 6'8"

SALINAS. X



968HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



971SLHD 12" x 6'8" 14" x 6'8"

MAPLE PARK. • ::



1009HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1009SLHD 16 12" x 6'8" 14" x 6'8"

SARATOGA_™ ◆ **!**:



1039HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1039SLHD 12" x 6'8" 14" x 6'8"

TEXAS STAR ◆ **!**



1040HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1040SLHD 12" x 6'8" 14" x 6'8"

WELLESLEY_™ ◆ **∷** ❖



1041HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1041SLHD 12" x 6'8" 14" x 6'8"

RISERVA. X



544HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



546SLHD 12" x 6'8" 14" x 6'8"

CONCORDE_™ ◆ **!!** ❖



967HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12" x 6'8" 14" x 6'8"

KENSINGTON™ ◆



03142HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



966SLHD 12" x 6'8" 14" x 6'8"

PEMBRIDGE_™ ◆ **∷** ❖



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



6580SLHD 12" x 6'8" 14" x 6'8"





1644HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1644SLHD 6 12" x 6'8" 14" x 6'8"

CALIX ♦ # ❖



391HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



391SLHD 4 6 12" x 6'8" 14" x 6'8"

LATITUDE • :: •



469HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

469SLHD 2 6 12" x 6'8" 14" x 6'8"

PRIVACY & TEXTURED GLASS



961HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



959HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6720HD_SL 12" x 6'8" 14" x 6'8"



12" x 6'8" 14" x 6'8"

INTERNAL BLINDS





5425SL * 2 6 12" x 6'8" 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



2109HD * • • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2110HD * • • • • • 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2111HD * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





1089SLHD * • • • • • 1 12" x 6'8" 14" x 6'8"



4572SLHD * † † † 2 6 12" x 6'8" 14" x 6'8"





1403HD ****** ♦ ♦ ♦ ♦ ****** 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



1400SLHD * • • • • • 1 12" x 6'8" 14" x 6'8"

CLEAR GLASS



959HD * 26 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



* **4 6** 12" x 6'8" 14" x 6'8"

Key

- ***** Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat
 Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- **6** WBDR / HVHZ Options

BLACKSTONE



1025HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY_{TM} **♦** ∷ ❖



1022HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CONCORDE_{TM}



1024HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

KENSINGTON_{TM} **+ ::**



630HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE...



6578HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



1020HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1/2 Lites

BLACKSTONE. • ::



309HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1001HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1117HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



311SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SEDONA + ::



211HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



996HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1114HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



294SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SALINAS, X



374HD **4**6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1002HD 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1115HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12" x 6'8" (7'0") 14" x 6'8" (7'0")

MAPLE PARK. • ::



1007HD 16 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1011HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1116HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1007SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

SARATOGA™ ♦



613HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



988HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1112HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



615SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

TEXAS STAR ♦



1032HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1111HD 2'5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WELLESLEY™ ♦ :: ❖



623HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



989HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1120HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



625SLHD 2 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

RISERVA. X



582HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



576HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



578HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



584SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CONCORDE™ ◆ ## ❖



426HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



999HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1118HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



430SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

KENSINGTON™ ◆



627HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



631HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1113HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



628SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Key

- ***** Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



6560HD **4**6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



6565HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6568HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6565SLHD **4**6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

AXIS.



1660HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1657HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1659HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1657SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

CALIX ♦ :: ❖



835HD 16 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



395HD **4**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



397HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



395SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



262HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



982HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1123HD_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



263SLHD_ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



206HD_ **16** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



980HD_ 16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1101_HD **16** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



46E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



210SLHD_ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

INTERNAL BLINDS



132HD * 🛮 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



984HD * **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

SCREEN VENTED LITES*



1121HD * 26 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





132SLHD * 5 12" x 6'8" (7'0") 14" x 6'8" (7'0")



243HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1004HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1102HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



137 **E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES









115HD

★ ► E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")





1408HD

* • • • • • • 2'
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1405HD * • • • • • • 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



CLEAR GLASS





206HD * **J** 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



* **2 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





105 **E**2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Key

- ***** Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



E Elevated 10" Bottom Rail Options

BLACKSTONE_®

+ :::



311HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SEDONA

+ :::



294HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SALINAS.



371HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

MAPLE PARK®

##



1008HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SARATOGATM

- :::



615HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

WELLESLEY_{TM}

* :: **



625HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

RISERVA



588HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CONCORDETM

* ** **



430HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

KENSINGTON_{TM}



628HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PEMBRIDGE

* ** **



6572HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

AXIS.



1662HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

CALIX) III 💠



396HD

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PRIVACY & TEXTURED

GLASS



263HD_

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



289HD_

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Privacy & Textured Glass OptionsAdd the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla

XR = Rainglass XN = Granite

CLEAR GLASS WITH DIVIDED LITES



263HD

* • • • • • • 2'
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1411HD

* • • • • • • 2

2'6" x 6'8" (7'0")

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

CLEAR GLASS



289HD * 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Craftsman Lites

SEDONA ::



604HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK



609HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SARATOGA™



602HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

RISERVA.



508HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGETM





6520HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

AXIS.



1650HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CALIX ...



6975HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"




2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



608HD_*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key





Brushed Nickel Caming (1C)

Brass Caming (1A)

- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
 - Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)



Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.



PRIVACY & TEXTURED GLASS



601_HD* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



* \[\bigsize \infty \]
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD * \[\sum \]
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD

* \[
\bigsim \bigsim \]
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD ***** ■ 1 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



Minimal Lites





736HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

SARATOGA[™]



707HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

WELLESLEY_{TM}



721HD2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE_{TM}



735HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

PEMBRIDGE...





745HD2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



752HD ** ↑ ↑ ↑ ◆2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



CLEARGLASS



**
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE_{TM}



454HD2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



CLEARGLASS



**
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") (Scalloped Lite Frame)

PEMBRIDGETM





6570HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



6570SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")





PRIVACY & TEXTURED GLASS



296HD_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



12" x 6'8" (7'0") 14" x 6'8" (7'0")

CLEAR GLASS



3'0" x 6'8" (7'0")

Solid Panel



3'0" x 6'8" (7'0")

969HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1005HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



205HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



203HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



210HD 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



100 **E** 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

Key





- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)

 Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



E Elevated 10" Bottom Rail Options

Full Lites

PRIVACY & TEXTURED PRIVACY & GLASS WITH DIVIDED LITES TEXTURED GLASS TS128 TS108 6184_SL* 632_SL TS118 818 6185_SL* 6186_SL* 2'8" x 6'8" 2'8" x 8'0" **1** 2'8" x 6'8" 2'8" x 6'8" 10" x 6'8" 10" x 6'8" 10" x 6'8" 10" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 12" x 6'8" (7'0") 12" x 6'8" (7'0") 12" x 6'8" (7'0") 12" x 6'8" (7'0") 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 14" x 6'8" (7'0") 14" x 6'8" (7'0") 14" x 6'8" (7'0") 14" x 6'8" (7'0") 3'0" x 6'8" 3'0" x 8'0" **PRIVACY & INTERNAL BLINDS CLEAR GLASS WITH DIVIDED LITES TEXTURED** GLASS 130SL * 2 6 10" x 6'8" 12" x 6'8" (7'0") | 829SL * 2 6 12" x 8'0" 14" x 8'0" TS1201 ***** ♦ ♦ ♦ ↓ 2'6" x 6'8" 100_SL 818_SL TS130 829 TS1202 TS1203 * **4 5** 2'6" x 8'0" 2'8" x 8'0" ***** ♦ ♦ ♦ ↓ 2'6" x 6'8" 10" x 6'8" 12" x 8'0" 14" x 8'0" * **2 6** 2'4" x 6'8" 2'6" x 6'8" * • • • • 🗾 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'8" x 6'8" 2'8" x 6'8" 14" x 6'8" (7'0") 2'8" x 6'8" 2'10" x 8'0" 14" x 6'8" (7'0") 2'10" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 6'8" TS108 1201SL 1202SL TS128 TS1200 828 808 * * * * * * 1 6 * • • • • • * * * * * * **3** 6 ***** • • • • 🗾 * • • • • 🗸 2'6" x 6'8" 16 2'6" x 8'0" 10" x 6'8" 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0") 2'6" x 6'8" 2'8" x 6'8" 2'6" x 6'8" 2'6" x 8'0" 2'8" x 8'0" 12" x 6'8" (7'0") 12" x 6'8" (7'0") 2'8" x 6'8" 2'10" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 14" x 6'8" (7'0") 14" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0"

Privacy & Textured Glass Options

^{*}Not available with Reeded (XK) glass.

^{**}Available with Impact-rated life frame only.







1/2 Lites



Key





- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
 Not available for 2'4" and
 2'6" doors or 10" sidelites.



INTERNAL BLINDS

* **16** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"



TS131

* 26" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS132SL * **6** 12" x 6'8" 14" x 6'8"

SCREEN VENTED LITES*



TS243 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS137 **E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



8322 * • • • • • • 2 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

2'10" x 6'8"

3'0" x 6'8"





8324 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







TS115 *** ◆ E**2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





3'0" x 8'0"





TS206

* 4 6

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





TS105 *** E**2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS210SL * 2 6 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded XE = Satin Etch

XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263_

2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS263 k 📦 🕴 🛊 🛊 🔏 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



TS1411 *** • • •** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PRIVACY & TEXTURED GLASS



TS289_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS



TS289 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Minimal Lites

PRIVACY & TEXTURED GLASS



2'10" x 8'0"

3'0" x 8'0"

TS296 SL 12" x 6'8" 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES







2'10" x 8'0"

3'0" x 8'0"

TS704 ***** ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS255 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS236 2'8" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES Continues on next page.

Key

2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"





- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat Almond Grilles** Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.





CLEAR GLASS WITH DIVIDED LITES



CLEAR GLASS



2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2'6" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



* 12" x 6'8" 14" x 6'8"

Solid Panel



TS210 5 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

810 5'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



TS100 **E** 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 800 **5** E 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Transoms

Transoms can be painted to match a Profiles, or Traditions door system.

BLACKSTONE. + ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

SEDONA ♦



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SALINAS. X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

MAPLE PARK. • ::



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

SARATOGA... • ::



19750T 3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

WELLESLEY_™ ◆ :: ❖



3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

RISERVA. X



RSRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

CONCORDE™ ◆ ## ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

KENSINGTON™ ◆



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

PEMBRIDGE™ ♦ ## ❖



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

AXIS.





AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CALIX • :: .



CXRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



CX30T 3'0" Door Only

LATITUDE • :: .



LTRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



1T30T 3'0" Door Only

ECHELON ◆ **::** ❖



ECRT

3'0" door + (2) 12" sidelites Continuous / Boxed Sill Systems



EC30T 3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19210T

3'0" Door Only 12" & 14" Sidelite Only

Key





Brushed Nickel Caming (1C)

Brass Caming (1A)





Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites



Elevated 10" Bottom **Rail Options**


Fire Doors Smooth-Star_® & Steel



Therma-Tru_® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

Smooth-Star. 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

ADDITIONAL OPTIONS

 Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 243.

For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

Left: Smooth-Star Door - SSF120

^{*}To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.



20-Minute Fire-Rated Wood Edge – Fiberglass



SSF93 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF45 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF220 **9E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
2'10" x 8'0"



SSF8220 3'0" x 6'8" (7'0") | 3'0" x 8'0"



SSF81100 **9** SSF1100 **9 E** 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



SSF8120 **9 E** 2'8" x 8'0" 2'10" x 8'0" SSF120 **9 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



SSF200 SSF8200 2'8" x 8'0" 2'10" x 8'0" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 8'0" 3'0" x 6'8"



SSF8205 SSF205 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF755 2'10" x 6'8" 3'0" x 6'8"




SSF31 SSF831 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SSF960 **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SSF4800 SSF84800 **9 E**2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



20-Minute Fire-Rated Wood Edge - Steel

PROFILES_{IM}



TRADITIONS



6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

TS100 **6** E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key






3'6" x 6'8"

PULSE

MODERN DESIGN, UPBEAT LIVING











Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.















The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.








1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Mahogany or Oak (Shown in Driftwood stain.)


Fiberglass

3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E also available.

Decorative Glass

Available for Línea



Available for Ari.



Available for Echo.



- 1 Blackstone_®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas_®
- 5 Saratoga™
- 6 Riserva_®
- 7 Pembridge™
- 8 Axis.
- 9 Calix
- 10 Latitude
- 11 Echelon

4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advanta,* and Standard lite frames.



Flat Profile Lite Frame




Scrolled Profile Lite Frame


^{*}See your Therma-Tru seller for details on product availability.


Pulse _* Size Options									
	Wood-Grained Fiberglass		Smooth Fiberglass		Steel				
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"			
Doors	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 0 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" \circ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ° 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"			


- Available in full-lite sidelites only. Available in Línea and Echo only.






















Note: Product images show exterior side of door.


Línea

\$1LBS \$81LBS \$::14 \$












It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.








































LÍNEA Continues on next page.


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.


XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite


Key


- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)Wrought Iron (1W)
- Scrolled & Flat
 Advanta Lite Frame
- 6 WBDR / HVHZ Options






































Smooth Steel ain.) Fiberglass

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.
































ECHO Continues on next page.


Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite


Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat
 Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



























It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.






ECHO Continues on next page.


Privacy & Textured Glass Options			
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.	XK = Reeded	XC = Chord	XR = Rainglass
	XE = Satin Etch	XJ = Chinchilla	XN = Granite

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options








Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: Product images show exterior side of door.



SIDELITES Continue on next page.

+ :: < ◆ ■ </p>

+ :: ❖ ●

Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246. XK = Reeded XC = Chord XR = Rainglass XE = Satin Etch XJ = Chinchilla XN = Granite

♦ :: **♦**

Key

S6015L*

46

* Low-E Glass (LE)

Sidelites

Black Nickel Caming (1D)

S81086SL*

16

- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)

🔷 :: 💠 🔵 🏅

Vented Sidelite Options Scrolled & Flat

Advanta Lite Frame

- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

+ :: ❖ ●

:: * •





Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.





Finishing Options











ADD CURB APPEAL WITH COLOR

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuardo premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru_® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft_® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.










Fiber-Classic, Smooth-Star, Pulse & Steel

Durable Professional Topcoat













Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the () symbol.









Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru_® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru₀ fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru₀ door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- **4** A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- **5** A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

PrismaGuard_® Premium Paint

Add a pop of color to Therma-Tru_® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine









COLOR MATCHES AVAILABLE.



Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

SAME-DAY. **STAIN**

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru_® fiberglass doors and composite door frames.



Shown on Classic Craft Fir Grain.















All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Visit **thermatru.com/samedaystain** for ordering information and easy-to-follow instructions.





For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

Door System Components





Engineered to work together.

A Therma-Tru_® door with genuine Therma-Tru components is more than a beautiful door - it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology





COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **a** LVL core to provide additional structural support and stability and feature a **b** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

^{*}See your Therma-Tru seller for details on product availability.

^{**}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{***}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

AVAILABLE TEXTURES





Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry
 - no sanding or priming required.





White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is no painting required.
 Or finish with stain or paint to complement the entry – no sanding or priming required.

THE ADVANTAGE IS CLEAR

THE ADVANTAGE IS CELAR	
Performance	
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting	✓
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	✓
Resists Insects – Help Protect from Wood-Ingesting Insects	✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	✓
Impact and 20-Minute Fire Code Compliant***	✓
Aesthetics	
Ready to Finish – No Sanding or Priming Required	✓
Ready-to-Install Option – No Finishing Required – White Smooth	✓
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓
Warranty	

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft _® Door + Components	LIFETIME LIMITED WARRANTY TRANSFERABLE	Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse, Fiberglass Door + Components	LIFETIME LIMITED WARRANTY	10-Year Transferable Full-System Rider
Composite Door Frame Only	LIFETIME LIMITED WARRANTY	


Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs








■ Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

2-1/2" Entry Wide

Trim







Mull Casing







Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor Face Adaptor (Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap



Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions




Engineered as part of Therma-Tru's complete entry door system, our composite door frame is more reliable and up to 50% stronger on average than standard wood door frames* when withstanding a simulated forced entry attempt by kicking in the door.*



7/16" x 5/16" Cove Mould

Transom Sills





CODE-COMPLIANT OPTIONS

Therma-Tru_® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

^{*}Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

^{**}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface.

Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-True seller for a complete list of options.


INSWING OPTIONS

Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- · Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Hardwood Adjustable Sill



- U-shaped weather seal.
- · Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)




- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

OUTSWING OPTIONS



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Aluminum Sill with Thermal Break



- Integrated weatherstrip.
- Also available without thermal break.

Coastal Sill (For Coastal Regions)



- · All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Value Composite Adjustable Sill (Economy)



- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.


Public Access Sill

Public Access Sill with Thermal Break**

(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Inswing Sill Extenders



- *See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.
- **Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs. ***For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.



Tru-Defense Eligible

SILL FINISHES



Mill



Bronze

CAP COLORS



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available • = Not Applicable	Inswing Options	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Outswing Options	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes											
Mill											
Bronze											
Cap Colors											
Lightwood											
Darkwood											
Hardwood											
Sill Configurations											
Single											
French											
Double Patio											
Triple Patio											
Lineal		_				٠					
Sidelite Configurations											
Boxed Sidelites											
Single with Sidelites											
French with Sidelites											
Single Vented Sidelites			٠			٠					
French Vented Sidelites			•	•		•			•		•
Depths											
4-%6"											
5-3/4"											
6-%"		•				•					
7-3/4"						•			•		·
Substrates				1							
Composite Extruded											
Composite Injection Molded			-			•			-		
Treated Pine		•	_	•		•					
Other Options				ı				ı	r		
Integrated Thermal Break		_	_								
Screen Rail Available		-	_			-			•		
Sill Cavers Available			-								
Sill Covers Available Tru-Defense Eligible***		-	-	-							
With Anchor Holes		-	-			-					
Without Anchor Holes		_						-	-		_

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS



Composite Adjustable Hardwood Adjustable Value Composite Adjustable

Colors: Bronze White



OUTSWING OPTIONS







ADA / REPLACEMENT Composite Adjustable Hardwood Adjustable



Sill Protection



- · Fits over the sill to help
 - protect cap and finish from damage during installation.
 - Made of a heavy-duty material to withstand wear.
- · Available in a variety of options to fit our sills.

See page 271 for availability.



Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)



Weatherstrip


Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.





Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.



Hardware


Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

GRIP-STYLE MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue Heights: 6'8"

7'0"

8'0"

Configurations: Inswing Outswing

1 Self-lubricating locks.

2 1" premium stainless steel deadbolt.

3 Integrated mishandling device.

Key







LEVER-STYLE MPLS •

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights: 6'8"

8'0"

Configurations: Inswing Outswing



Shootbolt

(For door systems with an astragal.) Heights: 6'6" Configurations: Inswing

6'8" 7'0" 8'0" Outswing



Vented Sidelite MPLS







Tongue (Included in vented sidelite units.)

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru_® door styles from traditional to contemporary.






FINISH OPTIONS



FINISH OPTIONS



Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichomate A genuine Therma-Tru_® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- 1 Wraps around the door jamb for added support and an exact fit.
- 2 2-1/2" screws fully engage with the frame of the house for added strength.

Hinges

Adjustable Hinge 💠

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft_® Ball-Bearing •

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft_® Ball-Bearing -Staggered Hole Pattern 🖶

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning 💠

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems.

Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab 💠

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded 💠

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



HINGE FINISH OPTIONS



= Available= Not ApplicableHinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing – Staggered Hole Pattern	Classic Craft Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass				•					
Brushed Nickel			•	•					
Black Nickel	•		-	•					
Polished Chrome				•					
Oil-Rubbed Bronze									
Stainless Steel									
Zinc Dichromate				•					

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Astragal



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.





TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Fir Grain


Aluminum








White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028 Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - 8000-12, Finish - Raven Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors - CCA211, Finish - Driftwood Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - FC8313, Finish - Barley



Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.







Special Quote GBG Color Options


DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

CLASSIC CRAFT.

8'0" Door Styles Glass Designs							
Homeward _™	=		_			_	_
	_		_				_
Arborwatch ₀							
Augustine.	•	•	•	•	•	•	
Borrassa _®	•	•	•	•	•	•	
Lucerna。	•		•			•	
Rainglass							-
Low-E	•					•	

Key

- Classic Craft_®
 Artíssa Collection_™
- ◆ Classic Craft。 Founders Collection™
- ▲ Classic Craft_® Visionary Collection_™
- * Smooth-Star.
- ▶ Profiles™ & Traditions

6'8" & 8'0" Solid-Panel Door Styles



SMOOTH-STAR, PROFILES, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles						All Puls	e Styles					
Glass Designs			B		Ī				Ē			
Blackstone _®	*)	*			*)	*						
Crystalline™	*)	*			*)	*						
Sedona	*)		*)	*	*)	*						
Salinas _®	*)	*			*)	*						
Maple Park	*)											
Saratoga™	*)		*)	*	*)	*						
Texas Star	*)											
Wellesley™	*)	*										
Riserva	*)	*	*)	*	*)	*						
Concorde™	*)	*										
Kensington™	*)											
Pembridge™	*)	*	*)	*	*)	*	*)	*	*)	*		
Axis	*)	*	*)	*	*)	*	*)	*	*)	*		
Calix	*)	*	*)	*	*)	*						
Latitude	*)	*			*)	*						
Echelon	*)	*	*)	*	*)	*						
Privacy & Textured Glass	*)	*	*)	*	*)	*	*)	*	*)	*		
Internal Blinds	*)	*										
Divided Lites	*)	*										
Clear	*)	*	*)	*	*)	*	*)	*	*)	*		
Solid Panel											*)	*

7'0" Height Door Style Options


Door Styles	П				ш							
Glass Designs												
Blackstone	VA * D	A *)	*		•							
Crystalline™	VA * D				•							
Sedona	VA * D	A *)	*		•							
Salinas ₀	VA * D	A *)	*		•							
Maple Park	VA * D	A *)	*		•			A *)				
Saratoga™	VA * D	A *)	*		•		▼*	A *)				
Texas Star	VA * D	A *)	*		•							
Wellesley™	VA * D	A *)	*		•			A *)				
Riserva	VA * D	A *)	*		•							
Concorde™	VA * D	A *)	*		•			A *)	•			
Kensington™	VA * D	A *)	*		•							
Pembridge™	VA * D	A *)	*		•			•		A D		
Axis.	VA * D	A *)	*		•					A *)		
Calix	VA * D	A *)	*									
Latitude	VA * D											
Echelon	VA * D											
Privacy & Textured Glass	VA * D	A *)	*	VA * D	Þ		▼*			A *D		
Internal Blinds	VA * D	A *)	*	VA * D								
Screen Vented		*)	*	*)								
Divided Lites	VA * D	A *)	*		•	*)	▼*	A *)	•		•	
Clear	VA * D	A *)	*	VA * D	•	*)	▼*	A *)	•	A *D		
Solid Panel												

6'6" Height Door Style Options

5			
Door Styles Glass Designs			
Blackstone	*	*	
Crystalline™	*	*	
Sedona	*	*	
Salinas _®	*	*	
Maple Park	*	*	
Saratoga™	*	*	
Texas Star	*	*	
Wellesley™	*	*	
Riserva	*	*	
Concorde™	*	*	
Kensington™	*	*	
Pembridge™	*	*	
Axis.	*	*	
Calix	*	*	
Latitude	*	*	
Echelon	*	*	
Privacy & Textured Glass	*	*	
Internal Blinds	*	*	
Screen Vented			
Divided Lites	*	*	
Clear	*	*	
Solid Panel			A*

Key

- ▲ Classic Craft_® Visionary Collection_™
- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic_® Oak Collection_™
- * Smooth-Star.
- ▶ Profiles™ & Traditions







Entry & Patio Door Systems

Feature	Classic Craft₅	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles & Pulse. Steel (6'8")	Traditions & Pulse: Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High- Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel - Top Rail	Composite	Composite	Composite	Wood	Wood
Panel - Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1- ¹ / ₄ " Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber	1-¼" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame, PVC Frame	Advanta Frame, Standard Frame, PVC Frame	Standard Frame, PVC Frame	Standard Frame, PVC Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip - Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip - Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip - Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	_	-
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru_® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2. AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct suplicit

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges - Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru_n Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft_n, Fiber-Classic_n, Smooth-Star_n and Pulse_n Door Systems; Steel – Pulse_n, Profiles_m, and Traditions Door Systems
- Therma-Tru_a Tru-Defense_a Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft_a, Fiber-Classic_a, Smooth-Star_a and Pulse_a Fiberglass Door Systems
- EnLiten... Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten... Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles... and Traditions
- Same-Day, Stain 5-Year Limited Warranty: Same-Day, Stain and Topcoat for Use on Therma-Tru, Fiberglass Door Systems and Fypon-Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard... Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru_{*} Composite Door Frame featuring Tru-Guard_{**} Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic_{*}, Smooth-Star_{*} and Pulse_{*} Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft_®

19020T	102	CCA2320XNSL	66	CCA3401SL	90	CCA8220XR	91	CCA82360XN	65	CCA84940XN	65
19200T	102	CCA2320XR	64	CCA3450SL	94	CCA8230	93	CCA82360XR	65	CCA84940XR	65
19210T		CCA2320XRSL		CCA3450XCSL		CCA82300		CCA82370	67	CCA84945	
19220T		CCA2330		CCA3450XJSL		CCA82300SL		CCA82370XC		CCA87100	
AB30T		CCA2330SL		CCA3450XNSL		CCA82300XC		CCA82370XE		CCA87100XR	
ABRT		CCA2330XC		CCA3450XRSL		CCA82300XCSL		CCA82370XJ		CCA87111	
CC040T		CCA2330XCSL		CCA3500SL		CCA82300XE		CCA82370XN		CCA87112	
CC400T		CCA2330XE		CCA3500XCSL		CCA82300XESL		CCA82370XR		CCA87131	
CC420T		CCA2330XESL		CCA3500XJSL		CCA82300XL3L		CCA82380		CCA87132	
CCA1100		CCA2330XJ		CCA3500X0SL		CCA82300XJSL		CCA82380XC		CCA87200	
										CCA87200XR	
CCA1125		CCA2330XJSL		CCA3500XRSL		CCA82300XK		CCA82380XE			
CCA1127		CCA2330XK		CCA3501SL		CCA82300XKSL		CCA82380XJ		CCA87300	
CCA1133		CCA2330XKSL		CCA3560SL		CCA82300XN		CCA82380XK		CCA87300XR	
CCA1145		CCA2330XN		CCA3560XCSL		CCA82300XNSL		CCA82380XN		CCA87400	
CCA1147		CCA2330XNSL		CCA3560XJSL		CCA82300XR		CCA82380XR		CCA87400XR	
CCA1149		CCA2330XR		CCA3560XNSL		CCA82300XRSL		CCA8240		CCA87600	
CCA1150		CCA2330XRSL		CCA3560XRSL		CCA8230XC		CCA82400		CCA87600XR	
CCA1158		CCA2340		CCA4900		CCA8230XJ		CCA82400SL		CCA89100	
CCA1166		CCA2340SL		CCA4900XC		CCA8230XN		CCA82400XC		CCA89300	
CCA1423SL		CCA2340XC		CCA4900XE		CCA8230XR		CCA82400XCSL		CCA9100	
CCA210		CCA2340XCSL		CCA4900XJ		CCA8231		CCA82400XE		CCA9100SL	
CCA210SL		CCA2340XE	64	CCA4900XN		CCA82310		CCA82400XESL	66	CCA9300	
CCA210XC	92	CCA2340XESL	66	CCA4900XR	65	CCA82310SL	68	CCA82400XJ	65	CCM1419	70
CCA210XCSL	92	CCA2340XJ	64	CCA4905	96	CCA82310XC	64	CCA82400XJSL	66	CCM1424	
CCA210XJ	92	CCA2340XJSL	66	CCA4910L	67	CCA82310XCSL	66	CCA82400XK	65	CCM1465	71
CCA210XJSL	92	CCA2340XK	64	CCA4910LXC	65	CCA82310XE	64	CCA82400XKSL	66	CCM1475	71
CCA210XN		CCA2340XKSL		CCA4910LXE		CCA82310XESL		CCA82400XN		CCM1485	
CCA210XNSL		CCA2340XN		CCA4910LXJ		CCA82310XJ		CCA82400XNSL		CCM1495	
CCA210XR		CCA2340XNSL		CCA4910LXN		CCA82310XJSL		CCA82400XR		CCM1842	
CCA210XRSL		CCA2340XR		CCA4910LXR		CCA82310XK		CCA82400XRSL		CCM1843SL	
CCA211		CCA2340XRSL		CCA4910R		CCA82310XKSL		CCA8240XC		CCM1844	
CCA211SL		CCA2350		CCA4910RXC		CCA82310XN		CCA8240XJ		CCM200	
CCA220		CCA2350XC		CCA4910RXE		CCA82310XNSL		CCA8240XN		CCM200XC	
CCA220SL		CCA2350XE		CCA4910RXJ		CCA82310XR		CCA8240XR		CCM200XN	
CCA220XC		CCA2350XJ		CCA4910RXN		CCA82310XRSL		CCA82410SL		CCM203	
CCA220XCSL		CCA2350XN		CCA4910RXR		CCA82320		CCA82420SL		CCM204	
CCA220XJ		CCA2350XR		CCA4915L		CCA82320SL		CCA8260		CCM2800	
CCA220XJSL		CCA2360		CCA4915R		CCA82320XC		CCA8260XC		CCM2800XC	
CCA220XN		CCA2360XC		CCA4920L		CCA82320XCSL		CCA8260XJ		CCM2800XE	
CCA220XNSL	92	CCA2360XE		CCA4920LXC	65	CCA82320XE	64	CCA8260XN	91	CCM2800XK	73
CCA220XR	91	CCA2360XJ	65	CCA4920LXE	65	CCA82320XESL	66	CCA8260XR	91	CCM2800XN	73
CCA220XRSL	92	CCA2360XN	65	CCA4920LXJ	65	CCA82320XJ	64	CCA84900	67	CCM2800XR	73
CCA230	93	CCA2360XR	65	CCA4920LXN	65	CCA82320XJSL	66	CCA84900XC	65	CCM2801	70
CCA2300	66	CCA2370	67	CCA4920LXR	65	CCA82320XK	64	CCA84900XE	65	CCM2802	72
CCA2300SL		CCA2370XC		CCA4920R		CCA82320XKSL		CCA84900XJ		CCM2803	
CCA2300XC		CCA2370XE		CCA4920RXC		CCA82320XN		CCA84900XN		CCM2804	
CCA2300XCSL		CCA2370XJ		CCA4920RXE		CCA82320XNSL		CCA84900XR		CCM2804XC	
CCA2300XE		CCA2370XN		CCA4920RXJ		CCA82320XR		CCA84905		CCM2804XE	
CCA2300XESL		CCA2370XR		CCA4920RXN		CCA82320XRSL		CCA84910L		CCM2804XK	
CCA2300XJ		CCA2380		CCA4920RXR		CCA82330		CCA84910LXC		CCM2804XN	
CCA2300XJSL		CCA2380XC		CCA4925L		CCA82330SL		CCA84910LXE		CCM2804XR	
CCA2300XK		CCA2380XE		CCA4925R		CCA82330XC		CCA84910LXJ		CCM2806	
CCA2300XKSL		CCA2380XJ		CCA4930		CCA82330XCSL		CCA84910LXN		CCM2806XC	
CCA2300XN		CCA2380XK		CCA4930XC		CCA82330XE		CCA84910LXR		CCM2806XE	
CCA2300XNSL		CCA2380XN		CCA4930XE		CCA82330XESL		CCA84910R		CCM2806XK	
CCA2300XR		CCA2380XR		CCA4930XJ		CCA82330XJ		CCA84910RXC		CCM2806XN	
CCA2300XRSL		CCA240		CCA4930XN		CCA82330XJSL		CCA84910RXE		CCM2806XR	
CCA230XC		CCA2400		CCA4930XR		CCA82330XK		CCA84910RXJ		CCM2812	
CCA230XJ		CCA2400SL		CCA4935		CCA82330XKSL		CCA84910RXN		CCM2812XC	
CCA230XN		CCA2400XC		CCA4940		CCA82330XN		CCA84910RXR		CCM2812XE	
CCA230XR		CCA2400XCSL	66	CCA4940XC		CCA82330XNSL	66	CCA84915L		CCM2812XK	73
CCA231	90	CCA2400XE	65	CCA4940XE	65	CCA82330XR	64	CCA84915R	96	CCM2812XN	73
CCA2310		CCA2400XESL		CCA4940XJ	65	CCA82330XRSL		CCA84920L	68	CCM2812XR	
CCA2310SL		CCA2400XJ		CCA4940XN		CCA82340		CCA84920LXC		CCM300	75
CCA2310XC		CCA2400XJSL		CCA4940XR		CCA82340SL		CCA84920LXE		CCM300XC	
CCA2310XCSL		CCA2400XK		CCA4945		CCA82340XC		CCA84920LXJ		CCM300XN	
CCA2310XE		CCA2400XKSL		CCA81100		CCA82340XCSL		CCA84920LXN		CCM301CAL	
CCA2310XESL		CCA2400XN		CCA81125		CCA82340XE		CCA84920LXR		CCM301CALXC	
CCA2310XJ		CCA2400XNSL		CCA81127		CCA82340XESL		CCA84920R		CCM301CALXE	
CCA2310XJSL		CCA2400XR		CCA81133		CCA82340XJ		CCA84920RXC		CCM301CALXN	
		CCA2400XRSL									
CCA2310XK				CCA81145		CCA82340XJSL		CCA84920RXE		CCM301CALXR	
CCA2310XKSL		CCA240XC		CCA81147		CCA82340XK		CCA84920RXJ		CCM301CAR	
CCA2310XN		CCA240XJ		CCA81149		CCA82340XKSL		CCA84920RXN		CCM301CARXC	
CCA2310XNSL		CCA240XN		CCA81150		CCA82340XN		CCA84920RXR		CCM301CARXE	
CCA2310XR		CCA240XR		CCA81158		CCA82340XNSL		CCA84925L		CCM301CARXN	
CCA2310XRSL		CCA2410SL		CCA81166		CCA82340XR		CCA84925R		CCM301CARXR	
CCA2320	66	CCA2420SL	97	CCA81423SL		CCA82340XRSL		CCA84930		CCM302	
CCA2320SL	68	CCA260		CCA8210	94	CCA82350	67	CCA84930XC	65	CCM302L	86
CCA2320XC		CCA260XC		CCA8210XC		CCA82350XC		CCA84930XE		CCM302LXC	
CCA2320XCSL		CCA260XJ		CCA8210XJ		CCA82350XE		CCA84930XJ		CCM302LXE	
CCA2320XE		CCA260XN		CCA8210XN		CCA82350XJ		CCA84930XN		CCM302LXN	
CCA2320XESL		CCA260XR		CCA8210XR		CCA82350XN		CCA84930XR		CCM302LXR	
CCA2320XJ		CCA3400SL		CCA8211		CCA82350XR		CCA84935		CCM302R	
CCA2320XJSL		CCA3400XCSL		CCA8220		CCA82360		CCA84940		CCM302RXC	
CCVJJJUNI	n4	CCA3400XJSL	92	CCA8220XC	91	CCA82360XC	ხნ	CCA84940XC	ხე	CCM302RXE	83
CCA2320XK				004000011	0.4	00400000	0.5	00404040	0.5		
CCA2320XK CCA2320XKSL CCA2320XN	66	CCA3400XNSL CCA3400XRSL	92	CCA8220XJ CCA8220XN		CCA82360XE CCA82360XJ		CCA84940XE CCA84940XJ		CCM302RXNCCM302RXR	

CCM303	71	CCM0201CADVN	0.4	CCR1851SL	70	CCD01E10	70	00/05007	71	CCVO100VNCI	74
CCM303L		CCM8301CARXN		CCR200		CCR81512 CCR81512A		CCV05027 CCV05028		CCV8100XNSL	
		CCM8301CARXR								CCV8100XNSL	
CCM303LXC		CCM8302L		CCR20020 CCR20020XC		CCR81514		CCV060 CCV06020		CCV8100XRSL	
CCM303LXE		CCM8302LXC				CCR81515				CCV8100XRSL	
CCM303LXN		CCM8302LXE		CCR20020XN		CCR81516		CCV06020XE		CCV8102SL	
CCM303LXR		CCM8302LXN		CCR20022 CCR20023		CCR81518		CCV06022		CCV8103SL	
CCM303R		CCM8302LXR				CCR81838		CCV06023		CCV8108SL	
CCM303RXC		CCM8302R		CCR20027		CCR81839		CCV06028		CCV8111SL	
CCM303RXE		CCM8302RXC		CCR20037		CCR81841		CCV10020		CCV81414	
CCM303RXN		CCM8302RXE		CCR20037A		CCR81845		CCV10022		CCV81415	
CCM303RXR		CCM8302RXN		CCR200A		CCR81845A		CCV10023		CCV81418	
CCM304L		CCM8302RXR		CCR2025SL		CCR81846		CCV10027		CCV81423SL	
CCM304LXC		CCM8303L		CCR2025SL		CCR81846A		CCV10028		CCV81512	
CCM304LXE		CCM8303LXC		CCR2025XCSL		CCR81847		CCV100SL		CCV81515	
CCM304LXN		CCM8303LXE		CCR2025XESL		CCR81851SL		CCV100SL		CCV81516	
CCM304LXR		CCM8303LXN		CCR2025XHSL		CCR8200		CCV100SL		CCV81519	
CCM304R		CCM8303LXR		CCR2025XJSL		CCR820020		CCV100XCSL		CCV81838	
CCM304RXC		CCM8303R		CCR2025XKSL		CCR820020XC		CCV100XCSL		CCV81839	
CCM304RXE		CCM8303RXC		CCR2025XNSL		CCR820020XN		CCV100XESL		CCV81843	
CCM304RXN		CCM8303RXE		CCR2025XRSL		CCR820022		CCV100XESL		CCV81846	
CCM304RXR		CCM8303RXN		CCR205		CCR820023		CCV100XHSL		CCV81851SL	
CCM305CAL		CCM8303RXR		CCR20520		CCR820027		CCV100XHSL		CCV8205	
CCM305CALXC		CCM8304L		CCR20520XC		CCR820028		CCV100XJSL		CCV820520	
CCM305CALXE		CCM8304LXC		CCR20520XN		CCR820030		CCV100XJSL		CCV820520XC	
CCM305CALXN		CCM8304LXE		CCR20522		CCR820030A		CCV100XNSL		CCV820520XN	
CCM305CALXR		CCM8304LXN		CCR20523		CCR820030XC		CCV100XNSL		CCV820522	
CCM305CAR		CCM8304LXR		CCR20527		CCR820030XN		CCV100XNSL		CCV820523	
CCM305CARXC		CCM8304R		CCR20537		CCR820032		CCV100XNSL		CCV820527	
CCM305CARXE		CCM8304RXC		CCR20537A		CCR820032A		CCV100XRSL		CCV820528	
CCM305CARXN		CCM8304RXE		CCR205A		CCR820037		CCV100XRSL		CCV820530	
CCM305CARXR		CCM8304RXN		CCR30020		CCR820037A		CCV103SL		CCV820530XC	
CCM306CAL		CCM8304RXR		CCR30023		CCR8200A		CCV103SL		CCV820530XN	
CCM306CALXC	85	CCM8305CAL	87	CCR30027	62	CCR82035SL	75	CCV108SL	63	CCV820532	
CCM306CALXE	85	CCM8305CALXC	85	CCR30028	63	CCR82035XCSL	74	CCV108SL	73	CCV820537	78
CCM306CALXN	85	CCM8305CALXE	85	CCR3400SL	69	CCR82035XESL	74	CCV1414	77	CCV8220	101
CCM306CALXR		CCM8305CALXN	85	CCR3400SL	75	CCR82035XHSL		CCV1415	77	CCV822020	86
CCM306CAR		CCM8305CALXR	85	CCR3400XCSL		CCR82035XJSL		CCV1418	70	CCV822020XC	
CCM306CARXC		CCM8305CAR		CCR3400XESL		CCR82035XKSL		CCV1423	62	CCV822020XN	83
CCM306CARXE		CCM8305CARXC		CCR3400XHSL		CCR82035XNSL		CCV1423SL		CCV822022	
CCM306CARXN		CCM8305CARXE		CCR3400XHSL		CCR82035XRSL		CCV1423SL		CCV822023	
CCM306CARXR		CCM8305CARXN		CCR3400XJSL		CCR8205		CCV1423SL		CCV822027	
CCM3300SL		CCM8305CARXR		CCR3400XKSL		CCR820520		CCV1424		CCV822028	
CCM3302SL		CCM8306CAL		CCR3400XNSL		CCR820520XC		CCV1512		CCV831	
CCM3303SL		CCM8306CALXC		CCR3400XNSL		CCR820520XN		CCV1515		CCV8950SL	
CCM60 1		CCM8306CALXE		CCR3400XNSL		CCR820523		CCV1516		CCV8950SL	
CCM600		CCM8306CALXN		CCR3400XRSL		CCR820527		CCV1519		CCV8950XCSL	
CCM600XE		CCM8306CALXR		CCR3407SL		CCR820528	79	CCV1528		CCV8950XCSL	
CCM603		CCM8306CAR		CCR3407SL		CCR820530		CCV1838		CCV8950XHSL	
CCM612		CCM8306CARXC		CCR3408SL		CCR820530A		CCV1839		CCV8950XJSL	
CCM805027		CCM8306CARXE		CCR3408SL		CCR820530AXC		CCV1843		CCV8950XJSL	
CCM81418		CCM8306CARXN		CCR3412SL		CCR820530AXV		CCV1851		CCV8950XNSL	
CCM81519		CCM8306CARXR		CCR3412SL		CCR820530XC		CCV1851SL		CCV8950XNSL	
CCM82800		CCM890		CCR8000SL		CCR820530XV		CCV1851SL		CCV8950XRSL	
CCM82800XC		CCM892		CCR8000XCSL		CCR820532		CCV200		CCV8950XRSL	
CCM82800XE		CCM9923		CCR8000XESL		CCR820532A		CCV205		CCV89918	
CCM82800XK	72	CCM9926	70	CCR8000XHSL	71	CCR820537	70	CCV20520		CCV89919	
CCM82800XN		CCR040		CCR8000XJSL		CCR820537A		CCV20520XC		CCV89922	
				CCR8000XKSL				CCV20520XV			
CCM82800XR CCM82801		CCR04020 CCR04020XC		CCR8000XNSL		CCR8205A CCR8222		CCV20520AN		CCV9010SL CCV9011SL	
						CCR822214					
CCM82802 CCM82803		CCR04020XN CCR04022		CCR8000XNSL CCR8000XRSL		CCR822215		CCV20523 CCV20527		CCV9020SL CCV910	
CCM82804		CCR04023		CCR8005		CCR822218		CCV20537		CCV910	
CCM82804XC		CCR04027		CCR8005A		CCR822220		CCV20537		CCV910XC	
CCM82804XE		CCR04037		CCR8007SL		CCR822220XC		CCV22020		CCV910XU3L	
CCM82804XK		CCR100		CCR8008SL		CCR822220XN		CCV22020		CCV910XJSL	
CCM82804XN		CCR10022		CCR8040		CCR822222		CCV22020XV		CCV910XJSL	
CCM82804XR		CCR100R		CCR804020		CCR822223		CCV22020XN		CCV910XNSL	
		CCR1414									
CCM82806 CCM82806XC		CCR1415		CCR804020XC CCR804020XN		CCR822227 CCR822228		CCV22023 CCV22027		CCV910XR CCV910XRSL	
		CCR1417		CCR804022		CCR822238		CCV3412SL		CCV910X10E	
CCM82806XE CCM82806XK		CCR1423		CCR804023		CCR8225		CCV3412SL		CCV911SL	
CCM82806XN		CCR1423SL		CCR804027		CCR89918		CCV4100		CCV911SL	
CCM82806XR		CCR1423SL		CCR804028		CCR89919		CCV4100		CCV911SL	
CCM82815 CCM82815XC		CCR1511 CCR1511A		CCR804030 CCR804030XC		CCR89921 CCR89925SL		CCV4300 CCV805020		CCV920 CCV920XC	
CCM82815XE		CCR1512		CCR804030XV		CCR9918		CCV805020		CCV920XC	
		CCR1512				CCR9919				CCV920XJ	
CCM82815XK				CCR804032				CCV805023			
CCM82815XN		CCR1514		CCR804037		CCR9921		CCV805027		CCV920XJSL	
CCM82815XR		CCR1515		CCR8100		CCR9925		CCV805028		CCV920XN	
CCM8301CAL CCM8301CALXC		CCR1516 CCR1518		CCR8100R CCR8102SL		CCR9925SL CCR9925SL		CCV8100SL CCV8100SL		CCV920XNSL CCV920XR	
CCM8301CALXE		CCR1528		CCR81414		CCV050		CCV8100SL		CCV920XR	
		CCR1838				CCV050				CCV920XRSL	
CCM8301CALXNCCM8301CALXR		CCR1839		CCR81415 CCR81417		CCV05020		CCV8100XCSL CCV8100XHSL		CCV930XC	
		CCR1841		CCR81423SL		CCV05020XU		CCV8100XHSL		CCV930XJ	
CCM8301CAR		CCR1851				CCV05020XN		CCV8100XJSL		CCV930XJ	
CCM8301CARXC CCM8301CARXE		CCR1851SL		CCR81511 CCR81511A		CCV05022		CCV8100XJSL		CCV930XR	
OUNIOUU I UAITAE	U -1	OUITIOJ IJL	04	JUNU 131 IA	1 ਹ	JUVUJUZJ	12	OUVUI OUANAL	/ 1	υυνουυλη	52

Fiber-Classic. & Smooth-Star.

CCV931		1000		2050XJSL		81938P		81983P		FC131SL	
CCV940		1283		2050XK		81938PSL		81984P		FC138	
CCV940XC	92	1284		2050XKSL		81939P	178	81985P	182	FC138XC	150
CCV940XJ	92	1285		2050XN	124	81939PSL	178	81986PSL	142	FC138XE	150
CCV940XN	92	1286	. 153	2050XNSL	124	81940P	179	81986SL	142	FC138XJ	150
CCV940XR	92	1289	. 156	2050XR	124	81940PSL	179	85901SL	162	FC138XK	150
CCV950SL	69	2000	. 130	2050XRSL	124	81941P	180	85919SL	180	FC138XN	150
CCV950SL		2009		8000-12		81941PSL			209	FC138XR	
CCV950SL		2010		8000-18		81942P			209	FC1400	
CCV950XCSL		2050		8000-9		81942PSL			209	FC1400SL	
CCV950XCSL		8000		8000XC		81943P			209	FC1402	
CCV950XESL		81000		8000XE		81943PSL			209	FC1404	
CCV950XESL		81200		8000XJ		81943PXC		DRS2131SL			
										FC1408	
CCV950XHSL		81208		8000XK		81943PXCSL		DRS82131SL		FC1408SL	
CCV950XJSL		81225		8000XN		81943PXE			209	FC141	
CCV950XJSL		81828		8000XR		81943PXESL			209	FC141SL	
CCV950XNSL		12101SL		81200P		81943PXJ		FC10		FC142	
CCV950XNSL		12101XCSL		81200PSL	158	81943PXJSL	167	FC100	140	FC142SL	143
CCV950XRSL	74	12101XESL	. 152	81200PXC	152	81943PXK	167	FC1006	142	FC143	162
CCV950XRSL	93	12101XJSL	. 152	81200PXCSL	152	81943PXKSL	167	FC100SL	141	FC143SL	162
CCV960	94	12101XKSL	. 152	81200PXE	152	81943PXN	167	FC101	176	FC144	179
CCV960XC		12101XNSL		81200PXESL		81943PXNSL		FC101SL	176	FC1442SL	164
CCV960XJ		12101XRSL		81200PXJ		81943PXR		FC1029		FC147	
CCV960XN		12102SL		81200PXJSL		81943PXRSL		FC104		FC147SL	
CCV960XR		12102XCSL		81200PXK		81944P		FC104SL		FC148	
		12102XESL		81200PXKSL						FC148SL	
CCV9918						81944PSL		FC104XC		FC148SL	
CCV9919		12102XJSL		81200PXN		81945P		FC104XE			
CCV9922		12102XKSL		81200PXNSL		81945PXC		FC104XJ		FC149SL	
CCV9925		12102XNSL		81200PXR		81945PXE		FC104XK		FC151	
CCV9926		12102XRSL		81200PXRSL		81945PXJ		FC104XN		FC156	
CCW1000		1283XC		81200SL		81945PXK	166	FC104XR		FC16	
CCW81000	98	1283XE	. 152	81200XC	152	81945PXN	166	FC105	180	FC160	
CCW8900L	98	1283XJ	. 152	81200XCSL	152	81945PXR	166	FC105SL	180	FC163	172
CCW8900R	98	1283XK	. 152	81200XE	152	81946P	169	FC108	139	FC164	172
CCW8901L		1283XN		81200XESL		81946PSL		FC1089		FC1645	
CCW8901R		1283XR		81200XJ		81946PXC		FC1089SL		FC1646	
CCW8902L		1284XC		81200XJSL		81946PXCSL		FC108SL		FC1646SL	
CCW8902R		1284XE		81200XK		81946PXE		FC109		FC1647	
CCW8903		1284XJ		81200XKSL		81946PXESL		FC109SL		FC1651	
CCW8904L		1284XK		81200XN		81946PXJ		FC10XC		FC1651SL	
CCW8904R		1284XN		81200XNSL		81946PXJSL		FC10XE		FC1652	
CCW8905		1284XR		81200XR		81946PXK		FC10XJ		FC1652SL	
CCW8906L		1285XC		81200XRSL		81946PXKSL		FC10XK		FC1654	
CCW8906R		1285XE		81208P	155	81946PXN		FC10XN		FC1655	
CCW8907L	99	1285XJ		81208PSL	155	81946PXNSL	166	FC10XR	152	FC1656SL	184
CCW8907R	99	1285XK		81208SL		81946PXR	166	FC113		FC18	155
CCW900L	98	1285XN	. 150	81225P	152	81946PXRSL	166	FC113SL	141	FC18SL	155
CCW900R	98	1285XR	. 150	81225PSL	153	81947PSL	169	FC114	177	FC18XC	150
CCW901L	98	1286SL	. 153	81225SL	153	81949PSL	169	FC114SL	177	FC18XCSL	151
CCW901R		18101SL		81800P		81952P	159	FC115	160	FC18XE	
CCW902L		19020T		81800PSL		81952PSL		FC115SL		FC18XESL	151
CCW902R		19055T		81800SL		81953P		FC116		FC18XJ	
CCW903		19200T		81900PSL		81953PSL		FC1200		FC18XJSL	
CCW904L		19210T		81918P		81954P		FC1200SL		FC18XK	
CCW904R		19220T		81918PSL		81954PSL		FC1201		FC18XKSL	
CCW005	99					040550	400	FC1201SL	104	LC10VV9F	101
CCW905	99	19520T		81918SL	139	81955P			100	FC18XN	100
CCW906L		1964P		81919P		81955PSL		FC1202		FC18XNSL	
CCW906R		19720T		81919PSL		81956P		FC1202SL		FC18XR	
CCW907L		19730T		81919SL		81956PSL		FC1203		FC18XRSL	
CCW907R		19740T		81921P		81957P		FC1204		FC198	
DRS2131SL		19750T		81921PSL		81957PSL		FC1204SL		FC198SL	
DRS82131SL		2000SL		81921SL		81958P		FC1205		FC20042	
HW30T	102	2000XC	. 126	81928P	145	81958PSL	162	FC1205SL	127	FC2101	168
HWRT	102	2000XCSL		81928PSL		81959P	162	FC1205XC		FC2101SL	169
LC30T		2000XE		81928SL		81959PSL		FC1205XE		FC2102	
LCET		2000XESL		81929P		81960P		FC1205XJ		FC2106	
LCRT		2000XJ		81929PSL		81960PSL		FC1205XK		FC2107	
LF30T		2000XJSL		81929PXC		81961P		FC1205XN		FC2108	
LFET		2000XJSL		81929PXCSL		81961PSL		FC1205XR		FC2213	
LFRT		2000XKSL		81929PXE		81964P		FC1206		FC2213SL	
ZHRT	102	2000XN		81929PXESL		81964PSL		FC1206SL		FC2223	
		2000XNSL		81929PXJ		81968P		FC1207		FC2223SL	
		2000XR		81929PXJSL		81968PSL		FC1207XC		FC2233	
		2000XRSL		81929PXK		81968SL		FC1207XE		FC2233SL	
		2009SL		81929PXKSL		81971P		FC1207XJ		FC23	
		2010XC	. 124	81929PXN	187	81971PXC	187	FC1207XK	124	FC2382	149
		2010XE		81929PXNSL		81971PXE		FC1207XN		FC2382SL	
		2010XJ		81929PXR		81971PXJ		FC1207XR		FC2385	
		2010XK		81929PXRSL		81971PXK		FC1208		FC2385SL	
		2010XN		81933P		81971PXN		FC1208SL		FC2389	
		2010XR		81933PSL		81971PXR		FC1209		FC2389SL	
		2050SL		81935P		81975P		FC1209SL		FC241	
		2050XC		81935PSL		81977P		FC1211		FC31	
		2050XCSL						FC1211SL		FC310	
				81936P		81978P					
		2050XE		81936PSL		81980P		FC1212		FC32	
		2050XESL	19/	81937P	177	81981P	170	FC1289SL	156	FC32SL	171

81981P......179

FC32SL......171

FC1289SL......156

2050XESL.....124

Figure F	50001/001	40=	5057001/1	404	50700	4=0	50000		F00F7001		50000	404
FEDERAL 167 FEDERAL 126 FEDERAL 12												
Figure F												
Figure F												
F6200K. 167 F6720MS, 158 F6721 202 F6222S, 148 F686 203 F696KS, 178 F620KS, 187 F620KS, 188 F620KS, 189 F620KS, 189 F620KS, 180												
F6200FS. 167 F67208 144 F6735 203 F622235 149 F698 205 F6907 50 50 50 50 50 50 50												
FEADUR 167 FEATAMES 123 FEATAMES 125 FEATAMES 126 FEATAM												
F623MSL 167 F677SL 144 F6745 203 F622SSSL 150 F6691K 265 F670L 144 F6745 203 F622SSSL 150 F6691K 265 F670L 144 F6745 203 F672SSSL 150 F6691K 265 F670L 144 F6745 203 F												
FEADURE 167 FCATAS 144 FCATS 203 FCREARE 159 FCREAK 205 FCREAK 150 FCATAS 150 FCA												
FEDSMENS 677 FC754												
Figs												
FORMARY FORM												
FEMALYSIS. 188 FORDS. 208 FORDS. 140 FORDS. 140 FORDS. 189 FORDS. 180 FORDS. 140 FORDS. 140 FORDS. 180 FORDS. 180 FORDS. 140 FORDS. 180 FORDS.												
FEMAMPSIL 108 FORDIS 142 FORDIS 147 FORDIS 147 FORDIS 148 FORDIS 149 FORDI												
FEASAPTINES. 168 FORDMAL 145 FORDMAL 167 FORDMAL 167												
FEASHPANES, 186 POINT - 200 FORDAY, 197 POINT - 106 POINT - 106 POINT - 200 PO												
FCASH 168												
FGSB					FC766XJ	167	FC82XC	166			FC917	204
FC388. 159 FC01XL 205 FC760XR 107 FC02XL 160 FC03XL 160 FC03XL 161 FC01XL 205 FC02XL 160 FC03XL 165 FC01XL 205 FC02XL 160 FC03XL 165 FC01XL 205 FC02XL 160 FC03XL 160	FC3487XRSL	186					FC82XE	166	FC862203XE	197		
FCSSIPS. 188 FORDIAL 205 FC772. 199 FGSZWI 166 FGSZZGWI 197 FGSZWI 166 FGSZWI 198 FGZWI	FC369	141	FC61XC	205	FC766XN	167	FC82XJ	166	FC862203XJ	197	FC925	198
FORTING 185	FC38	159	FC61XE	205	FC766XR	167	FC82XK	166	FC862203XK	197	FC92SL	169
FESSID. 165 FOSTIN. 205 FC772. 160 FOSSID. 160 FC88220X. 180 FG20X. 161 FG20X	FC386	185			FC770	159	FC82XN	166	FC862203XN	197		
FESSID. 165 FOSTIN. 205 FC772. 160 FOSSID. 160 FC88220X. 180 FG20X. 161 FG20X	FC387SL	185	FC61XK	205	FC772	159	FC82XR	166	FC862203XR	197	FC92XCSL	166
FCSSSS. 9197 FORZ 9192 FC776. 161 FCSS11. 188 FCSSZOZU 189 FCSSZOZU 166 FC4621 181 FC565 FC4621 186 FC777. 161 FCSS11SL. 169 FCSSZOZU 189 FCSZOZU 180 FC5622U 180 FC562ZU 180	FC389	165			FC773	160	FC8310	169	FC86220XC	198	FC92XE	166
FEASTS	FC38SL	160	FC61XR	205	FC775	160	FC8310SL	169	FC86220XE	198	FC92XESL	166
FEASTS	FC393	197	FC62	192	FC776	161	FC8311	168	FC86220XJ	198	FC92XJ	166
FEASTISI. 165 FGRZXC. 187 FG779. 162 FG8313. 188 FGRZZQWR 198 FG22WK. 166 FG452E. 187 FG779. 162 FG8315. 199 FG82GWR 198 FG22WK. 166 FG452E. 165 FG2ZK. 187 FG780. 163 FG8318. 199 FG82GWR 198 FG22WK. 166 FG452E. 187 FG780. 163 FG8318. 190 FG82GWR 198 FG22WK. 166 FG452WK. 167 FG780. 172 FG8318. 190 FG82GWR 198 FG22WK. 166 FG452WK. 167 FG780. 172 FG780. 172 FG780. 172 FG780. 172 FG780. 190 FG82GWR 198 FG22WK. 166 FG452WK. 167 FG780. 172 FG780. 190 FG82GWR 198 F							FC8311SL	169				
FOADSCAL 165 FORZEX 187 FORZON 179 FORZON 189 FORZON 189 FORZON 189 FORZON 180 FORZON 18	FC4521SL	165			FC778	162					FC92XK	166
F645SS. 165 F62CV. 187 FC780. 163 F62S16. 199 F686242. 196 F62SVN. 186 F646SL 140 F62CVN. 187 FC784. 172 F6313. 190 F68624. 196 F62CVN. 187 FC784. 172 F6313. 190 F68624. 196 F62CVN. 186 F62CVN. 187 FC784. 172 F6313. 190 F68624. 196 F62CVN. 186 F62CVN. 187 FC784. 172 F6313. 190 F68624. 196 F62CVN. 186 F62C												
FORESIS. 140 FOREZIX. 187 FORS9. 174 FORS18. 199 FOREZIX. 195 FORZIXR. 166 FOLYER. 161 FORZIXR. 161 FORZIXR. 161 FORZIXR. 161 FOLYER. 162 FORZIXR. 162 FORZIXR. 163 FOLYER. 162 FORZIXR. 163 FOLYER. 163												
FOATS. 165												
F647ESL 158 F622/R1 187 FC796 172 FC832 199 F68249 196 F6324NSL 166 F647ESL 152 FC85XSL 190 FC797 173 FC8320 190 F682629 195 FCM10 158 F647ESL 152 FC85XSL 186 FC8785 173 FC8321 189 FC86253 195 FCM100 206 F647KSL 152 FC85XSL 186 FC8053 194 FCM100 206 F647KSL 152 FC85XSL 186 FC8053 194 FC805XSL 186 FC8053 195 FCM100 206 F647KSL 152 FC85XSL 186 FC8053 195 FCM100 206 F647KSL 152 FC85XSL 186 FC8053 195 FCM100 206 F647KSL 152 FC85XSL 186 FC8053 195 FCM100 206 F647KSL 192 FC85XSL 186 FC805XSL 186 FC805XSL 186 FC805XSL 186 FC805XSL 192 F05XXSL 186 FC805XSL 192 F05XXSL 186 FC805XSL 198 FC805XSL 198 FC805XSL 198 FC805XSL 198 FC805XSL 199 FC805XSL 197 FC805XSL 187 FC85 198 FC805XSL 197 FC805XSL 187 FC85 198 FC805XSL 197 FC805XSL 187 FC855 198 FC805XSL 197 FC805XSL 187 FC855 198 FC805XSL 197 FC805XSL 187 FC855SL 146 FC805XSL 197 FC805XSL 187 FC85SSL 146 FC805XSL 197 FC805XSL 187 FC85SSSL 146 FC805XSL 197 FC805XSL 197 FC805XSL 187 FC85SSL 146 FC805XSL 197 F												
FEATACISI. 152 FESSISI. 199 FEF77 173 FESSIO. 199 FEBRE 195 FEM10. 140 FEATACISI. 152 FESSISIS. 186 FC798 . 173 FESSIO. 204 FESSISI. 158 FC8023. 204 FESSISI. 158 FC8025. 196 FEM100. 206 FEATACISI. 152 FESSISIS. 186 FC8025. 204 FESSISI. 186 FC8025. 204 FESSISI. 152 FESSISIS. 186 FC8025. 204 FESSISI. 187 FC8025. 205 FESSISI. 206 FC8025. 205 FESSISI. 205 FC8025. 205 FESSISI. 205 FC8025. 205			FC62XR	187								
FOATMUSE 152												
FOLY/INSL. 152 FOSS/INSL. 166 FC809S. 204 FC832 IXC. 166 FC86554. 196 FCM1000. 206 FCX/IXSL. 152 FC83XINSL. 186 FC809S. 206 FC832 IXC. 186 FC85650. 146 FCM101 1.76 FCX/IXSL. 152 FC83XINSL. 186 FC809S. 206 FC832 IXC. 186 FC85650. 146 FCM101 1.76 FCX/IXSL. 152 FC83XINSL. 186 FC809S. 208 FC832 IXC. 186 FC85650. 146 FCM101 1.76 FCX/IXSL. 152 FC83XINSL. 186 FC809S. 209 FC832 IXC. 186 FC85650. 146 FCM101 1.76 FCX/IXSL. 152 FC83XINSL. 186 FC809S. 198 FC823 IXX 186 FC85650. 146 FCM101 IXC. 176 FCX/IXSL. 197 FC855. 189 FC809S. 198 FC823 IXX 186 FC85650. 147 FCM101 IXC. 176 FCX/IXSL. 197 FC8550. 148 FC809S. 197 FC832 IXX 186 FC85650. 149 FCM104 IXC. 187 FC845XINSL. 187 FC8550. 146 FC809S. 197 FC832 IXX 186 FC85650. 146 FCM104 IXX. 187 FC845XINSL. 187 FC8550. 146 FC809S. 197 FC832 IXX 186 FC85650. 146 FCM104 IXX. 187 FC845XINSL. 187 FC8550. 146 FC809S. 197 FC832 IXX 186 FC85650. 146 FCM104 IXX. 187 FC845XINSL. 187 FC8550. 146 FC809S. 197 FC832 IXX 188 FC8550. 146 FCM104 IXX. 187 FC845XINSL. 187 FC8550. 146 FC809S. 197 FC832 IXX. 188 FC85650. 146 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC85650. 146 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC85650. 164 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC85650. 164 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC85650. 164 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC85650. 164 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC865 IXX. 188 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC865 IXX. 188 FCM104 IXX. 187 FC8550. 146 FC809S. 198 FC832 IXX. 186 FC865 IXX. 199 FCM105 IXX. 187 FC850 IXX. 188 FC865 IXX. 188 FCM104 IXX. 187 FC850 IXX. 188 FC865 IXX. 188 FCM104 IXX. 187 FC850 IXX. 188 FC865 IXX. 188 FCM104 IXX. 187 FC850 IXX. 188 FC865 IXX. 188 FCM104 IXX. 187 FC850 IXX. 188 FC865												
FORTYMINS 152												
FORTYMINS 152												
FC4FXPSI. 152 FC6SXMSI. 186 FC680920. 198 FC832XIX 186 FC686503. 147 FCM101SL 176 FC48SL 192 FC6XSXIS. 189 FC6809203 198 FC832XIX 186 FC686503. 147 FCM1029 143 FC48XXSL 187 FC6500. 146 FC6009203XL 197 FC832XIX 186 FC68650. 146 FCM104XX 187 FC48XXSL 187 FC6500. 146 FC6009203XL 197 FC832X 189 FC68650. 146 FCM104XX 187 FC48XXSL 187 FC65034 197 FC6009203XX 197 FC832X 189 FC68650. 146 FCM104XX 187 FC48XXSL 187 FC65034 197 FC6009203XX 197 FC832X 189 FC68650. 146 FCM104XX 187 FC48XXSL 187 FC65034 197 FC6009203XX 197 FC832X 189 FC68660. 183 FCM104XX 187 FC48XXSL 187 FC65050. 146 FC6009203XX 197 FC832X 189 FC86660. 183 FCM104XX 187 FC48XXSL 187 FC65050. 146 FC6009203XX 197 FC832X 186 FC86605. 183 FCM104XX 187 FC48XXSL 187 FC65050. 146 FC6009203XX 197 FC832X 186 FC86605. 183 FCM104XX 187 FC507. 186 FC6605. 183 FC6009203X 199 FC832XL 186 FC86605. 183 FCM104XX 187 FC507. 186 FC6605. 183 FC6009203X 199 FC832XL 186 FC86605. 184 FCM104XR 187 FC507. 186 FC6605. 183 FC600920X 199 FC832XL 186 FC86605. 184 FCM104XR 187 FC507. 186 FC6605. 183 FC66050X 199 FC632XL 189 FC632XL 189 FC600920X 199 FC600920X 19												
FC48ESL 192 FC68XRSL 186 FC680203XC 197 FC6321XN 186 FC686536 183 FCM104 143 FC6865KSL 187 FC655 189 FC680203XC 197 FC6321XN 186 FC686565 183 FCM104 143 FC6865KSL 187 FC6500SL 146 FC680203XL 197 FC3222 189 FC68650SL 146 FCM104XC 187 FC684XLSL 187 FC650SL 147 FC680203XL 197 FC3232 189 FC68650SL 146 FCM104XC 187 FC684XSL 187 FC6550 146 FC680203XL 197 FC323XL 189 FC68650SL 146 FCM104XC 187 FC684XKSL 187 FC6550 146 FC6809203XX 197 FC832X 189 FC68650SL 183 FCM104XX 187 FC684XKSL 187 FC6550 146 FC6809203XX 197 FC832XC 186 FC68650SL 183 FCM104XX 187 FC648XKSL 187 FC6560 183 FCM104XX 187 FC648XKSL 187 FC6550 146 FC6809203XR 197 FC832XC 186 FC68650SL 183 FCM104XX 187 FC6570 196 FC6660 183 FC6860SL 183 FCM104XX 187 FC6570 196 FC6660 183 FC6860SL 184 FC6860SL 183 FC6860SL												
FCAMENIS 187 FC6500 146 FC68092030X 197 FC6821XR 186 FC68650 146 FCM104XC 187 FCAMENIS 187 FC6500S 146 FCM040XC 187 FCAMENIS 187 FC650S 146 FCM040XC 187 FCAMENIS 187 FC65634 197 FC68092030X 197 FC8323. 189 FC68650 183 FCM104X 187 FCAMENIS 187 FC6550S 146 FCM040XC 187 FCAMENIS 187 FC6550S 146 FCM040XC 187 FCAMENIS 187 FC6550S 146 FCM06030XR 197 FCAS2XC 186 FC68650 183 FCM104XX 187 FC6370 196 FC6650S 183 FCM104XX 187 FC5070 196 FC6665S 183 FCM104XX 187 FC5070 196 FC6665S 183 FCM104XX 187 FC507 196 FC6665S 183 FCM104XX 187 FC529 163 FC666S 183 FCM104XX 187 FC637 196 FC6650S 183 FCM104XX 187 FC629 163 FC6650S 164 FCM105 180 FC6452S 167 FC6670 204 FC60920XX 198 FC632XX 186 FC68650S 164 FCM105 180 FC6452S 167 FC6670 174 FC60920XX 198 FC632XX 186 FC6678 188 FCM106 172 FC645S 165 FC666S 164 FC60920XX 198 FC632XX 186 FC6678 188 FCM106 172 FC645S 165 FC666S 188 FCM106 172 FC6700X 128 FC6850X 186 FC60942 196 FC3920X 197 FC686S 128 FCM106SS 166 FC666S 188 FCM106 172 FC6700X 128 FC6850X 186 FC60942 196 FC6390X 197 FC686S 128 FCM106 172 FC6700X 128 FC685X 186 FC60947 196 FC6850X 186 FC666S 188 FCM106 172 FC6700X 128 FC685X 186 FC666S 188 FC6094X 196 FC6850X 186 FC666S												
FC48XISL 187 FC6500SL 146 FC60903XL 197 FC3322. 189 FC6050SL 146 FCM104XC 187 FC48XISL 187 FC6050SL 146 FC60903XL 197 FC3324. 189 FC80550SL 146 FCM104XL 187 FC6050SL 147 FC6050SL 147 FC6050XM 197 FC3324. 189 FC80560SL 183 FCM104XL 187 FC6050SL 146 FC609020XM 197 FC3324. 189 FC80560SL 183 FCM104XL 187 FC48XISL 187 FC6050SL 146 FC609020XM 197 FC332XC 186 FC8050SL 183 FCM104XL 187 FC6050SL 146 FC809020XM 197 FC332XC 186 FC8050SL 183 FCM104XL 187 FC507. 196 FC6050SL 148 FC809020XM 197 FC332XC 186 FC80570. 204 FCM104XM 187 FC529. 163 FC80550SL 183 FC809020X 198 FC332XL 186 FC80570. 204 FCM104XM 187 FC529. 163 FC80550SL 183 FC809020X 198 FC332XL 186 FC80570L 199 FCM104XM 187 FC529. 167 FC80570. 204 FC809020X 198 FC332XL 186 FC8057SL 199 FCM105SL 180 FC642SL 167 FC80570. 204 FC809020X 198 FC332XM 186 FC8057SL 199 FCM105SL 180 FC642SL 167 FC80570. 174 FC809020X 198 FC332XM 186 FC8057SL 188 FCM106 172 FC643. 163 FC8057 174 FC809020X 198 FC332XM 186 FC8057SL 188 FCM106 172 FC643. 163 FC8057 174 FC809020X 198 FC3350SL 185 FC8058L 128 FCM108 172 FC643. 163 FC8057 174 FC809020X 198 FC3360 185 FC8058L 128 FCM108 172 FC643. 163 FC8057 174 FC809020X 198 FC3360 185 FC8058L 128 FCM108 175 FC643. 163 FC8057 184 FC80902 189 FC3380SL 185 FC8068L 128 FCM108 175 FC65700X 127 FC80582. 184 FC80902 189 FC3380SL 185 FC8068L 128 FCM108 175 FC65700X 124 FC8058L 186 FC80903 187 FC80902 187 FC8058L 125 FC8050X 186 FC80903 197 FC8080X 124 FCM108 175 FC65700X 124 FC8050X 188 FC80903 197 FC8080X 124 FCM108 175 FC65700X 124 FC8050X 188 FC80903 195 FC8080X 124 FCM108 175 FC65700X 124 FC8050X 188 FC80903 195 FC8080X 124 FCM108 175 FC65700X 124 FC8050X 188 FC80903 195 FC8080X 124 FCM100X 151 FC65700X 124 FC8050X 188 FC80903 195 FC8080X 124 FCM100X 151 FC65700X 124 FC8050X 188 FC80903 195 FC8080X 124 FCM100X 151 FC65700X 124 FC8050X 188 FC80903 195 FC8080X 124 FCM100X 151 FC65700X 124 FC8050X 188 FC80903 195 FC8080X 124 FCM100X 151 FC65700X 124 FC8050X 124 FC8050X 124 FCM100X 151 FC65700X 124 FC8050X 124 FC8050X 124 FC8010X 124 FC8010X 124 FC8010X 1												
FC48MSL 187												
FC48XNSL 187 FC6659 197 FC809203N 197 FC80220X 188 FC86560 183 FCM104X 187 FC48XNSL 187 FC6550S 146 FC809203N 197 FC832XE 188 FC86560S 183 FCM104X 187 FC48XNSL 187 FC65660 183 FC86560S 146 FC80920XC 188 FC86570 204 FCM104XN 187 FC5270 196 FC6560 183 FC86560 183 FC80920XC 188 FC86570 204 FCM104XN 187 FC5270 196 FC6566 183 FC80920XC 188 FC86570 204 FCM104XN 187 FC529 183 FC8656SL 183 FC80920XC 188 FC862XN 186 FC86580SL 164 FCM104XR 187 FC529 183 FC8655SL 183 FC80920XL 188 FC832XN 186 FC8658SL 164 FCM105 180 FC6452SL 167 FC6576 174 FC80920XN 188 FC832XN 186 FC867SL 190 FCM105SL 180 FC542SL 163 FC6567 174 FC80920XN 188 FC832XN 186 FC867SL 188 FCM106 172 FC543 183 FC65850 164 FC80920XN 188 FC832XN 186 FC867SL 188 FCM106 172 FC543 183 FC6580SL 164 FC80920XN 198 FC832XN 186 FC867SL 188 FCM108 172 FC543 183 FC6580SL 164 FC80920XN 198 FC8328N 186 FC867SL 188 FCM108 172 FC549 196 FC6580SL 164 FC80920XN 198 FC8386SL 185 FC868SLX 124 FCM108 172 FC5700X 127 FC6586SL 164 FC80942 196 FC8390 197 FC88SLX 124 FCM108 175 FC5700X 124 FC865XL 186 FC86944 196 FC8392 185 FC868SLX 124 FCM108 175 FC5700XC 124 FC85XL 186 FC86949 196 FC8492SL 165 FC868SLX 124 FCM10XL 151 FC5700XE 124 FC85XL 186 FC8695SLX 124 FCM10XL 151 FC5700XE 124 FC85XL 186 FC8695SLX 124 FCM10XL 151 FC5700XE 124 FC85XL 186 FC8695SLX 124 FCM10XL 151 FC5700XL 124 FC85XL 186 FC869SLX 124 FC868SLX 124 FCM10XL 151 FC5700XL 124 FC85XL 186 FC868SLX 124 FCM10XL 151 FC5700XL 124 FC85XL 186 FC868SLX 124 FC868SLX 124 FCM10XL 151 FC5700XL 124 FC868SLX 124 FC8												
FC48MSL 187 FC6550SL 146 FC809203M 197 FC832XC 186 FC8656SL 183 FCM104NK 187 FC648MSL 187 FC6556SL 146 FC80920XG 198 FC832XL 186 FC8656T0 204 FCM104NN 187 FC5270 196 FC6566 183 FC80920XC 198 FC832XK 186 FC86580B 164 FCM104NN 187 FC5270 183 FC8056SSL 183 FC80920XC 198 FC832XK 186 FC86580B 164 FCM104NN 187 FC5270 183 FC6555SL 197 FC6570 204 FC80920XL 198 FC832XK 186 FC8658BSL 164 FCM105 180 FC542SL 167 FC6570 204 FC80920XL 198 FC832XK 186 FC867SSL 190 FCM105SL 180 FC542SL 167 FC6570 174 FC80920XL 198 FC832XK 186 FC867SL 190 FCM105SL 180 FC542SL 167 FC6570 174 FC80920XL 198 FC832XR 186 FC867SL 188 FCM106 172 FC543SL 163 FC6589 164 FC80920XL 198 FC832XR 186 FC867SL 188 FCM106 172 FC545SL 163 FC6589 164 FC80920XL 198 FC838SSL 185 FC867SL 188 FCM108 173 FC545SL 163 FC6580 164 FC80920XL 198 FC838SL 185 FC867SL 188 FCM108 173 FC545SL 163 FC6580 164 FC80920XL 198 FC838SL 185 FC867SL 188 FCM108 173 FC5700XL 124 FC868SL 184 FC80942 196 FC8390 197 FC868SLX 124 FCM109 175 FC5700XL 128 FC658CL 186 FC80942 195 FC8392 185 FC88SLX 124 FCM109 175 FC5700XL 124 FC665XL 186 FC8064L 196 FC8064L 196 FC8452TL 165 FC88SLX 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 186 FC8065XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC665XL 186 FC8065XL 124 FCM10XL 151 FC5700XL 124 FC805XL 124 FC805												
FC497NSL 187 FC6569CL 146 FC80920XX 198 FC832XL 186 FC865870 204 FCM104XN 187 FC529. 163 FC6566 183 FC80520XC 198 FC832XX 186 FC86580SL 164 FCM104XR 187 FC529. 163 FC6565SL 183 FC80920XL 198 FC832XX 186 FC86580SL 164 FCM105SL 180 FC542S 167 FC6570 204 FC80920XL 198 FC832XX 186 FC8658SL 164 FCM105SL 180 FC542SL 167 FC6570 204 FC80920XL 198 FC832XX 186 FC867SL 190 FCM105SL 180 FC542SL 167 FC6570 204 FC80920XL 198 FC832XX 186 FC867SL 190 FCM105SL 180 FC542SL 167 FC6570 204 FC80920XM 198 FC832XR 186 FC867SL 188 FCM106 172 FC543 163 FC6587 174 FC80920XM 198 FC832XR 186 FC667SL 188 FCM106 172 FC543 163 FC6587 174 FC80920XM 198 FC3386SL 185 FC867SL 188 FCM108 172 FC543 163 FC6580 164 FC80920XM 198 FC3386SL 185 FC868SL 128 FCM108 166 FC549 196 FC549 196 FC5390. 197 FC588SL 124 FCM108SL 175 FC5700 127 FC888SL 184 FC8094X 195 FC3382 185 FC868SLX 124 FCM108SL 175 FC5700 127 FC88SL 186 FC8094X 195 FC832 185 FC868SLX 124 FCM108SL 175 FC5700 128 FC86SL 125 FC86SL 186 FC8094X 196 FC8094X 196 FC804SL 185 FC86SLX 124 FCM10X 151 FC5700XCSL 125 FC85XL 186 FC8094X 196 FC804SLS 155 FC86SLX 124 FCM10X 151 FC5700XCSL 125 FC85XL 186 FC8095L 195 FC804SLS 155 FC86SSLX 124 FCM10X 151 FC5700XCSL 125 FC85XL 186 FC8095L 195 FC804SLS 155 FC86SSLX 124 FCM10X 151 FC5700XCSL 125 FC85XL 186 FC8095L 195 FC804SLS 155 FC86SSLX 124 FCM10X 151 FC5700XL 124 FC85XL 186 FC8095L 195 FC804SLS 155 FC86SSLX 124 FCM10X 151 FC5700XL 124 FC85XL 186 FC8095L 195 FC804SLS 155 FC86SSLX 124 FCM10X 151 FC5700XL 124 FC85XL 186 FC8095L 195 FC804SLS 155 FC86SSLX 124 FCM10X 151 FC5700XL 124 FC85XL 186 FC8095L 125 FC805XL 186 FC8095L 125 FC805XL 124 FCM10X 151 FC67700XSL 125 FC86SSL 126 FC86SSLX 124 FCM10X 151 FC5700XK 124 FC86XL 124 FC												
FCS270												
FG529.					F000000000	197						
FG542S												
FG542SL 167 FG6576 174 FG80920XK 198 FG832KR 186 FC8678 188 FGM106 172 FG543 163 FG6577 174 FG80920XR 198 FG8386 185 FG8678 188 FGM108 133 FG545SL 163 FG6580 164 FG80920XR 198 FG8386 185 FG8685L 128 FGM1089SL 168 FG549 199 FG6580SL 164 FG80920XR 198 FG8386SL 185 FG6685LX 128 FGM1089SL 168 FG549 199 FG6580SL 164 FG80942 199 FG8389SL 185 FG6885LX 124 FGM109 175 FG5700 177 FG6582 164 FG80942 199 FG8389SL 185 FG6885LX 124 FGM109 175 FG5700 172 FG6585LX 128 FG65XC 186 FG80947 199 FG8389LX 185 FG885LX 124 FGM10XC 151 FG5700XC 124 FG65XC 186 FG80947 199 FG84521SL 165 FG885LX 124 FGM10XC 151 FG5700XCSL 125 FC65XL 186 FG80942 199 FG8452SL 165 FG885LX 124 FGM10XC 151 FG5700XCSL 125 FC65XL 186 FG80932 195 FC6452S 165 FG885LX 124 FGM10XK 151 FG5700XCSL 125 FC65XL 186 FG80931 199 FC8452SL 165 FG885LX 124 FGM10XK 151 FG5700XCSL 125 FC65XL 186 FG80931 199 FC8452SL 165 FG865KR 124 FGM10XK 151 FG5700XL 124 FC65XK 186 FG80931 199 FC8452SL 165 FG865KR 124 FGM10XK 151 FG5700XL 124 FC65XR 186 FG80935. 199 FC8452SL 166 FG865KR 124 FGM10XK 151 FG5700XL 124 FC65XR 186 FG8095L 199 FC8452FSL 166 FG865KR 128 FGM10XR 151 FG5700XL 124 FC665XR 186 FG8095L 145 FG865XL 124 FGM10XR 151 FG5700XL 124 FC665XR 188 FG813SL 146 FG8498 185 FG865KXL 124 FGM10XR 151 FG5700XK 124 FC670 192 FG812SL 142 FG4898 185 FG865KXL 124 FGM10XR 151 FG5700XK 124 FC678SL 188 FG813SL 146 FG8498 185 FG865KXL 124 FGM114SL 177 FG5700XMSL 124 FC678SL 188 FG814 140 FG8529 163 FG865KXL 124 FGM114SL 177 FG5700XMSL 124 FC685XL 124 FG814SL 190 FG8570X 124 FG8665XN 124 FGM114SL 177 FG5700XMSL 124 FC685XL 124 FG814SL 190 FG8570X 124 FG8665XN 124 FGM115SL 160 FG5700XR 124 FG685XL 124 FG814SL 190 FG8570X 124 FG8665XN 124 FGM115SL 160 FG5700XR 124 FG685XL 124 FG814SL 190 FG8570X 124 FG8665XN 124 FGM115SL 160 FG5700XR 124 FG865XN 124 FG814SL 190 FG8570X 124 FG8665XN 124 FGM115SL 160 FG5700XR 124 FG865XN 124 FG8665XL 124 FG814SL 190 FG8570XN 124 FG8665XN 124 FGM115SL 160 FG5700XR 124 FG8665XN 1												
FC645SL												
FC545SL 163 FC6580 164 FC809020XR 198 FC8398SL 185 FC8685LX 124 FCM1089SL 186 FC549A 196 FC6589SL 164 FC80942 196 FC8390 197 FC868LX 124 FCM109 175 FC5700L 127 FC658C 164 FC80943 195 FC8399 185 FC868SLX 124 FCM109SL 175 FC5700X 128 FC65XC 186 FC80947 196 FC845C1 165 FC868SLX 124 FCM10XC 151 FC5700XC 124 FC65XC 186 FC80947 196 FC845C1 165 FC868SLX 124 FCM10XC 151 FC5700XCSL 125 FC65XL 186 FC80949 196 FC845C1 165 FC868SLX 124 FCM10XC 151 FC5700XCSL 125 FC65XL 186 FC80952 195 FC845C5 165 FC868SLX 124 FCM10XL 151 FC5700XCSL 124 FC65XX 186 FC80952 195 FC845C5 165 FC868SLX 124 FCM10XL 151 FC5700XCSL 124 FC65XX 186 FC80952 195 FC845C5 165 FC868SLX 124 FCM10XL 151 FC5700XCSL 124 FC65XX 186 FC80953 195 FC845C5 165 FC868SLX 124 FCM10XL 151 FC5700XL 124 FC65XX 186 FC80953 195 FC845C5 165 FC868SRX 124 FCM10XL 151 FC5700XL 124 FC65XX 186 FC80955 195 FC845C5 166 FC868SRX 124 FCM10XL 151 FC5700XLSL 125 FC668 140 FC80951 145 FC845C1 146 FC868SRX 124 FCM10XR 151 FC5700XLSL 125 FC668 140 FC80951 145 FC84898 185 FC868SRX 124 FCM10XR 151 FC5700XLSL 125 FC678 188 FC813SL 146 FC84898 185 FC868SRX 124 FCM110 172 FC5700XN 124 FC677 192 FC812SL 142 FC8498 185 FC868SRX 124 FCM113 144 FC5700XKSL 125 FC678 188 FC814L 140 FC8529 183 FC868SRX 124 FCM113 147 FC5700XN 124 FC678 188 FC814L 140 FC8529 183 FC868SRX 124 FCM114 177 FC5700XN 124 FC685LX 124 FC8145 199 FC85700X 124 FC868SRX 124 FCM114 157 FC5700XN 125 FC685LX 124 FC8145 199 FC85700X 124 FC8691X 124 FCM114 151 FC6710X 127 FC6891X 124 FCM115 160 FC5700XR 124 FC685LX 124 FC8145 199 FC85700X 124 FC8691X 124 FCM120SL 155 FC6710X 124 FC868SRX 124 FC8145 199 FC85700X 124 FC8691X 124 FCM120SL 155 FC5710X 124 FC868SRX 124 FC8145 199 FC85700X 124 FC8691X 124 FCM120SL 155 FC5710X 124 FC865XN 124 FC8145 199 FC85700X 124 FC8691X 124 FCM120SL 155 FC5710X 124 FC865XN 124 FC8145 199 FC85700X 124 FC8691X 124 FCM120SL 155 FC5710X 124 FC865XN 124 FC8145 199 FC85700X 124 FC8691X 124 FCM120SL 155 FC5710X 124 FC865XN 124 FC8165SL 144 FC8165SL 144 FC87500X 124 FC8691X 124 FCM120SL 155 FC5710X 124 FC865XN												
FCS-90												
FGS700L 127 FG6582 164 FG60943 195 FG8392 185 FG8685LX 124 FCM109SL 175 FG5700X 128 FG65XC 186 FC80947 196 FC84521 L 165 FG8685LX 124 FCM10XC 151 FC5700XC 124 FC65XE 186 FC80949 196 FC84521 L 165 FC8685LX 124 FCM10XC 151 FC5700XC 124 FC65XE 186 FC80952 195 FC84525 L 165 FC8685LX 124 FCM10XC 151 FC5700XC 124 FC65XK 186 FC80953 195 FC84525 L 165 FC8685LX 124 FCM10XL 151 FC5700XE 125 FC65XN 186 FC80953 195 FC84527 166 FC8685RX 124 FCM10XK 151 FC5700XL 124 FC65XN 186 FC80955 195 FC84527 166 FC8685RX 124 FCM10XK 151 FC5700XL 124 FC65XN 186 FC80955 195 FC84527 166 FC8685RX 124 FCM10XR 151 FC5700XL 124 FC65XN 186 FC80955 195 FC84527 166 FC8685RX 124 FCM10XR 151 FC5700XL 125 FC668 140 FC80955 145 FC84829 185 FC8685RX 124 FCM110 172 FC5700XK 125 FC678 188 FC813SL 146 FC8498S 185 FC8685RX 124 FCM111 177 FC5700XN 124 FC678SL 188 FC814 140 FC8529 163 FC8685RX 124 FCM114 177 FC5700XN 124 FC678SL 188 FC814 149 FC8520 163 FC8685RX 124 FCM114 177 FC5700XR 125 FC685L 128 FC8141 198 FC8570XC 124 FC8685RX 124 FCM115 160 FC5700XRS 125 FC685LX 124 FC8144 190 FC85700XC 124 FC8685RX 124 FCM115 160 FC5700XR 125 FC8685LX 124 FC8145 190 FC85700XC 124 FC8691XC 124 FCM115 160 FC5700XR 125 FC685LX 124 FC8145 190 FC85700XC 124 FC8691XC 124 FCM115 160 FC5700XR 125 FC685LX 124 FC8145 190 FC85700XC 124 FC8691XC 124 FCM1100 135 FC5710XC 125 FC685LX 124 FC8145 190 FC85700XC 124 FC8691XC 124 FCM1120 135 FC5710XC 125 FC685LX 124 FC8145 144 FC81500X 124 FC8691XC 124 FCM1200 135 FC5710XC 125 FC685LX 124 FC81646 164 FC85700X 124 FC8691XC 124 FCM1201 135												
FCS700XC												
FGSTORIC 124												
FGS700XCSL 125	FC5700SL	128										
FGS700XE												
FCSTOOXESL 125	FC5700XCSL	125	FC65XJ	186	FC80952	195	FC84525	165	FC8685LXN	124		
FCSTOON_ISL 124	FC5700XE	124	FC65XK	186	FC80953	195	FC84525SL	165	FC8685LXR	124		
FCS700XISL 125											FCM10XN	151
FCS700XKS	FC5700XJ	124			FC80955	195	FC84527SL	166				
FCS700XKSL 125												
FCS700XN												
FC5700XNSL 125												
FC5700XR												
FC5700XRSL 125												
FC571 144 FC685LXJ 124 FC814SSL 190 FC85700XE 124 FC8691XE 124 FCM1200 153 FC5710 127 FC685LXK 124 FC8149 182 FC85700XJ 124 FC8691XJ 124 FCM1200SL 154 FC5710XC 128 FC685LXN 124 FC814SL 141 FC85700XK 124 FC8691XK 124 FCM1201 153 FC5710XC 124 FC685LXR 124 FC815SL 142 FC85700XN 124 FC8691XN 124 FCM1201 153 FC5710XCSL 125 FC685RX 128 FC816 139 FC85700XR 124 FC8691XN 124 FCM1201 153 FC5710XCSL 125 FC685RX 124 FC81645 204 FC85710XR 124 FC8691XN 124 FCM1202 153 FC5710XESL 125 FC685RX 124 FC81646 164 FC85710X 127 FC8707 202												
FC5710 127 FC685LXK. 124 FC8149 182 FC85700XJ 124 FC8691XJ 124 FCM1200SL 154 FC5710SL 128 FC685LXN 124 FC6814SL 141 FC85700XK 124 FC8691XK 124 FCM1201 153 FC5710XC 124 FC685LXR 124 FC815SL 142 FC85700XR 124 FC8691XN 124 FCM1201SL 154 FC5710XCSL 125 FC685R 128 FC816 139 FC85700XR 124 FC8691XR 124 FCM1202 153 FC5710XE 125 FC685RXC 124 FC8165L 142 FC8700XR 124 FC8691XR 124 FCM1202 153 FC5710XE 125 FC685RXC 124 FC81645 204 FC8571 144 FC8704 203 FCM1202SL 154 FC5710XESL 125 FC685RXE 124 FC81646 164 FC85710 127 FC8707 202 FCM1203 153 FC5710XJ 124 FC685RXJ 124 FC81646SL 164 FC85710XC 127 FC8707 202 FCM1203 153 FC5710XJ 125 FC685RXX 124 FC816469 197 FC85710XC 124 FC8708 203 FCM1204SL 127 FC5710XJK 125 FC685RXX 124 FC81649 197 FC85710XL 124 FC8735 203 FCM1206SL 127 FC5710XKX 124 FC685RXN 124 FC81649 197 FC85710XL 124 FC8735 203 FCM1206SL 127 FC5710XXSL 125 FC685RXR 124 FC81651 147 FC85710XL 124 FC8735 203 FCM1206SL 127 FC5710XNSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202 FCM1208 153 FC5710XN 124 FC691 128 FC81652 147 FC85710XN 124 FC8736 202 FCM1208 153 FC5710XNSL 125 FC691XC 124 FC81653 147 FC85710XR 124 FC8745 203 FCM12101SL 158 FC5710XRSL 125 FC691XC 124 FC81653 147 FC85710XR 124 FC8765 203 FCM12101SL 158 FC5710XRSL 125 FC691XN 124 FC81653 144 FC85720XC 124 FC89701 182 FCM12101XSL 152 FC5720XC 124 FC691XR 124 FC81654 144 FC85720XC 124 FC89701 182 FCM12101XSL 152 FC5720XC 124 FC691XR 124 FC81654 144 FC85720XR 124 FC89701 182 FCM12101XSL 152 FC5720XC 124 FC691XR 124 FC81654 144 FC85720XR 124 FC89701 188 FCM12101XSL 152 FC5720XC 124 FC691XR 124 FC81654 141 FC85720XR 124 FC8970 142 FCM12101XSL 152 FC5720XC 124 FC691XR 124 FC81654												
FC5710SL 128 FC685LXN 124 FC814SL 141 FC85700XK 124 FC8691XK 124 FCM1201 153 FC5710XC 124 FC685LXR 124 FC815SL 142 FC85700XN 124 FC8691XN 124 FCM1201SL 154 FC5710XE 125 FC685R 128 FC816 139 FC8570XR 124 FC8691XR 124 FCM1201SL 153 FC5710XE 124 FC685RXC 124 FC81645 204 FC8571 144 FC8691XR 124 FCM1202SL 153 FC5710XSL 125 FC685RXE 124 FC81646 164 FC85710 127 FC8707 202 FCM1203 153 FC5710XJ 124 FC685RXJ 124 FC81646SL 164 FC85710XC 124 FC8708 203 FCM1204SL 127 FC5710XKSL 125 FC685RXX 124 FC81646SL 164 FC85710XC 124 FC8702 202												
FC5710XC 124 FC685LXR 124 FC815SL 142 FC85700XN 124 FC8691XN 124 FCM1201SL 154 FC5710XCSL 125 FC685R 128 FC816 139 FC85700XR 124 FC8691XR 124 FCM1202 153 FC5710XE 124 FC685RXC 124 FC81645 204 FC8571 144 FC8704 203 FCM1202SL 154 FC5710XESL 125 FC685RXE 124 FC81646 164 FC85710 127 FC8707 202 FCM1203SL 153 FC5710XJ 124 FC685RXJ 124 FC81646SL 164 FC85710XC 124 FC8708 203 FCM1204SL 127 FC5710XJ 124 FC685RXK 124 FC81649 197 FC85710XC 124 FC8708 203 FCM1204SL 127 FC5710XKS 124 FC685RXN 124 FC81649 197 FC85710XE 124 FC8735 203												
FC5710XCSL 125 FC685R 128 FC816 139 FC85700XR 124 FC8691XR 124 FCM1202 153 FC5710XE 124 FC685RXC 124 FC81645 204 FC8571 144 FC8704 203 FCM1202SL 154 FC5710XE 125 FC685RXE 124 FC81646 164 FC85710XC 127 FC8707 202 FCM1203 153 FC5710XJ 124 FC685RXJ 124 FC81646SL 164 FC85710XC 124 FC8708 203 FCM1204SL 127 FC5710XJSL 125 FC685RXJ 124 FC81649 197 FC85710XE 124 FC8708 203 FCM1204SL 127 FC5710XK 124 FC685RXN 124 FC81651 147 FC85710XL 124 FC8735 203 FCM1205SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8735 203												
FC5710XE 124 FC685RXC 124 FC81645 204 FC8571 144 FC8704 203 FCM1202SL 154 FC5710XESL 125 FC685RXE 124 FC81646 164 FC85710 127 FC8707 202 FCM1203 153 FC5710XJ 124 FC685RXJ 124 FC81646SL 164 FC85710XC 124 FC8708 203 FCM1203SL 127 FC5710XJSL 125 FC685RXK 124 FC81649 197 FC85710XE 124 FC8721 202 FCM1205SL 127 FC5710XK 124 FC685RXN 124 FC81651 147 FC85710XL 124 FC8735 203 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202<												
FC5710XE 124 FC685RXC 124 FC81645 204 FC8571 144 FC8704 203 FCM1202SL 154 FC5710XESL 125 FC685RXE 124 FC81646 164 FC85710 127 FC8707 202 FCM1203 153 FC5710XJ 124 FC685RXJ 124 FC81646SL 164 FC85710XC 124 FC8708 203 FCM1203SL 127 FC5710XJSL 125 FC685RXK 124 FC81649 197 FC85710XE 124 FC8721 202 FCM1205SL 127 FC5710XK 124 FC685RXN 124 FC81651 147 FC85710XL 124 FC8735 203 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202<	FC5710XCSL	125	FC685R	128	FC816	139	FC85700XR	124				
FC5710XESL 125 FC685RXE 124 FC81646 164 FC85710 127 FC8707 202 FCM1203 153 FC5710XJ 124 FC685RXJ 124 FC81646SL 164 FC85710XC 124 FC8708 203 FCM1204SL 127 FC5710XJSL 125 FC685RXK 124 FC81649 197 FC85710XE 124 FC8721 202 FCM1205SL 127 FC5710XK 124 FC685RXN 124 FC81651 147 FC85710XJ 124 FC8735 203 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202 FCM1208SL 127 FC5710XN 124 FC691 128 FC81652 147 FC85710XN 124 FC8745 203 FCM1208 153 FC5710XNSL 125 FC691XC 124 FC81652SL 147 FC85710XN 124 FC8752 203 <td>FC5710XE</td> <td> 124</td> <td>FC685RXC</td> <td> 124</td> <td>FC81645</td> <td> 204</td> <td>FC8571</td> <td> 144</td> <td>FC8704</td> <td> 203</td> <td></td> <td></td>	FC5710XE	124	FC685RXC	124	FC81645	204	FC8571	144	FC8704	203		
FC5710XJSL 125 FC685RXK 124 FC81649 197 FC85710XE 124 FC8721 202 FCM1205SL 127 FC5710XK 124 FC685RXN 124 FC81651 147 FC85710XJ 124 FC8735 203 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XN 124 FC8736 202 FCM1208 153 FC5710XNSL 124 FC691 128 FC81652SL 147 FC85710XN 124 FC8745 203 FCM1209 153 FC5710XNSL 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8745 203 FCM1209 153 FC5710XRSL 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8755 203 FCM12101SL 158 FC5710XRSL 124 FC691XE 124 FC81653 184 FC85720X 128 FC8867SL 1												
FC5710XJSL 125 FC685RXK 124 FC81649 197 FC85710XE 124 FC8721 202 FCM1205SL 127 FC5710XK 124 FC685RXN 124 FC81651 147 FC85710XJ 124 FC8735 203 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XN 124 FC8736 202 FCM1208 153 FC5710XNSL 124 FC691 128 FC81652SL 147 FC85710XN 124 FC8745 203 FCM1209 153 FC5710XNSL 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8745 203 FCM1209 153 FC5710XRSL 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8755 203 FCM12101SL 158 FC5710XRSL 124 FC691XE 124 FC81653 184 FC85720X 128 FC8867SL 1	FC5710XJ	124	FC685RXJ	124	FC81646SL	164						
FC5710XK 124 FC685RXN 124 FC81651 147 FC85710XJ 124 FC8735 203 FCM1206SL 127 FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202 FCM1208 153 FC5710XN 124 FC691 128 FC81652SL 147 FC85710XN 124 FC8745 203 FCM1209 153 FC5710XNSL 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8752 203 FCM1209 153 FC5710XR 124 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8752 203 FCM12101XCSL 158 FC5710XR 124 FC691XE 124 FC81653 184 FC85720XC 128 FC8867SL 182 FCM12101XCSL 152 FC5710XRSL 125 FC691XJ 124 FC81654 184 FC85720XC 124 FC89701 1	FC5710XJSL	125	FC685RXK	124	FC81649	197	FC85710XE	124	FC8721	202		
FC5710XKSL 125 FC685RXR 124 FC81651SL 147 FC85710XK 124 FC8736 202 FCM1208 153 FC5710XN 124 FC691 128 FC81652 147 FC85710XN 124 FC8745 203 FCM1209 153 FC5710XNR 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8752 203 FCM12101SL 158 FC5710XR 124 FC691XC 124 FC81653 184 FC85710XR 124 FC8752 203 FCM12101SL 158 FC5710XRSL 125 FC691XJ 124 FC81653 184 FC85720XC 128 FC8867SL 182 FCM12101XESL 152 FC5720X 128 FC691XJ 124 FC81654SL 184 FC85720XC 124 FC89701 182 FCM12101XESL 152 FC5720XL 128 FC691XK 124 FC81654SL 184 FC85720XE 124 FC8971												
FC5710XN 124 FC691 128 FC81652 147 FC85710XN 124 FC8745 203 FCM1209 153 FC5710XNSL 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8752 203 FCM1201SL 158 FC5710XRSL 124 FC691XE 124 FC81653 184 FC85720 128 FC8867SL 182 FCM12101XCSL 152 FC5710XRSL 125 FC691XL 124 FC81654 184 FC85720XC 124 FC89701 182 FCM12101XCSL 152 FC5720. 128 FC691XK 124 FC81654SL 184 FC85720XC 124 FC89701 182 FCM12101XCSL 152 FC5720XL 128 FC691XK 124 FC81654SL 184 FC85720XC 124 FC89701 182 FCM12101XJSL 152 FC5720XC 128 FC691XK 124 FC816SL 141 FC85720XL 124 FC8971												
FC5710XNSL 125 FC691XC 124 FC81652SL 147 FC85710XR 124 FC8752 203 FCM12101SL 158 FC5710XR 124 FC691XE 124 FC81653 184 FC85720 128 FC8867SL 182 FCM12101XCSL 152 FC5710XRSL 125 FC691XJ 124 FC81654 184 FC85720XC 124 FC89701 182 FCM12101XESL 152 FC5720 128 FC691XK 124 FC81654SL 184 FC85720XE 124 FC8971 188 FCM12101XJSL 152 FC5720SL 128 FC691XK 124 FC81654SL 184 FC85720XE 124 FC8971 188 FCM12101XJSL 152 FC5720XC 124 FC691XN 124 FC8165SL 141 FC85720XL 124 FC8972 198 FCM12101XKSL 152 FC5720XC 124 FC691XR 124 FC817 141 FC85720XK 124 FC900												
FC5710XR 124 FC691XE 124 FC81653 184 FC85720 128 FC8867SL 182 FCM12101XCSL 152 FC5710XRSL 125 FC691XJ 124 FC81654 184 FC85720XC 124 FC89701 182 FCM12101XESL 152 FC5720 128 FC691XK 124 FC81654SL 184 FC85720XE 124 FC8971 188 FCM12101XJSL 152 FC5720XC 128 FC691XN 124 FC816SL 141 FC85720XJ 124 FC8972 198 FCM12101XKSL 152 FC5720XC 124 FC691XR 124 FC817 141 FC85720XK 124 FC8972 198 FCM12101XKSL 152 FC5720XCSL 124 FC691XR 124 FC817 141 FC85720XK 124 FC900 142 FCM12101XNSL 152 FC5720XCSL 125 FC704 203 FC817SL 143 FC85720XR 124 FC900SL <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
FC5710XRSL .125 FC691XJ .124 FC81654 .184 FC85720XC .124 FC89701 .182 FCM12101XESL .152 FC5720 .128 FC691XK .124 FC81654SL .184 FC85720XE .124 FC8971 .188 FCM12101XJSL .152 FC5720XC .128 FC691XN .124 FC816SL .141 FC85720XJ .124 FC8972 .198 FCM12101XKSL .152 FC5720XC .124 FC691XR .124 FC817 .141 FC85720XK .124 FC900 .142 FCM12101XNSL .152 FC5720XCSL .125 FC704 .203 FC817SL .143 FC85720XN .124 FC900SL .142 FCM12101XNSL .152 FC5720XE .124 FC707 .202 FC818SL .144 FC85720XR .124 FC901 .178 FCM12102SL .154												
FC5720 128 FC691XK 124 FC81654SL 184 FC85720XE 124 FC8971 188 FCM12101XJSL 152 FC5720SL 128 FC691XN 124 FC816SL 141 FC85720XJ 124 FC8972 198 FCM12101XKSL 152 FC5720XC 124 FC691XR 124 FC817 141 FC85720XK 124 FC900 142 FCM12101XNSL 152 FC5720XCSL 125 FC704 203 FC817SL 143 FC85720XN 124 FC900SL 142 FCM12101XRSL 152 FC5720XE 124 FC707 202 FC818SL 144 FC85720XR 124 FC901 178 FCM1210120SL 154												
FC5720SL 128 FC691XN 124 FC816SL 141 FC85720XJ 124 FC8972 198 FCM12101XKSL 152 FC5720XC 124 FC691XR 124 FC817 141 FC85720XK 124 FC900 142 FCM12101XNSL 152 FC5720XCSL 125 FC704 203 FC817SL 143 FC85720XN 124 FC900SL 142 FCM12101XRSL 152 FC5720XE 124 FC707 202 FC818SL 144 FC85720XR 124 FC901 178 FCM12102SL 154												
FC5720XC .124 FC691XR .124 FC817 .141 FC85720XK .124 FC900 .142 FCM12101XNSL .152 FC5720XCSL .125 FC704 .203 FC817SL .143 FC85720XN .124 FC900SL .142 FCM12101XRSL .152 FC5720XE .124 FC707 .202 FC818SL .144 FC85720XR .124 FC901 .178 FCM12102SL .154												
FC5720XCSL												
FC5720XE124 FC707202 FC818SL144 FC85720XR124 FC901178 FCM12102SL154												

Fiber-Classic. & Smooth-Star. continued

FCM12102XESL	150	FCM2000XJSL	136	FCM4813XC	135	FCM605XN	200	FCM65XCSL	186	FCM81652	147
FCM12102XJSL		FCM2000XKSL		FCM4813XE		FCM605XR		FCM65XE		FCM81652SL	
FCM12102XKSL		FCM2000XNSL		FCM4813XJ		FCM606		FCM65XESL		FCM81654	
FCM12102XNSL		FCM2000XRSL		FCM4813XN		FCM606XC		FCM65XJ		FCM81654SL	
FCM12102XRSL		FCM2009SL		FCM4813XR		FCM606XE		FCM65XJSL		FCM816SL	
FCM1211		FCM205		FCM4814		FCM606XJ		FCM65XK		FCM817	
FCM1212	153	FCM2050SL		FCM4814XC		FCM606XN	200	FCM65XKSL	186	FCM817SL	
FCM1283	158	FCM2050XCSL	135	FCM4814XE	135	FCM606XR	200	FCM65XN	186	FCM81800SL	140
FCM1283XC	151	FCM2050XESL	135	FCM4814XJ	135	FCM607	201	FCM65XNSL	186	FCM81828	154
FCM1283XE		FCM2050XJSL		FCM4814XN	135	FCM6074		FCM65XR		FCM81829	
FCM1283XJ		FCM2050XKSL		FCM4814XR		FCM6075		FCM65XRSL		FCM818SL	
FCM1283XK		FCM2050XNSL		FCM4816		FCM607XC		FCM668		FCM81900SL	
FCM1283XN		FCM2050XRSL		FCM4816XC		FCM607XE		FCM670		FCM81918SL	
FCM1283XR		FCM2101SL		FCM4816XE		FCM607XJ		FCM678		FCM81919SL	
FCM1284		FCM2106		FCM4816XJ		FCM607XN		FCM678SL		FCM81921SL	
FCM1284XC	150	FCM2107		FCM4816XN		FCM607XR		FCM6975	200	FCM81928SL	
FCM1284XE	150	FCM2108	168	FCM4816XR	135	FCM608	201	FCM704	203	FCM81944SL	168
FCM1284XJ	150	FCM220	206	FCM508	199	FCM608XC	200	FCM707	202	FCM81947SL	168
FCM1284XK	150	FCM2213	148	FCM5425	167	FCM608XE	200	FCM708	203	FCM81949SL	168
FCM1284XN		FCM2223		FCM5425SL		FCM608XJ		FCM7125SL		FCM81968SL	
FCM1284XR		FCM2233		FCM543		FCM608XN		FCM721		FCM81986SL	
FCM1285		FCM2382		FCM545SL		FCM608XR		FCM735		FCM82	
FCM1285XC		FCM2382SL		FCM571		FCM609		FCM736		FCM820	
FCM1285XE		FCM2385		FCM572SL		FCM6093		FCM745		FCM821	
FCM1285XJ		FCM2385SL		FCM574		FCM6094		FCM752		FCM822	
FCM1285XK	150	FCM2389	148	FCM575	181	FCM6095	145	FCM755	206	FCM82213	148
FCM1285XN		FCM2389SL	148	FCM577	181	FCM61	205	FCM765	159	FCM82213SL	
FCM1285XR		FCM241		FCM581		FCM6107		FCM765SL		FCM82223	
FCM1286		FCM31		FCM583SL		FCM6108		FCM789		FCM82223SL	
FCM1286SL		FCM310		FCM60		FCM6124SL		FCM80		FCM82233SL	
				FCM600							
FCM1289		FCM32				FCM6124XCSL		FCM8000SL		FCM82382	
FCM1289SL		FCM32SL		FCM601		FCM6124XESL		FCM8000XCSL		FCM82382SL	
FCM131		FCM32XC		FCM601XC		FCM6124XJSL		FCM8000XESL		FCM82385	
FCM131SL	160	FCM32XCSL		FCM601XE	201	FCM6124XNSL	150	FCM8000XJSL	136	FCM82385SL	149
FCM138	153	FCM32XE	167	FCM601XJ	201	FCM6124XRSL	150	FCM8000XKSL	136	FCM82389	148
FCM138XC		FCM32XESL		FCM601XN		FCM6125SL		FCM8000XNSL		FCM82389SL	
FCM138XE		FCM32XJ		FCM601XR		FCM6125XCSL		FCM8000XRSL		FCM828	
				FCM602							
FCM138XJ		FCM32XJSL				FCM6125XESL		FCM808SL		FCM82XC	
FCM138XK		FCM32XK		FCM6021		FCM6125XJSL		FCM809SL		FCM82XE	
FCM138XN		FCM32XKSL		FCM6021XC		FCM6125XNSL		FCM81000		FCM82XJ	
FCM138XR		FCM32XN	167	FCM6021XE		FCM6125XRSL	150	FCM8101SL	168	FCM82XK	
FCM1400SL	168	FCM32XNSL	167	FCM6021XJ	187	FCM6126SL	154	FCM8101XCSL		FCM82XN	166
FCM1402	168	FCM32XR	167	FCM6021XK	187	FCM6126XCSL	150	FCM8101XESL	166	FCM82XR	166
FCM1405	189	FCM32XRSL	167	FCM6021XN	187	FCM6126XESL	150	FCM8101XJSL		FCM8310SL	168
FCM1405SL		FCM3487SL		FCM6021XR		FCM6126XJSL		FCM8101XKSL		FCM8311SL	
FCM1406		FCM3487XCSL		FCM6022		FCM6126XNSL		FCM8101XNSL		FCM8313SL	
		FCM3487XESL		FCM6022XC		FCM6126XRSL		FCM8101XRSL			
FCM1408										FCM8321	
FCM141		FCM3487XJSL		FCM6022XE		FCM61XC		FCM8103SL		FCM8321XC	
FCM142		FCM3487XKSL		FCM6022XJ		FCM61XE		FCM8105SL		FCM8321XE	
FCM143	162	FCM3487XNSL	186	FCM6022XK	186	FCM61XJ	205	FCM8107SL	163	FCM8321XJ	186
FCM143SL	162	FCM3487XRSL	186	FCM6022XN	186	FCM61XK	205	FCM8110SL	167	FCM8321XK	18f
FCM144	179	FCM369	141	FCM6022XR	186	FCM61XN	205	FCM8114	140	FCM8321XN	18f
FCM1442SL		FCM38	159	FCM6025		FCM61XR		FCM8114SL	140	FCM8321XR	
FCM147		FCM386		FCM6026		FCM62		FCM8115		FCM8322	
FCM147SL		FCM387		FCM6029		FCM6201SL		FCM8115SL		FCM8323	
FCM148		FCM387SL		FCM6030		FCM6240		FCM81200		FCM8324	
FCM149		FCM389		FCM6031		FCM6240SL		FCM81200SL		FCM8386	
FCM149SL		FCM38SL		FCM6032		FCM626			151	FCM8386SL	
FCM151	173	FCM394	185	FCM6035	188	FCM62SL	192	FCM81200XCSL	152	FCM84521SL	165
FCM156	163	FCM4521SL	165	FCM6036	182	FCM62XC	187	FCM81200XE		FCM84525SL	165
FCM16		FCM4525SL		FCM604		FCM62XCSL		FCM81200XESL		FCM84527SL	
FCM160		FCM476		FCM6041		FCM62XE		FCM81200XJ		FCM84810	
FCM163		FCM4810		FCM6041XC		FCM62XESL		FCM81200XJSL		FCM84810SL	
FCM164		FCM4810SL		FCM6041XE		FCM62XJ		FCM81200XK		FCM84810XC	
FCM1645		FCM4810XC		FCM6041XJ		FCM62XJSL		FCM81200XKSL		FCM84810XCSL	
FCM1646SL		FCM4810XCSL		FCM6041XK		FCM62XK		FCM81200XN		FCM84810XE	
FCM1647		FCM4810XE		FCM6041XN		FCM62XKSL		FCM81200XNSL		FCM84810XESL	
FCM1650	200	FCM4810XESL		FCM6041XR	187	FCM62XN	187	FCM81200XR	151	FCM84810XJ	
FCM1651	147	FCM4810XJ		FCM6042		FCM62XNSL		FCM81200XRSL		FCM84810XJSL	
FCM1651SL		FCM4810XJSL		FCM6042XC		FCM62XR		FCM81208P		FCM84810XN	
FCM1652		FCM4810XN		FCM6042XE		FCM62XRSL		FCM81208PSL		FCM84810XNSL	
FCM1654		FCM4810XNSL		FCM6042XJ				FCM81208SL		FCM84810XR	
						FCM65					
FCM1656		FCM4810XR		FCM6042XK		FCM6500		FCM81225		FCM84810XRSL	
FCM1656SL		FCM4810XRSL		FCM6042XN		FCM6500SL		FCM81225SL		FCM84812	
FCM1658		FCM4812		FCM6042XR		FCM6520		FCM812SL		FCM84812SL	
FCM18		FCM4812SL	137	FCM6045	176	FCM6550	146	FCM813SL		FCM84812XC	
FCM18101SL	140	FCM4812XC	135	FCM6046	181	FCM6560	183	FCM814	140	FCM84812XCSL	
		FCM4812XCSL		FCM6049		FCM6565		FCM8145		FCM84812XE	
FCM18XC		FCM4812XE		FCM605		FCM6565SL		FCM8145SL		FCM84812XESL	
FCM18XCFCM18XF								FCM8149		FCM84812XJ	101
FCM18XE	100	FCM4812XESL		FCM6050		FCM6568					
FCM18XEFCM18XJ		FCM4812XJ		FCM6051		FCM6570		FCM814SL		FCM84812XJSL	
FCM18XEFCM18XJFCM18XK	150						1/3		1/12		1.1/2
FCM18XJFCM18XXFCM18XKFCM18XN	150 150	FCM4812XJSL		FCM6052		FCM6575		FCM815SL		FCM84812XN	
FCM18XEFCM18XJFCM18XKFCM18XNFCM18XR	150 150 150	FCM4812XJSL FCM4812XN	135	FCM6055	188	FCM6577	173	FCM816	139	FCM84812XNSL	136
FCM18XJFCM18XXFCM18XKFCM18XN	150 150 150	FCM4812XJSL FCM4812XNFCM4812XNSL	135 136		188		173		139		136
FCM18XEFCM18XJFCM18XKFCM18XNFCM18XR	150 150 150 154	FCM4812XJSL FCM4812XNFCM4812XNSL	135 136	FCM6055	188 182	FCM6577	173 164	FCM816	139 204	FCM84812XNSL	136 135
FCM18XEFCM18XJFCM18XKFCM18XNFCM18XRFCM198	150 150 150 154 137	FCM4812XJSL FCM4812XN	135 136 135	FCM6055 FCM6056	188 182 200	FCM6577 FCM6580SL	173 164 164	FCM816FCM81645	139 204 164	FCM84812XNSL FCM84812XR	136 135 136

FCM84813XE	135	FCM870XJSL	152	FC06186XNSL	151	\$1205XK	125	S1655	107	S2103XC	121
FCM84813XJ		FCM870XK		FC06186XRSL		S1205XN		\$1656		S2103XCSL	
FCM84813XN		FCM870XKSL		FC06188SL		S1205XR		S1656SL		S2103XE	
FCM84813XR	135	FCM870XN		FC06188XCSL	151	S1206		S1658		S2103XESL	131
FCM84814		FCM870XNSL		FC06188XESL		S1206SL		S1661		S2103XJ	
FCM84814XC		FCM870XR		FC06188XJSL		S1207		S198		S2103XJSL	
FCM84814XE FCM84814XJ		FCM870XRSL FCM871		FC06188XNSL FC06188XRSL		S1207XC S1207XE		S198SL S200		S2103XK S2103XKSL	
FCM84814XN		FCM871SL		FC06189SL		S1207XJ		S200		S2103XN	
FCM84814XR		FCM872		FC06189XCSL		S1207XK		S2000SL		S2103XNSL	
FCM84816		FCM8721		FC06189XESL		S1207XN		S2000SL		S2103XR	
FCM84816XC		FCM872SL		FC06189XJSL	151	S1207XR		S2000SL-2C	129	S2103XRSL	131
FCM84816XE		FCM873		FC06189XNSL		S1208		S2000SL-4C		S2104	
FCM84816XJ		FCM8735		FC06189XRSL		S1208SL		S2000XC		S2104SL	
FCM84816XN		FCM8736		FC06190SL		\$1209		S2000XCSL S2000XCSL		S2104XC	
FCM84816XR FCM84886SL		FCM873SL FCM874		FC06190XCSL FC06190XESL		S1209SL S1211		S2000XCSL-2C		S2104XCSL S2104XE	
FCM84886XCSL		FCM8745		FC06190XJSL		S1211SL		S2000XCSL-2C		S2104XE	
FCM84886XESL		FCM874SL		FC06190XNSL		S1212		S2000XE		S2104XJ	
FCM84886XJSL		FCM8752		FC06190XRSL		S128		S2000XESL		S2104XJSL	
FCM84886XKSL	135	FCM881SL		FC06575	174	S128XC	151	S2000XESL		S2104XK	131
FCM84886XNSL		FCM881XCSL		FWRT		S128XE		S2000XESL-2C		S2104XKSL	
FCM84886XRSL		FCM881XESL		KNRT		S128XJ		S2000XESL-4C		S2104XN	
FCM8498 FCM8498SL		FCM881XJSL FCM881XKSL		LT30T LTRT		S128XK S128XN		S2000XJ S2000XJSL	126	S2104XNSL S2104XR	
FCM8545SL		FCM881XNSL		PBRT		S128XR		S2000XJSL		S2104XRSL	
FCM8571		FCM881XRSL		RSRT		\$130		S2000XJSL-2C		S2105	
FCM8572SL		FCM882SL		S100		S130SL		S2000XJSL-4C		S2106	
FCM8573SL		FCM883SL		S1000	173	S131		S2000XK		S2107	169
FCM8574		FCM884SL		S1001		S132	188	S2000XKSL		S2108	
FCM8581		FCM885SL		S1006		S132SL		S2000XKSL		S210SL	
FCM8583SL		FCM886		S100SL		S1350		S2000XN		S210XCSL	
FCM860		FCM886SL		S100XCSL S100XESL		S137		S2000XNSL S2000XNSL		S210XESL S210XJSL	
FCM861 FCM861XC		FCM887SL FCM888		S100XESL		S139 S139SL		S2000XNSL-2C		S210XKSL	
FCM861XE		FCM888SL		S100X3SL		S140		S2000XNSL-4C		S210XNSL	
FCM861XJ		FCM889SL		S100XNSL		S1400		S2000XR		S210XRSL	
FCM861XK		FCM890	145	S100XRSL		S1400SL	170	S2000XRSL	126	S211	
FCM861XN	205	FCM890SL	145	S1029	143	S1401	132	S2000XRSL	136	S213	179
FCM861XR		FCM891		S104		S1401SL		S2000XRSL-2C		S214	
FCM862		FCM891SL		S104XC		S1402		S2000XRSL-4C		S2150	
FCM86201SL		FCM892SL FCM893SL		S104XE		S1404		\$20042		S220	
FCM86240 FCM86240SL		FCM898		S104XJ S104XK		S1405 S1405SL		S2009 S2009SL		S2200 S2200XC	
FCM862SL		FCM898SL		S104XN		S1406		S20093L		S2200XCSL	
FCM862XC		FCM899		S104XR		S1407		S2010SL		S2200XE	
FCM862XCSL		FCM899SL		S105		S1408		S2010SL		S2200XESL	
FCM862XE	187	FCM900		S108		S1409		S2010XC		S2200XJ	
FCM862XESL		FCM901		S1089		S140STC		S2010XCSL		S2200XJSL	
FCM862XJ		FCM901SL		S1089SL			152	S2010XCSL		S2200XK	
FCM862XJSL FCM862XK		FCM902 FCM902SL		S108XC S108XE		S140XE S140XJ		S2010XE S2010XESL		S2200XKSL S2200XN	
FCM862XKSL		FCM905		S108XJ		S140XK		S2010XESL		S2200XNSL	
FCM862XN		FCM906		S108XK		S140XN		S2010XJ		S2200XR	
FCM862XNSL		FCM906SL	179	S108XN		S140XR		S2010XJSL		S2200XRSL	
FCM862XR	187	FCM907	161	S108XR	151	S141	156	S2010XJSL	136	S2213	149
FCM862XRSL		FCM907SL		S1100		S1411		S2010XK		S2213SL	
FCM863		FCM910		S115		S141STC		S2010XKSL		S2223	
FCM863SL		FCM911		S1170SL		S141XC		S2010XKSL		S2223SL	
FCM864FCM864SL		FCM911SL FCM912		S1170XCSL S1170XESL		S141XE S141XJ		S2010XN S2010XNSL		S2233 S2233SL	
FCM865		FCM912SL		S1170XJSL		S141XK		S2010XNSL		S2250	
FCM86500		FCM915		S1170XKSL		S141XN		S2010XR		S2250XC	
FCM86500SL	146	FCM916	173	S1170XNSL	151	S141XR	151	S2010XRSL	125	S2250XCSL	
FCM86550		FCM92SL		S1170XRSL		S1442SL		S2010XRSL		S2250XE	
FCM86550SL		FCM92XCSL		S118		S154		S205		S2250XESL	
FCM86560		FCM92XESL		S118XC		S154SL		\$2050		S2250XJ	
FCM86560SL FCM86570		FCM92XJSL FCM92XKSL		S118XE S118XJ		S155 S155SL		S2050XC S2050XE		S2250XJSL S2250XK	
FCM86580SL		FCM92XNSL		S118XK		S156		S2050XJ		S2250XK	
FCM865SL		FCM92XRSL		S118XN		S160		S2050XK		S2250XN	
FCM866		FC06184SL		S118XR		S160SL		S2050XN		S2250XNSL	
FCM866SL	180	FC06184XCSL	151	S120		S161	182	S2050XR	125	S2250XR	131
FCM8675SL		FC06184XESL		S1200		S161SL		S206		S2250XRSL	
FCM8678		FC06184XJSL		S1200SL		S162		S206XC		S236	
FCM8678SL		FC06184XNSL		\$1201		\$163		S206XE		S237	
FCM867SL FCM870		FC06184XRSL FC06185SL		S1201SL S1202		S1645 S1646		S206XJ S206XK		S2382 S2382SL	
FCM8704		FC06185XCSL		S1202SL		S1646SL		S206XN		S2385	
FCM8707		FC06185XESL		S1203		S1647		S206XR		S2385SL	
FCM8708		FC06185XJSL		S1204		S1650		S210		S2389	148
FCM870SL	158	FC06185XNSL	151	S1204SL	129	S1651	147	S2100	134	S2389SL	148
FCM870XC		FC06185XRSL		S1205		S1651SL		S2101		S241	
FCM870XCSL		FC06186SL		\$1205SL		S1652		S2101SL		S243	
FCM870XE		FC06186XCSL		\$1205XC		S1652SL		\$2102		S255 S256	
FCM870XESL FCM870XJ		FC06186XESL FC06186XJSL		S1205XE S1205XJ		S1653 S1654		S2103 S2103SL		\$256 \$2600	
I CIVIO I UAJ	101	1 000 100AJJL	131	01200AJ	123	J 1007	104	02 I UUUL	102	02000	120

Fiber-Classic. & Smooth-Star. continued

00010	201	000001/5	400	0.4000	100	057401/5	405	000001	400	00071/5	
S2610		S3300XR		S4330		S5710XE		S6022XJ		S607XE	
S2610XC		S3301		S45		S5710XESL		S6022XK		S607XESL	
S2610XE	201	S3400	129	S4521	165	S5710XJ	125	S6022XN	186	S607XJ	20
S2610XJ	201	S3400XC	126	S4521SL	165	S5710XJSL	126	S6022XR	186	S607XJSL	15 ⁻
S2610XN	201	S3400XE		S4525		S5710XK		S6025	177	S607XN	
S2610XR		S3400XJ		S4525SL		S5710XKSL		S6026		S607XNSL	
S262		S3400XK		S454		S5710XN		S6029		S607XR	
S2620		S3400XN		S4570SL		S5710XNSL		S602SL		S607XRSL	
S262XC	186	S3400XR		S476		S5710XR		S6030	180	S608	
S262XE	186	S3401	207	S4800	208	S5710XRSL	126	S6031	177	S6080	17
S262XJ	186	S3487SL	191	S4810	137	S5715	128	S6032	175	S6082	17
S262XK		S3487XCSL		S4810SL		S5715XC		S6034		S6084	
S262XN		S3487XESL		S4810XC		S5715XE		S6035		S6085	
S262XR		S3487XJSL		S4810XCSL		S5715XJ		S6036		S608XC	
S2630		S3487XKSL		S4810XE		S5715XK		S604		S608XE	
S263SL	191	S3487XNSL		S4810XESL	136	S5715XN	125	S6041	192	S608XJ	20 ⁻
S263XCSL	187	S3487XRSL	187	S4810XJ	136	S5715XR	125	S6041XC	187	S608XN	20
S263XESL	187	S35	177	S4810XJSL	136	S5720	129	S6041XE	187	S608XR	20
S263XJSL		S3500	129	S4810XN		S5720SL		S6041XJ		S609	
S263XKSL		S3500XC				S5720XC				S6090	
				S4810XNSL				S6041XK			
S263XNSL		S3500XE		S4810XR		S5720XCSL		S6041XN		S6091	
S263XRSL	187	S3500XJ	126	S4810XRSL	136	S5720XE	125	S6041XR	187	S6091SL	16
S2640	200	S3500XK	126	S4812	137	S5720XESL	126	S6042	191	S6092	16
S2650		S3500XN		S4812SL		S5720XJ		S6042XC		S6092SL	
S2660											
		S3500XR		S4812XC		S5720XJSL		S6042XE		S6093	
S2670		S3501		S4812XCSL		S5720XK		S6042XJ		S6094	
S289		S3540		S4812XE		S5720XKSL		S6042XK		S6095	
S289XC	194	S3600	130	S4812XESL	136	S5720XN	125	S6042XN	186	S6100	14
S289XE		S3600XC		S4812XJ		S5720XNSL		S6042XR		S6100SL	
S289XJ		S3600XE		S4812XJSL		S5720XR		S6045		S6101	
S289XK		S3600XJ		S4812XN		S5720XRSL		S6046		S6101SL	
S289XN		S3600XK		S4812XNSL		S5721		S6049		S6102	
S289XR	194	S3600XN	126	S4812XR	136	S5725	129	S604SL	141	S6102SL	16 ⁻
S291		S3600XR	126	S4812XRSL	136	S5725XC	125	S605	201	S6103	16
S291SL		S3601		S4813		S5725XE		S6050		S6104	
S292		S369		S4813XC		S5725XJ		S6051		S6106	
S292SL		S37		S4813XE	136	S5725XK	125	S6052	175	S6107	
S294	193	S386	185	S4813XJ	136	S5725XN	125	S6054	189	S6108	178
S294SL	177	S387	185	S4813XN	136	S5725XR	125	S6055	188	S6124SL	15
S296		S387SL		S4813XR		S572SL		S6056		S6124XCSL	
		S389				S573SL				S6124XESL	
S296XC				S4814				S605SL			
S296XE		S392		S4814XC		S574		S605XC		S6124XJSL	
S296XJ	205	S393		S4814XE	136	S575		S605XCSL	151	S6124XNSL	15
S296XK	205	S394	185	S4814XJ	136	S577	181	S605XE	200	S6124XRSL	15
S296XN	205	S398	194	S4814XN	136	S579	181	S605XESL	151	S6125SL	15
S296XR		S4070SL	145	S4814XR		S581		S605XJ		S6125XCSL	
S30		S41		S4816		S583SL		S605XJSL		S6125XESL	
S308SL		S416SL		S4816XC	136	S585		S605XN		S6125XJSL	
S308XCSL	151	S42	180	S4816XE	136	S5870SL	144	S605XNSL	151	S6125XNSL	
S308XESL	151	S4200	134	S4816XJ	136	S600	208	S605XR	200	S6125XRSL	15
S308XJSL		S4200SL		S4816XN	136	S6000	175	S605XRSL	151	S6126SL	
S308XKSL		S4200XC		S4816XR		S6000SL		S606		S6126XCSL	
S308XNSL	151	S4200XCSL		S507		S6002		S6061		S6126XESL	
S308XRSL	151	S4200XE		S508		S6002SL	139	S6062		S6126XJSL	
S30XC	187	S4200XESL	133	S529	163	S6006	177	S6062SL	158	S6126XNSL	15°
S30XE		S4200XJ		S5425	167	S6006SL		S6063	156	S6126XRSL	15
S30XJ		S4200XJSL		S5425SL		S6008		S6063STC		S6128SL	
S30XK		S4200XN		S543		S6008SL		S6063XC		S6130SL	
S30XN		S4200XNSL		S545SL		S6009		S6063XE		S6131SL	
S30XR		S4200XR		S549		S6009SL		S6063XJ		S6132SL	
S31		S4200XRSL		S5700		S601		S6063XK		S6134SL	
S310	139	S426	182	S5700SL	130	S6010	161	S6063XN	151	S6135SL	14
S32	191	S43		S5700XC		S6013		S6063XR		S6200	
S3200		S430		S5700XCSL		S6014		S606SL		S6200SL	
S3200SL		S4305XC		S5700XE		S601SL		S606XC		S6200XC	
S3200XC		S4305XE		S5700XESL		S601XC		S606XCSL		S6200XCSL	
S3200XCSL		S4305XJ		S5700XJ		S601XCSL		S606XE		S6200XE	
S3200XE	133	S4305XK	187	S5700XJSL	126	S601XE	201	S606XESL	151	S6200XESL	13
S3200XESL	133	S4305XN	187	S5700XK	125	S601XESL	152	S606XJ	200	S6200XJ	
S3200XJ		S4305XR		S5700XKSL		S601XJ		S606XJSL		S6200XJSL	
S3200XJSL		\$4307		S5700XN		S601XJSL		S606XN		S6200XN	
S3200XN		S4308		S5700XNSL		S601XKSL		S606XNSL		S6200XNSL	
S3200XNSL		S430SL		S5700XR		S601XN		S606XR		S6200XR	
S3200XR	133	S4310	185	S5700XRSL	126	S601XNSL	152	S606XRSL	151	S6200XRSL	13
S3200XRSL		S4311		S5701		S601XR		S607		S6201SL	
S32XC		S4314		S5705		S601XRSL		S6070		S6240	
						S602		S6070SL			
		S4315		S5705XC						S6240SL	
S32XE	186	S4316		S5705XE		S6021		S6071		S626	
S32XE S32XJ		S4320	183	S5705XJ		S6021XC		S6071SL		S6500	
S32XE				CEZOEVI	125	S6021XE	187	S6072	162	S6500SL	14
S32XE S32XJ	186	S4321	191	S5705XK				00012		303003L	
S32XE S32XJ S32XK S32XN	186 186	S4321				S6021XJ			179		201
\$32XE \$32XJ \$32XK \$32XN \$32XR	186 186 186	S4321 S4323	183	S5705XN	125	S6021XJ	187	S6073		S6520	
\$32XE \$32XJ \$32XK \$32XN \$32XR \$3300	186 186 186 129	S4321 S4323 S4324	183 178	S5705XN S5705XR	125 125	S6021XK	187 187	\$6073 \$6074	179	S6520 S6534	197
\$32XE \$32XJ \$32XK \$32XN \$32XR \$3300 \$3300XC	186 186 129 126	\$4321 \$4323 \$4324 \$4325	183 178 177	S5705XN S5705XR S571	125 125 145	S6021XK S6021XN	187 187 187	\$6073 \$6074 \$6075	179 180	\$6520 \$6534 \$6536	197
\$32XE	186 186 129 126	\$4321 \$4323 \$4324 \$4325 \$4326	183 178 177 181	\$5705XN \$5705XR \$571 \$5710	125 125 145 129	\$6021XK \$6021XN \$6021XR	187 187 187 187	\$6073 \$6074 \$6075 \$6076	179 180 180	\$6520 \$6534 \$6536 \$6550	197 184 147
\$32XE\$32XJ\$32XK\$32XN\$32XR\$3300\$3300XC\$	186 186 129 126	\$4321 \$4323 \$4324 \$4325	183 178 177 181	S5705XN S5705XR S571	125 125 145 129	S6021XK S6021XN	187 187 187 187	\$6073 \$6074 \$6075	179 180 180	\$6520 \$6534 \$6536	197 184 147
\$32XE \$32XJ \$32XK \$32XN \$32XR \$3300 \$3300XC \$3300XE	186 186 129 126 126	\$4321 \$4323 \$4324 \$4325 \$4326	183 178 177 181 179	\$5705XN \$5705XR \$571 \$5710		\$6021XK \$6021XN \$6021XR		\$6073 \$6074 \$6075 \$6076	179 180 180 157	\$6520 \$6534 \$6536 \$6550	197 184 147

	S6565SL	184	S807XK	194	S8200	207	S82XNSL	167	S83400XC	126	S84810XN	136
Section												
Sept												
\$18077 174 \$18070 177 \$1817 178 \$28100 120 \$584000 120 \$5840120 120 \$5840120 120 \$585000 127 \$5840120 120 \$585000 127 \$5840120 120 \$585000 127 \$585000 128												
Septiment 174	S6575	174	S808SL	157	S8207SL	. 170	S830XC	. 187	S83400XN	. 126		
Seption	S6576	174	S80XC	167	S821	. 144	S830XE	. 187	S83400XR	. 126	S84812SL	. 137
Separate												
Sept												
Sept												
SEPAIL												
SSENIAL 120 S S01000. 200 S21039F. 131 S8310SL 170 S8500W. 126 S44122W. 135 S8510SL 150 S8												
SSESUAL 126 S 581085EL 156 SET 01 132 SER1 1 199 SESSION 126 SS1612MISEL 156 SERSIAL 126 SERIAL 126												
\$695.ML 126												
\$695, M. 196												
\$665UN. 126 \$1000000. 127 \$2500000. 131 \$831000. 139 \$85000. 130 \$84197. 137 \$850000. 139 \$84197. 138 \$85000. 139 \$84197. 138 \$85000. 139 \$84197. 138 \$85000. 139 \$84197. 138 \$85000. 139 \$84197. 138 \$85000. 139 \$84197. 138 \$85000. 139 \$850000. 129 \$84197. 138 \$850000. 129 \$84197. 138 \$850000. 129 \$84197. 138 \$850000. 129 \$84197. 138 \$850000. 129 \$84197. 138 \$850000. 129 \$84197. 138 \$850000. 129 \$84197. 139 \$8500000. 129 \$84197. 139 \$8500000. 129 \$84197. 139 \$8500000. 129 \$84197. 139 \$8500000. 129 \$84197. 139 \$8500000. 129 \$84197. 139 \$85000000. 129 \$84197. 139 \$85000000. 129 \$84197. 139 \$85000000. 129 \$84197. 139 \$85000000. 129 \$84197. 139 \$85000000. 129 \$84197. 139 \$8500000. 139 \$8500000. 129 \$84197. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$8500000. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$85000000. 139 \$850000000.												
Seislud, 126 S1068HSS, 152 S2100X, 131 S8108HSC, 177 S8500VC, 176 S8419VC, 136 S850XLQ, 136 S100XLQ, 137 S810XLQ, 138 S810												
SeeLing 128 Serior 129 Serior 129 Serior 130 Ser												
SeeBook	S685LXR	126	S81086XNSL	152	S82105XK	. 131			S83600XE	. 126	S84813XE	. 136
\$68590X. 126 \$311 eSS. 177 \$321 005 132 \$331 2000X. 137 \$351 2000X. 138 \$351 2000X. 139 \$351 2000X. 131 \$351 2000X. 138 \$351 2000X. 139 \$351 2000X. 130 \$351 2000X.					S82105XN	. 131	S831203XJ	. 197	S83600XJ	. 126	S84813XJ	. 136
\$689RW. 126 \$8120 208 \$82100FW. 313 \$83120W. 197 \$838001 277 285801 277												
S68590X												
SesSHOW 126 S81225 153 S82100KU 131 S83120KE 198 S837 182 S84140KU 136 S8569KB 126 S81325 186 S82100KU 131 S83120KU 198 S8368 185 S84140KU 136 S8569KB 137 S83140 132 S8310KB 131 S83120KU 198 S8568KB 185 S84140KU 136 S8569KB 137 S83140 132 S8310KB 131 S8313KB 13												
\$68590K												
\$8919. 129												
\$69910. 125 \$814 140 \$82106/R 313 \$83120/R 198 \$8897 185 \$84814/R 136 \$86110. 137 \$86110. 137 \$86110. 137 \$86110. 137 \$86110. 138 \$86110. 137 \$86110. 138 \$86110. 137 \$86110. 138												
Septim 125												
Septimax 125 Self-doff 192 Septimax 131 Septimax 170 Septimax 136 Septimax 136 Septimax 136 Septimax 136 Septimax 137 Septimax 138 Septimax 138 Septimax 138 Septimax 139 Sep												
Septim												
Se91NN 125 S8140FTC 205 S82107FM 131 S83142 197 S8420DK 134 S84816FM 136 S8420DK 135 S84416FM 136 S8420DK 137 S8420DK 137 S84416FM 136 S8420DK 137 S8420DK 138												
Seg16R												
S707 203 S8140X 152 S82107NR 131 S83149 196 S84200NE 133 S84866NL 132 S707 202 S8140XX 152 S82200X 131 S83152 195 S84200XL 133 S84866NL 137 S708 203 S8140XNR 152 S82200XC 131 S83153 196 S8420XNL 133 S84866NCSL 131 S709 173 S8140XNR 152 S8220XNL 131 S83155 196 S8420XNL 133 S8486KCSL 131 S712SNL 191 S8141 198 S8220XNL 131 S83155 196 S8420XNL 133 S8486KCSL 131 S712SNL 191 S8141 198 S8220XNL 131 S83156 196 S8420XNL 133 S8486KCSL 131 S8157 S721 S8141 191 S8220XNL 131 S8316 170 S8420XNN 133 S8486KCSL 131 S8157 S721 S8144 191 S8220XNL 131 S8316 170 S8420XNN 133 S8486KCSL 131 S8157 S8144 S814												
\$707	S6975	200			S82107XN	. 131	S83147	. 196				
\$709 203 \$8140VM 152 \$82200CC 131 \$83154 196 \$84200CK 133 \$84880CCS 131 \$7125SL 191 \$8144 198 \$84200CL 131 \$83154 196 \$84200CKS 133 \$84880CCS 131 \$7125SL 191 \$8144 198 \$82200CK 131 \$83155 196 \$84200MSL 133 \$84880CCS 131 \$727 \$72 22 \$8144 191 \$82200CK 131 \$8315 170 \$84200MSL 133 \$84880CCS 131 \$7555 203 \$8145 191 \$82200CM 131 \$8317 204 \$84200MSL 133 \$84880CCS 131 \$756 202 \$8145 191 \$82200CM 131 \$8317 204 \$84200MSL 133 \$84880CCS 131 \$756 202 \$8145 191 \$82200CM 131 \$8317 204 \$84200MSL 133 \$84880CCS 131 \$756 203 \$8149 192 \$82213 148 \$8319 191 \$84200CS 137 \$84880CCS 131 \$756 \$815 149 \$82225 148 \$8319 191 \$84200CS 167 \$8164 191 \$8420CC \$8223 150 \$8220CC 131 \$8480CC 137 \$84880CCS 131 \$751CS 167 \$8164 194 \$82225 150 \$8320CC 133 \$8430CC 187 \$84880CCS 131 \$751CS 167 \$8164 166 \$8223S 150 \$8320CC 133 \$8430CC 187 \$84880CCS 136 \$751CMSL 167 \$8164 165 \$8223S 150 \$8320CC 133 \$8430CC 187 \$84880CCS 136 \$751CMSL 167 \$8164 197 \$8222C 166 \$8320CC 133 \$8430CC 187 \$84880CCS 136 \$751CMSL 167 \$81646 197 \$822CC 166 \$8320CC 133 \$8430CC 188 \$8489 185 \$751CS 209 \$81651 147 \$822CC 166 \$8320CCC 133 \$8430CC 183 \$8430 185 \$8489CCS 136 \$751CS 147 \$822CC 166 \$8320CCC 133 \$8430CC 183												
\$709												
\$7125\$\text{SL}\$ 191												
\$721 202 \$8144 191 \$822000K 131 \$8316 170 \$84200WR 133 \$8486KESL 136 \$736 202 \$8145E 191 \$82200WR 131 \$8318 191 \$84200WR 133 \$8486KLSL 136 \$745 203 \$8149 182 \$8221SL 149 \$8321 191 \$84000KC 187 \$8486KKSL 136 \$751KSL 171 \$8149L 140 \$8222SL 149 \$832 191 \$84005KC 187 \$48486KKSL 136 \$751KSL 167 \$1616 139 \$8222SL 148 \$8320 191 \$84005K 187 \$48486KKSL 136 \$757KKSL 167 \$8164 204 \$8223SL 148 \$83200 134 \$84005K 137 \$84886KKSL 136 \$757KKSL 167 \$81645 204 \$8223SL 150 \$83200KC 133 \$84005K 147 \$84886KKSL 136												
\$755 203 \$8145S 191 \$82200NN 131 \$8317 204 \$84200NRS 133 \$8486KJS 136 \$745 202 \$8145S 191 \$84200NRS 131 \$8318 191 \$84200NRS 133 \$8488KJS 136 \$745 203 \$8149 182 \$82213S 149 \$832 191 \$84400NS 187 \$84880KS 131 \$8751KSS 140 \$82213S 149 \$832 191 \$84400NS 187 \$84880KNS 136 \$751KSS 167 \$816 139 \$82223S 148 \$8320 191 \$84905XJ 187 \$84880KNS 131 \$8751KSS 167 \$8166 \$139 \$82223S 150 \$83200X 131 \$84905XJ 167 \$84880KNS 131 \$8751KMS 167 \$81646S 165 \$8223SS 150 \$83200XS 133 \$84905XJ 187 \$84880KNS 133 \$84905XJ 180 \$844880KNS 133 \$84905XJ 180												
\$736 202 \$8145SL 191 \$822000R 131 \$8318 191 \$844000C 136 \$848000C 137 \$848800CS 136 \$848000C 137 \$848800CS 136 \$848000C 137 \$848800CS 136 \$848000C 136 \$848000C 137 \$848800CS 136 \$84800CS 136 \$84300CS 136 \$84300CS 136 \$84300CS 136 \$84300CS 136 \$84300CS 137 \$848800CS 136 \$3430CS 136 \$34000CS 136 \$34000CS 136 \$34000CS \$34000CS \$34000CS \$34000CS \$34000CS \$348800CS 134 \$84000CS \$34000CS												
5745 203 S8149 182 S82213 149 S8319 191 S84030XC 187 S84886NXG 131 5751XCSL 167 S815 140 S822233 148 S8320 191 S84030XL 187 S84886NXSL 131 5751XCSL 167 S816 43 139 S822233 148 S83200 194 S84305XL 187 S84886NXSL 131 5751XKSL 167 S81646 204 S82233 150 S83200XCL 133 S84305XW 187 S84866NSL 131 5751XKSL 167 S81646 166 S82233 150 S83200XCSL 133 S84305XW 187 S8486RNSL 131 5751XKSL 167 S81646 166 S8222X 166 S83200XCSL 133 S84309 190 S8498 186 5752 203 S81650 200 S822XL 166 S83200XSL 133 S84310 185 S8498SL												
\$751S.S. 171												
\$F51KESL 167 \$816 140 \$82223												
\$751KISL 167 \$81645												
\$751XISL 167 \$81645 204 \$8223SL 150 \$8320SL 134 \$8430SN 187 \$8496KRSL 131 \$751KKSL 167 \$81646SL 165 \$8223SL 150 \$8320DKC 133 \$8430SN 187 \$84896KRSL 136 \$751KKSL 167 \$81646SL 165 \$8225C 166 \$8320DKC 133 \$8430SR 188 \$8489 186 \$751KRSL 167 \$81646SL 165 \$822EC 166 \$8320DKE 133 \$8430B 188 \$8489 186 \$751KRSL 167 \$81649SL 167 \$81649SL 166 \$832DKE 133 \$8430B 189 \$8489 186 \$751KRSL 167 \$81649SL 167 \$81649SL 166 \$832DDKE 133 \$84310 185 \$8498 185 \$752 203 \$81650 200 \$822E 166 \$832DDKE 133 \$84310 185 \$8498SL 186 \$755 208 \$81651 147 \$822VL 166 \$832DDK 133 \$84312 191 \$8525SL 130 \$757SL 163 \$81651SL 147 \$822VL 166 \$832DDK 133 \$84312 191 \$8525SL 130 \$757SL 163 \$81651SL 147 \$822VL 166 \$832DDK 133 \$84312 191 \$8525SL 130 \$757SL 163 \$81652SL 147 \$822VL 166 \$832DDK 133 \$84312 191 \$8525SL 130 \$757SL 163 \$81652SL 147 \$822VL 166 \$832DDK 133 \$84314 175 \$8522SL 126 \$771 172 \$81652SL 147 \$822VL 166 \$832DDK 133 \$84314 175 \$8522SL 126 \$771 172 \$81652SL 147 \$822XL 149 \$832DDK 133 \$84315 192 \$8522SL 126 \$771 173 \$81654 144 \$82385 149 \$832DDK 133 \$84316 192 \$8522SL 126 \$774 173 \$81654 144 \$82385 149 \$832DDK 133 \$84316 192 \$8522SL 126 \$774 173 \$81654 144 \$82385 150 \$8321KL 186 \$8439 197 \$8522SL 126 \$8000 130 \$817 141 \$8228B 148 \$832DK 13 199 \$84318 190 \$8522SDK 126 \$8000 130 \$817 141 \$8228B 148 \$8321KL 186 \$8432 191 \$84318 190 \$8522SDK 126 \$8000 12 128 \$818 158 \$8162B 157 \$82600 126 \$8321KL 186 \$8432 191 \$8522SK 125 \$8000-18 128 \$818 158 \$8260 L 125 \$82610KL 201 \$8321KL 186 \$8432 191 \$8522SK 125 \$80000 130 \$817 1 \$818 18 18 \$822BK 125 \$82610KL 201 \$8321KL 186 \$8432 191 \$8522SK 125 \$80000 137 \$818KL 152 \$82610KL 201 \$8321KL 186 \$8432 191 \$8522SK 125 \$80000KL 137 \$818KL 152 \$82610KL 201 \$8321KL 186 \$8432 191 \$8522SK 125 \$80000KL 137 \$818KL 152 \$82610KL 201 \$8322 190 \$84325 177 \$8522KK 126 \$8000KL 131 \$818XH 152 \$82610KL 201 \$8322 190 \$84325 177 \$8522KK 126 \$8000KL 131 \$818XH 152 \$82610KL 201 \$8322 190 \$84325 115 \$8522KK 126 \$8000KL 131 \$8183P 175 \$822BK 136 \$9832W 136 \$8322W 136 \$												
\$751MSL 167 \$81646SL 165 \$82250 132 \$83200KSL 133 \$84308 188 \$8489 185 \$751XRSL 167 \$81649 197 \$822KC 166 \$83200KE 133 \$84309 190 \$8498 185 \$752 203 \$81650 200 \$822KE 166 \$83200KE 133 \$84310 184 \$8608 200 \$7575KL 163 \$81651 147 \$822KL 166 \$83200KL 133 \$84311 184 \$8608 200 \$7575KL 163 \$81651 147 \$822KL 166 \$83200KL 133 \$84311 184 \$8608 200 \$7575KL 163 \$81651 147 \$822KL 166 \$83200KL 133 \$84311 194 \$8505 200 \$7575KL 163 \$81651 147 \$822KL 166 \$83200KL 133 \$84312 191 \$85225KL 130 \$7585KL 160 \$81652 147 \$822KL 166 \$83200KR 133 \$84312 191 \$85225KL 130 \$7585KL 160 \$81652 147 \$822KL 166 \$83200KR 133 \$84314 175 \$85225KL 126 \$770 174 \$81652KL 147 \$822KL 149 \$83200KR 133 \$84314 175 \$85225KL 126 \$771 172 \$816552 147 \$822KL 149 \$83200KR 133 \$84316 192 \$85225KKL 126 \$774 173 \$81654 184 \$82385 150 \$8321KL 186 \$84315 192 \$85225KKL 126 \$774 173 \$81654 184 \$82385 150 \$8321KL 186 \$84319 176 \$85225KKL 126 \$774 173 \$81654 184 \$82385 150 \$8321KL 186 \$84319 176 \$85225KKL 126 \$8000 130 \$817 141 \$82389 148 \$8321KL 186 \$84319 176 \$85225KKL 126 \$8000 130 \$817 141 \$82389 148 \$8321KL 186 \$84321 191 \$85225KKL 125 \$8000-18 128 \$818 58 \$82385 150 \$8321KL 186 \$84321 191 \$85225KKL 125 \$8000-18 128 \$818 58 \$82385 150 \$8321KL 186 \$84321 191 \$85225KKL 125 \$8000-18 128 \$818 58 \$8525KKL 125 \$8000-18 128 \$818 58 \$8525KKL 125 \$8000-18 128 \$818 58 \$8525KKL 125 \$8000-18 128 \$818KL 152 \$82610KL 201 \$8321KL 186 \$84321 191 \$85225KKSL 125 \$8000KKL 137 \$818KL 152 \$82610KL 201 \$8321KL 186 \$84321 191 \$85225KKSL 125 \$8000KKL 137 \$818KL 152 \$82610KL 201 \$8321KL 186 \$84322 118 \$85225KKSL 125 \$8000KKL 137 \$818KL 152 \$82610KL 201 \$8321KL 186 \$84322 118 \$85225KKSL 125 \$8000KKSL 131 \$818KL 152 \$82610KL 201 \$8321KL 186 \$84322 118 \$85225KKSL 125 \$8000KSL 136 \$818KR 152 \$82610KL 201 \$8322 190 \$84325 117 \$85225KKSL 125 \$8000KSL 131 \$818KL 152 \$82610KL 201 \$8324 190 \$84325 117 \$85225KKSL 126 \$8000KSL 131 \$818KL 152 \$82610KL 201 \$8324 190 \$84325 117 \$85225KSL 126 \$8000KSL 131 \$818KL 152 \$82610KL 201 \$8324 190 \$84325 118 \$83227KSL 126 \$8000KSL 131 \$81929PK 187 \$8226KSL 157 \$			S81645	204	S82233	. 150			S84305XN	. 187	S84886XRSL	. 131
\$7571KRS\	S751XKSL	167	S81646	165	S82233SL	. 150	S83200XC	. 133	S84305XR	. 187	S84886XRSL	. 136
S752 203 S81650 200 S822KL 166 S83200KSL 133 S84310 185 S8498SL 186 S755 208 S81651 147 S822XL 166 S83200XLS 133 S84312 191 S8525KSL 130 S778L 163 S81651SL 147 S822XN 166 S83200XNSL 133 S84312 191 S8525KSL 126 S770 774 S81652 147 S822XN 166 S83200XNSL 133 S84314 175 S85225KSL 126 S771 772 S81653 184 S82382SL 149 S8200XRSL 133 S84316 192 S85225XKSL 126 S774 173 S81654SL 184 S82382SL 149 S8200XRSL 133 S84316 182 S85225XKSL 126 S774 173 S81656 184 S8238SL 150 S821 191 S84318 190 S85225XKSL 126 <td></td>												
\$755. 208 \$81651 147 \$822XL 166 \$83200XL 133 \$84311 184 \$8508 200 \$75751 163 \$81651SL 147 \$822XK 166 \$83200XL 133 \$84312 191 \$85225SL 130 \$7585L 160 \$81652 147 \$822XK 166 \$83200XN 133 \$84313 190 \$85225XCSL 126 \$770 174 \$81655L 147 \$822XK 166 \$83200XN 133 \$84314 175 \$85225XCSL 126 \$770 174 \$81655L 147 \$822XK 166 \$83200XNSL 133 \$84314 175 \$85225XCSL 126 \$773 172 \$81653 184 \$82385 149 \$83200XR 133 \$84314 175 \$85225XCSL 126 \$773 173 \$81654 184 \$82385 149 \$83200XR 133 \$84316 182 \$85225XKSL 126 \$773 173 \$81654 184 \$82385L 149 \$83200XRSL 133 \$84316 182 \$85225XKSL 126 \$774 173 \$81656 184 \$82385L 149 \$83200XRSL 133 \$84316 182 \$85225XKSL 126 \$80 171 \$81656 184 \$82385L 150 \$8321 L 191 \$84318 190 \$85225XKSL 126 \$80 171 \$81656 184 \$82385L 150 \$8321 L 191 \$84318 190 \$85225XKSL 126 \$800 171 \$81656 184 \$82385L 150 \$8321 X 166 \$84319 176 \$85225XKSL 126 \$800 171 \$81656 184 \$82385L 148 \$82385L 148 \$8321XL 186 \$84320 183 \$85225XKSL 126 \$8000 130 \$817 1 141 \$82388 148 \$8321XL 186 \$84320 183 \$85225XKSL 126 \$8000 12 \$8818 158 \$83288 1 148 \$8321XL 186 \$84322 181 \$85285XL 125 \$8000 18 28 \$81828 157 \$82600 126 \$8321 XL 186 \$84321 191 \$85226XCSL 125 \$8000 18 128 \$81828 157 \$82600 126 \$8321 XL 186 \$84322 181 \$85226XKSL 125 \$8000 18 28 \$81828 157 \$82600 126 \$8321 XL 186 \$84322 181 \$85226XKSL 125 \$80005L 132 \$818XL 152 \$82610X 201 \$8321 XL 186 \$84324 178 \$85226XKSL 125 \$8000XC 126 \$818XK 152 \$82610X 201 \$8322 M 196 \$84324 178 \$85226XKSL 125 \$8000XC 126 \$818XK 152 \$82610X 201 \$8325 190 \$84324 177 \$85225XKSL 126 \$8000XC 136 \$818XR 152 \$82610X 201 \$8324 M 190 \$84326 181 \$8522XKSL 126 \$8000XC 136 \$818XR 152 \$82610X 201 \$8324 M 196 \$84327 179 \$85227KSL 126 \$8000XCSL 131 \$818XM 152 \$82610X 201 \$8325 190 \$84329 180 \$84327 179 \$85227KSL 126 \$8000XCSL 131 \$818XM 152 \$82610X 201 \$8325 190 \$84329 180 \$84327 190 \$84320 180 \$85227XKSL 126 \$8000XKSL 131 \$818XM 152 \$82610X 201 \$8324 M 190 \$84326 181 \$85222XKSL 126 \$8000XKSL 131 \$8183M 131 \$81929PK 187 \$82650 199 \$8327K 186 \$84527SL 166 \$85227XKSL 126 \$8000XKSL 131 \$81929PK 187 \$82650 199 \$8327K 186 \$84527												
\$757\$ 163 \$81651\$ 147 \$822XK 166 \$83200XIS\$ 133 \$84312 191 \$8522SS\$ 130 \$758SL 160 \$81652\$ 147 \$822XR 166 \$83200XIS\$ 133 \$84314 175 \$8522SXIS\$ 126 \$770 174 \$81652\$L 147 \$822XR 166 \$83200XIS\$ 133 \$84314 175 \$8522SXIS\$ 126 \$771 177 \$816552\$ 148 \$8228ZR 169 \$8320XIS\$ 133 \$84316 175 \$8522SXIS\$ 126 \$771 177 \$81654\$ 184 \$82382SL 149 \$83200XIS\$ 133 \$84316 182 \$8522SXIS\$ 126 \$774 173 \$81654\$ 184 \$82382SL 149 \$83200XIS\$ 133 \$84316 182 \$8522SXIS\$ 126 \$774 173 \$816564\$ 184 \$82382SL 150 \$8321X\$ 191 \$84318 190 \$8522SXIS\$ 126 \$800 171 \$816564\$ 184 \$82385\$ 150 \$8321X\$ 186 \$84319 176 \$8522SXIS\$ 126 \$8000 130 \$817 141 \$82389\$ 148 \$8321XE 186 \$84319 176 \$8522SXIS\$ 126 \$8000 130 \$817 141 \$82389\$ 148 \$8321XE 186 \$84320 183 \$8522SXIS\$ 126 \$8000 12 128 \$8188 158 \$8238SSL 148 \$8321XL 186 \$84321 191 \$8622ESXIS\$ 125 \$8000 18 128 \$81828 157 \$82600 126 \$8321XK 186 \$84321 191 \$8622EXXIS\$ 125 \$8000 12 9 \$818XC 152 \$82610X 201 \$8321XK 186 \$84322 186 \$8522EXXIS\$ 125 \$8000SL 137 \$81850 152 \$82610X 201 \$8321XK 186 \$84321 183 \$8522EXXIS\$ 125 \$8000SL 137 \$818XL 152 \$82610X 201 \$8321XR 186 \$84324 178 \$8522EXXIS\$ 125 \$8000SL 137 \$818XL 152 \$82610X 201 \$8321XR 186 \$84324 178 \$8522EXXIS\$ 125 \$8000SL 137 \$818XL 152 \$82610XL 201 \$8321XR 186 \$84324 178 \$8522EXXIS\$ 125 \$8000XIS\$ 131 \$818XM 152 \$82610XL 201 \$8321XR 186 \$84324 178 \$8522EXXIS\$ 125 \$8000XIS\$ 131 \$818XM 152 \$82610XL 201 \$8321 190 \$84325 177 \$8522EXXIS\$ 125 \$8000XIS\$ 136 \$818XR 152 \$82610XL 201 \$8325 190 \$84325 177 \$8522EXXIS\$ 125 \$8000XIS\$ 136 \$818XPP 187 \$82620 200 \$8326 190 \$84325 177 \$8522EXXIS\$ 126 \$8000XIS\$ 136 \$818XPP 187 \$82630 199 \$8327 190 \$84325 165 \$85227XIS\$ 126 \$8000XIS\$ 131 \$8192PPX 187 \$82630 199 \$8327 190 \$84325 165 \$85227XIS\$ 126 \$8000XIS\$ 131 \$8192PPX 187 \$82630 199 \$832X 188 \$84525 165 \$85227XIS\$ 126 \$8000XIS\$ 131 \$8192PPX 187 \$82650 199 \$832X 188 \$84525 165 \$85227XIS\$ 126 \$8000XIS\$ 131 \$8192PPX 187 \$82650 199 \$832X 188 \$84525 165 \$85227XIS\$ 126 \$8000XIS\$ 131 \$8192PPX 187 \$82650 199 \$832X 188 \$8300X 126 \$8340X 126 \$832												
S75SSL 160 S81662 147 S822XN 166 S8200XN 133 S84131 190 S822SXCSL 126 S770 174 S81653 184 S8228R 166 S8320XNSL 133 S84151 172 S8252SXLSL 126 S771 172 S81653 184 S8238SL 149 S8320XRSL 133 S84315 192 S8522SXLSL 126 S773 173 S81654 184 S8238SL 150 S8321NC 138 584318 190 S8522SXKSL 126 S80 171 S816566 184 S8238SL 150 S8321NC 186 S84319 176 S8522SXKSL 126 S8000 130 S818 158 S8338SL 148 S8321XL 186 S84329 183 S85226KLSL 125 S8000-9 129 S818XC 152 S82610 201 S8321XL 186 S84322 186 S85226KLSL 125												
5770 174 S81652S 147 S822ZR 166 S820XNSL 133 S84314 175 S852ZSKESL 126 5771 172 S81653 184 S82382 149 S8320XNR 133 S84316 182 S852ZSKISL 126 5774 173 S81654S 184 S82385 150 S821 191 S84318 190 S852ZSKISL 126 5774 173 S81654S 184 S8238S 150 S821 191 S84318 190 S852ZSKISL 126 5800 130 S817 141 S82389 148 S8321KE 186 S84320 183 S852ZSKISL 126 58000-18 128 S81828 157 S82600 126 S8321KK 186 S84322 186 S852ZSKISL 125 58000-18 128 S81828 157 S82600 126 S8321KK 186 S84322 186 S852ZSKISL 125 <												
5771 172 S81653 184 S82382 149 S83200XR 133 S84315 192 S8525XJSL 126 5773 173 S81654SL 184 S82382SL 149 S83200XRSL 133 S84316 182 S8525XJSL 126 5774 173 S81654SL 184 S8238SL 150 S821VL 186 S84319 176 S85225XJSL 126 580 171 S816565 184 S8238SL 150 S821VL 186 S84319 176 S85225XJSL 126 58000 130 S817 141 S8238SL 148 S8321VL 186 S84321 191 S85225XJSL 126 58000-12 128 S8182 157 S82600 126 S821XJL 186 S84321 191 S85226XJSL 125 58000-12 128 S818XL 152 S82610X 126 S821XJL 186 S84322 186 S84322 186 <td></td>												
\$773	\$771	179					S83200XN3L	133			S85225XLSL	126
\$874 173												
\$80												
88000 130 S817 141 S82389 148 S8321KE 186 S84320 183 S85226SS 129 88000-12 128 S818 158 S82389SL 148 S8321KK 186 S84321 191 S8526KCSL 125 58000-18 128 S81828 157 S82600 126 S8321KK 186 S84322 186 S85226KSL 125 58000-9 129 S818XC 152 S82610VC 201 S8321KN 186 S84323 183 S85226KUSL 125 58000SL 137 S818XL 152 S82610VC 201 S8321KN 186 S84324 178 S85226KUSL 125 58000XC 126 S818XK 152 S82610VR 201 S8322 190 S84326 181 S85226KUSL 125 58000XCSL 136 S818XK 152 S82610VR 201 S8324 190 S84327 179 S82627KSL <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>												
88000-18 128 S81828 157 \$82600 126 \$8321XK 186 \$84322 186 \$85226KSSL 125 88000-9 129 \$818XC 152 \$82610 201 \$8321XN 186 \$84323 183 \$85226XISL 125 \$8000SL 132 \$818XL 152 \$82610XC 201 \$8321XN 186 \$84324 178 \$85226KISL 125 \$8000XL 137 \$818XL 152 \$82610XE 201 \$8322 190 \$84325 177 \$85226KISL 125 \$8000XCSL 131 \$818XK 152 \$82610XL 201 \$8322 190 \$84326 181 \$85226KISL 125 \$8000XESL 136 \$818XR 152 \$82610XR 201 \$8325 191 \$84326 181 \$85227XCSL 126 \$8000XESL 136 \$818XR 152 \$82610XR 201 \$8325 191 \$84329 180 \$85227XCSL			S817	141								
88000-9 129 S818KC 152 S82610 201 S8321KN 186 S84323 183 S85226KJSL 125 58000SL 137 S818KZ 152 S82610XC 201 S8321KR 186 S84324 178 S85226KNSL 125 58000KC 126 S818KK 152 S82610XL 201 S8322 190 S84325 177 S85226KNSL 125 58000XCSL 136 S818XK 152 S82610XN 201 S8323 190 S84326 181 S85226KNSL 125 58000XCSL 136 S818XR 152 S82610XN 201 S8324 190 S84327 179 S85227XCSL 130 58000XESL 136 S818XR 152 S82610XR 201 S8325 191 S84328 177 S85227XKSL 126 58000XESL 136 S81929PX 187 S82630 199 S8327 190 S84329 180 S85227XKSL			S818	158					S84321	. 191	S85226XCSL	. 125
S8000SL 132 S818XE 152 S82610XC 201 S8321XR 186 S84324 178 S85226XKSL 125 S8000XC 126 S818XK 152 S82610XL 201 S8322 190 S84325 177 S85226XKSL 125 S8000XCSL 131 S818XK 152 S82610XL 201 S8323 190 S84326 181 S85226KNSL 125 S8000XCSL 131 S818XN 152 S82610XN 201 S8325 191 S84328 177 S85227KSL 126 S8000XE 136 S8182PR 152 S82610XR 201 S8325 191 S84328 177 S85227KSL 126 S8000XE 126 S81929PX 187 S82630 199 S8327 190 S84330 180 S85227XKSL 126 S8000XESL 131 S81929PXL 187 S82640 200 S8328 190 S84521 165 S85227XKSL												
S8000SL 137 S818XJ 152 S82610XE 201 S8322 190 S84325 177 S85226XNSL 125 S8000XCS 126 S818XK 152 S82610XJ 201 S8323 190 S84326 181 S852256XNSL 125 S8000XCSL 131 S818XR 152 S82610XR 201 S8324 190 S84327 179 S85227KSL 130 S8000XESL 136 S818XR 152 S82610XR 201 S8325 191 S84328 177 S85227XCSL 126 S8000XESL 136 S8192PPX 192 S82620 200 S8327 190 S84329 180 S85227XJSL 126 S8000XESL 131 S8192PPXE 187 S82630 199 S832Y 190 S84329 180 S85227XJSL 126 S8000XLSL 131 S8192PPXL 187 S82640 200 S8328 190 S84521SL 165 S85227XJSL<												
88000XC 126 \$818XK 152 \$82610XJ 201 \$8323 190 \$84326 181 \$8522EXRSL 125 \$8000XCSL 131 \$818XN 152 \$82610XN 201 \$8324 190 \$84327 179 \$8522TXCSL 136 \$8000XESL 136 \$818XR 152 \$82610XN 201 \$8325 191 \$84328 177 \$8522TXCSL 126 \$8000XE 126 \$81929P 192 \$82620 200 \$8326 190 \$84329 180 \$8522TXLSL 126 \$8000XE 136 \$81929PXC 187 \$82630 199 \$8327 190 \$84329 180 \$8522TXKSL 126 \$8000XE 136 \$81929PXL 187 \$82660 199 \$832YC 186 \$84521SL 165 \$8522TXKSL 126 \$8000XLSL 131 \$81929PXN 187 \$82660 199 \$832YL 186 \$84525SL 165 \$85222TXRSL<												
58000XCSL 131 \$818XN 152 \$82610XN 201 \$8324 190 \$84327 179 \$85227SL 130 \$8000XCSL 136 \$818XR 152 \$82610XR 201 \$8325 191 \$84328 177 \$85227XCSL 126 \$8000XE 126 \$81929PXC 187 \$82630 199 \$8327 190 \$84329 180 \$85227XKSL 126 \$8000XESL 131 \$81929PXC 187 \$82640 200 \$8328 190 \$84321 165 \$85227XKSL 126 \$8000XJ 126 \$81929PXL 187 \$82650 199 \$832XC 186 \$84521 165 \$85227XKSL 126 \$8000XJSL 131 \$81929PXM 187 \$82660 199 \$832XC 186 \$84525 165 \$85227XNSL 126 \$8000XJSL 136 \$81929PXM 187 \$82670 199 \$832XL 186 \$84525 165 \$852228XCS												
S8000XCSL 136 S818XR 152 S82610XR 201 S8325 191 S84328 177 S85227XCSL 126 S8000XESL 126 S81929P 192 S82620 200 S8326 190 S84329 180 S85227XCSL 126 S8000XESL 131 S81929PXC 187 S82630 199 S8327 190 S84330 180 S85227XJSL 126 S8000XLSL 136 S81929PXL 187 S82640 200 S8328 190 S84521 165 S85227XNSL 126 S8000XJ 126 S81929PXL 187 S82660 199 S832XC 186 S84521SL 165 S85227XNSL 126 S8000XJSL 131 S81929PXN 187 S82660 199 S832XL 186 S84527SL 165 S85227XRSL 126 S8000XKSL 136 S81929PXN 187 S82670 199 S832XK 186 S84527SL 166 S												
S8000XE 126 S81929P 192 S82620 200 S8326 190 S84329 180 S8527XESL 126 S8000XESL 131 S81929PXC 187 S82630 199 S8327 190 S84330 180 S85227XISL 126 S8000XLS 136 S81929PXE 187 S82640 200 S8328 190 S84521 165 S85227XISL 126 S8000XJS 126 S81929PXL 187 S82650 199 S832XC 186 S84521SL 165 S85227XISL 126 S8000XJSL 131 S81929PXK 187 S82660 199 S832XL 186 S84525SL 165 S85227XISL 126 S8000XJSL 136 S81929PXR 187 S82660 199 S832XL 186 S84525SL 165 S85227XISL 126 S8000XKSL 136 S81929PXR 187 S82670 199 S832XL 186 S84527SL 165												
S8000XESL 131 S81929PXC 187 S82630 199 S8327 190 S84330 180 S85227XJSL 126 S8000XESL 136 S81929PXE 187 S82640 200 S8328 190 S84521 165 S85227XJSL 126 S8000XJ 126 S81929PXJ 187 S82650 199 S832XC 186 S84521SL 165 S85227XRSL 126 S8000XJSL 131 S81929PXK 187 S82660 199 S832XL 186 S84525SL 165 S85227XRSL 126 S8000XJSL 136 S81929PXR 187 S82670 199 S832XL 186 S84525SL 165 S85228XSL 126 S8000XK 126 S81929PXR 187 S828 157 S832XK 186 S84527SL 166 S85228XCSL 126 S8000XKSL 131 S81938P 175 S829L 153 S832XN 186 S84527SL 166												
S8000XESL 136 S81929PXE 187 S82640 200 S8328 190 S84521 165 S85227XKSL 126 S8000XJ 126 S81929PXJ 187 S82650 199 S832XC 186 S84521SL 165 S85227XKSL 126 S8000XJSL 131 S81929PXK 187 S82660 199 S832XL 186 S84525 165 S85227XRSL 126 S8000XJSL 136 S81929PXN 187 S82670 199 S832XJ 186 S84525SL 165 S85228XCSL 130 S8000XKS 126 S81929PXR 187 S826 157 S832XK 186 S84527SL 166 S85228XCSL 130 S8000XKSL 131 S81933P 175 S829 153 S832XN 186 S84527SL 166 S85228XCSL 126 S8000XKSL 131 S81936P 176 S829SL 153 S832XR 186 S84527SL 166												
S8000XJ 126 S81929PXJ 187 S82650 199 S832XC 186 S84521SL 165 S85227XNSL 126 S8000XJSL 131 S81929PXK 187 S82660 199 S832XE 186 S84525 165 S85227XNSL 126 S8000XJSL 136 S81929PXN 187 S82670 199 S832XJ 186 S84525SL 165 S85228L 130 S8000XK 126 S81929PXR 187 S828 157 S832XK 186 S84527SL 166 S85228XCSL 126 S8000XKSL 131 S81933P 175 S829 153 S832XN 186 S84527SL 166 S85228XCSL 126 S8000XKSL 136 S81935P 176 S829SL 153 S832XR 186 S84527SL 166 S85228XSSL 126 S8000XNSL 131 S81935P 176 S829SL 153 S832XR 186 S84586SL 140 S85												
S8000XJSL 131 S81929PXK 187 S82660 199 S832XE 186 S84525 165 S85227KRSL 126 S8000XJSL 136 S81929PXN 187 S82670 199 S832XJ 186 S84525SL 165 S85228SL 130 S8000XK 126 S81929PXR 187 S828 157 S832XK 186 S84527SL 166 S85228XCSL 126 S8000XKSL 131 S81933P 175 S829 153 S832XN 186 S84527SL 166 S85228XCSL 126 S8000XKSL 136 S81935P 176 S829SL 153 S832XR 186 S84586SL 140 S85228XJSL 126 S8000XNSL 136 S81936P 176 S829SL 170 S833 177 S8467 185 S85228XJSL 126 S8000XNSL 131 S81937P 177 S82XC 166 S83300X 129 S84800 208 S85228XKS												
S8000XK 126 S81929PXR 187 S828 157 S832XK 186 S84527 166 S85228XCSL 126 S8000XKSL 131 S81933P 175 S829 153 S832XN 186 S84527SL 166 S85228XSSL 126 S8000XKSL 136 S81935P 176 S829SL 153 S832XR 186 S84527SL 166 S85228XSSL 126 S8000XNSL 136 S81936P 176 S82SL 170 S833 177 S8467 185 S85228XKSL 126 S8000XNSL 131 S81937P 177 S82XC 166 S83300 129 S84800 208 S85228XKSL 126 S800XNSL 136 S81938P 179 S82XCSL 167 S83300XC 126 S84810 137 S85228XRSL 126 S800XRS 126 S81939P 178 S82XE 166 S83300XE 126 S84810SL 137 S85229XSSL <td>S8000XJSL</td> <td>. 131</td> <td>S81929PXK</td> <td>187</td> <td>S82660</td> <td>. 199</td> <td>S832XE</td> <td>. 186</td> <td>S84525</td> <td>. 165</td> <td></td> <td></td>	S8000XJSL	. 131	S81929PXK	187	S82660	. 199	S832XE	. 186	S84525	. 165		
S8000XKSL 131 S81933P 175 S829 153 S832XN 186 S84527SL 166 S85228XESL 126 S8000XKSL 136 S81935P 176 S829SL 153 S832XR 186 S84586SL 140 S85228XJSL 126 S8000XN 126 S81936P 176 S82SL 170 S833 177 S8467 185 S85228XISL 126 S8000XNSL 131 S81937P 177 S82XC 166 S83300 129 S84800 208 S85228XNSL 126 S8000XNSL 136 S81938P 179 S82XCSL 167 S83300XC 126 S84810 208 S85228XNSL 126 S8000XR 126 S81939P 178 S82XE 166 S83300XE 126 S84810SL 137 S85229XSL 130 S8000XRSL 131 S8194PP 179 S82XESL 167 S83300XJ 126 S84810XC 136 S85229XCS												
S8000XKSL 136 \$81935P 176 \$829SL 153 \$832XR 186 \$84586SL 140 \$85228XJSL 126 \$8000XN 126 \$81936P 176 \$82SL 170 \$833 177 \$8467 185 \$85228XJSL 126 \$8000XNSL 131 \$81937P 177 \$82XC 166 \$83300 129 \$84800 208 \$85228XNSL 126 \$8000XNSL 136 \$81938P 179 \$82XCSL 167 \$83300XC 126 \$84810 137 \$85228XRSL 126 \$8000XR 126 \$81939P 178 \$82XCSL 166 \$83300XE 126 \$84810SL 137 \$85228XRSL 126 \$8000XRSL 131 \$81940P 179 \$82XESL 167 \$83300XJ 126 \$84810XC 136 \$85229XCSL 126 \$8000XRSL 136 \$81941P 180 \$82XJ 166 \$83300XK 126 \$84810XC 136 \$85												
S8000XN 126 S81936P 176 S82SL 170 S833 177 S8467 185 S85228XKSL 126 S8000XNSL 131 S81937P 177 S82C 166 S83300 129 S84800 208 S85228XKSL 126 S8000XNSL 136 S81938P 179 S82XCSL 167 S8300XC 126 S84810 137 S85228XRSL 126 S8000XR 126 S81939P 178 S82XE 166 S83300XE 126 S84810SL 137 S85229XCSL 130 S8000XRSL 131 S81940P 179 S82XESL 167 S83300XJ 126 S84810XC 136 S85229XCSL 126 S8000XRSL 136 S81941P 180 S82XJ 166 S83300XK 126 S84810XC 136 S85229XCSL 126 S807 194 S81942P 182 S82XJSL 167 S83300XR 126 S84810XE 136 S85229XJS												
S8000XNSL 131 S81937P 177 S82XC 166 S83300 129 S84800 208 S85228XNSL 126 S8000XNSL 136 S81938P 179 S82XCSL 167 S83300XC 126 S84810 137 S85228XRSL 126 S8000XRSL 126 S81939P 178 S82XE 166 S83300XE 126 S84810SL 137 S85229SL 130 S800XRSL 131 S81940P 179 S82XESL 167 S83300XJ 126 S84810XC 136 S85229XCSL 126 S800XRSL 136 S81941P 180 S82XJ 166 S83300XK 126 S84810XCSL 136 S85229XESL 126 S807 194 S81942P 182 S82XJSL 167 S83300XN 126 S84810XCSL 136 S85229XISL 126 S807XC 194 S81983 180 S82XIS 166 S83300XR 126 S84810XESL 136 <												
S8000XNSL 136 S81938P 179 S82XCSL 167 S83300XC 126 S84810 137 S85228XRSL 126 S8000XR 126 S81939P 178 S82XE 166 S83300XE 126 S84810SL 137 S85229SL 130 S800XRSL 131 S81940P 179 S82XESL 167 S83300XJ 126 S84810XC 136 S85229XCSL 126 S800XRSL 136 S81941P 180 S82XJ 166 S83300XK 126 S84810XCSL 136 S85229XESL 126 S807 194 S81942P 182 S82XJSL 167 S83300XN 126 S84810XCSL 136 S85229XISL 126 S807XC 194 S81942P 182 S82XJSL 166 S83300XR 126 S84810XESL 136 S85229XISL 126 S807XE 194 S81983 180 S82XK 166 S83300XR 126 S84810XESL 136												
S8000XR 126 S81939P 178 S82XE 166 S83300XE 126 S84810SL 137 S85229SL 130 S8000XRSL 131 S81940P 179 S82XESL 167 S83300XJ 126 S84810XC 136 S85229XCSL 126 S800XRSL 136 S81941P 180 S82XJ 166 S83300XK 126 S84810XCSL 136 S85229XESL 126 S807 194 S81942P 182 S82XJSL 167 S83300XR 126 S84810XE 136 S85229XJSL 126 S807XC 194 S81983 180 S82XK 166 S83300XR 126 S84810XESL 136 S85229XJSL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XJ 136 S85229XNSL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XJ 136 S85229XNSL<												
S8000XRSL 131 S81940P 179 S82XESL 167 S83300XJ 126 S84810XC 136 S85229XCSL 126 S8000XRSL 136 S81941P 180 S82XJ 166 S83300XK 126 S84810XCSL 136 S85229XCSL 126 S807 194 S81942P 182 S82XJSL 167 S8300XN 126 S84810XE 136 S85229XJSL 126 S807XC 194 S81983 180 S82XK 166 S83300XR 126 S84810XE 136 S85229XJSL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XL 136 S85229XISL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XJ 136 S85229XISL 126												
S8000XRSL 136 S81941P 180 S82XJ 166 S83300XK 126 S84810XCSL 136 S85229XESL 126 S807 194 S81942P 182 S82XJSL 167 S83300XN 126 S84810XE 136 S85229XJSL 126 S807XC 194 S81983 180 S82XK 166 S83300XR 126 S84810XESL 136 S85229XKSL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XJ 136 S85229XNSL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XJ 136 S85229XNSL 126												
S807 194 S81942P 182 S82XJSL 167 S83300XN 126 S84810XE 136 S85229XJSL 126 S807XC 194 S81983 180 S82XK 166 S83300XR 126 S84810XESL 136 S85229XKSL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XJ 136 S85229XNSL 126												
S807XC 194 S81983 180 S82XK 166 S83300XR 126 S84810XESL 136 S8529XKSL 126 S807XE 194 S82 169 S82XKSL 167 S83301 207 S84810XJ 136 S85229XNSL 126												
\$807XE												
\$807XJ												
	S807XJ	194	S820	145								

Fiber-Classic. & Smooth-Star. continued

S85230SL		S85901		S8607XC		S880
S8529		S85902		S8607XE		S880
S8545SL		S85902SL		S8607XJ		S881
S85700		\$85905		S8607XN		S881
S85700SL		S85907		S8607XR		S881
S85700XC S85700XCSL		\$85908 \$85909		S8608 S8608XC		S881 S881
S85700XE		S85910SL		S8608XE		S881
S85700XESL		S85910XCSL		S8608XJ		S881
S85700XJ		S85910XESL		S8608XN		S881
S85700XJSL		S85910XJSL		S8608XR		S881
S85700XK		S85910XKSL		S8609		S881
S85700XKSL		S85910XNSL		S86107		S881
S85700XN		S85910XRSL		S86200		S881
S85700XNSL		S85912SL		S86200SL		S881
S85700XR		S85914SL		S86200XC		S881
S85700XRSL	207	S85915SL	177	S86200XCSL	133	S882
S85701		S85916SL	178	S86200XE	133	S887
S85705		S85917SL	179	S86200XESL	133	S887
S85705XC	125	S85918SL	178	S86200XJ		S888
S85705XE		S85920SL		S86200XJSL		S888
S85705XJ		S85922SL		S86200XN		S891
S85705XK		S85924SL		S86200XNSL		S891
S85705XN		S85925SL		S86200XR		S892
S85705XR		S85926SL		S86200XRSL		S892
S8571		S85927SL		S86201SL		S892
S85710		S85928SL		S86240		S892
S85710SL		S85930SL		S86240SL		S892 S892
\$85710XC		S85931SL		S86500 S86500SL		S892
S85710XCSL S85710XE		S85932SL S85934SL		\$86520		S892
S85710XESL		\$8600		S86533		S893
S85710XJ		\$8600XC		S86536		S894
S85710XJSL		S8600XE		S86550		S894
S85710XK		S8600XJ		S86550SL		S895
S85710XKSL		S8600XN		S86560		S895
S85710XN		S8600XR		S86560SL		S896
S85710XNSL		S8601		S86565		S896
S85710XR		S8601SL		S86570		S896
S85710XRSL	207	S8601XCSL	152	S86580	164	S896
S85715		S8601XESL	152	S86580SL	164	S896
S85715XC	125	S8601XJSL	152	S8675SL	191	S896
S85715XE		S8601XKSL		S867SL	183	S896
S85715XJ		S8601XNSL		S8682		S897
S85715XK		S8601XRSL		S8682SL		S897
S85715XN		S8602		S8685L		S897
S85715XR		S86021		S8685LXC		S897
\$85720		\$86021XC		S8685LXE		S898
S85720SL		S86021XE		S8685LXJ		S898
\$85720XC		\$86021XJ		S8685LXK		S90
S85720XCSL S85720XE		S86021XK S86021XN		S8685LXN S8685LXR		S902 S902
S85720XESL		S86021XR		S8685R		S902
S85720XJ		S86022XC		S8685RXC		S903
S85720XJSL		S86022XE		S8685RXE		S90)
S85720XK		S86022XJ		S8685RXJ		S90X
S85720XKSL		S86022XK		S8685RXK		S90X
S85720XN		S86022XN		S8685RXN		S90)
S85720XNSL		S86022XR		S8685RXR		S90)
S85720XR		S86025		S8691		S91
S85720XRSL		S86026		S8691XC	125	S912
S85721	207	S86027	176	S8691XE	125	S916
S85725	129	S86029	179	S8691XJ	125	S916
S85725XC	125	S8602SL	142	S8691XK	125	S915
S85725XE		S86030		S8691XN		S92
S85725XJ		S86031		S8691XR		S920
S85725XK		S86032		S86975		S920
S85725XN		S86035		S8704		S920
S85725XR		S86036		S8707		S920
S8572SL		\$8604		S8708		S920
S8573SL		\$8605		S8721		S920
\$8574 \$8575		S8605SL S8605XC		S8735 S8736		S925 S925
						S923
S8579 S8581		\$8605XE \$8605XJ		\$8745 \$8752		S92)
S8583SL		\$8605XN		S880		S92)
S85892		S8605XR		S880SL		S92)
S85892SL		\$8606		S880XC		S92)
S85893		S8606SL		S880XCSL		S92)
S85893SL		S8606XC		S880XE		S93
S85895		S8606XE		S880XESL		S932
S85895SL		S8606XJ		S880XJ		S932
S85896		S8606XN		S880XJSL		S932
S85896SL		S8606XR		S880XK		S932
S85897		S8607		S880XKSL		S932
S85898		S86074		S880XN		S932
S85898SL	161	S8607SL	157	S880XNSL	167	S932

8880XR	167
8880XRSL	167
8881 8881SL	170 170
881XC	166
8881XCSL 8881XE	167 166
8881XESL	167
881XJ	166
881XJSL 8881XK	167 166
881XKSL	167
8881XN 8881XNSL	166 167
8881XR	166
8881XRSL	167
8882 8887	170 160
887SL	160
8888 8888SL	160 160
8891	161
8891SL 8892	161 162
889200	134
889200XC 889200XE	133
689200XE 689200XJ	133 133
89200XN	133
889200XR 8892SL	133 162
893	178
8894 8894SL	159 159
8895	161
8895SL	161
8896 8896XC	205 205
896XE	205
8896XJ 8896XK	205 205
8896XN	205
8896XR 8897	205 208
889701	183
88971 88972	188 198
8898	170
8898SL	170 171
900 902	164
902SL	164
90SL 90XC	132 167
90XE	167
90XJ 90XK	167 167
90XN	167
90XR	167 160
91 912	163
916 916SL	140
916SL	140 160
92	170
9200 9200XC	134 133
9200XE	133
9200XJ 9200XN	133 133
מאסממאים	133
	198
925	132
9925 992SL 992XC	132 166
925 92SL 92XC 92XE	166 166
925 92SL 92XC 92XE	166
925 928L 928C 92XE 992XJ 992XJ	166 166 166 166 166
9925 9928L 9928C 992XE 992XJ 992XJ 992XN	166 166 166 166
9925 99281 99282 99285 99285 99284 99288 99288 9938	166 166 166 166 166 166 207 198
1925 1925L 1928L 1928C 1928C 1928E 1928J 1928K 1928N 1928R 1933 19320	166 166 166 166 166 166 207 198 198
9925 992KC 992KC 992KE 992KJ 992KJ 992KN 992KN 992KN 9932N 99320 99320 99320 993203 993203KC	166 166 166 166 166 207 198 198 197
99200XR 9925L 992SL 992XC 992XE 992XK 992XN 992XN 992XN 992XR 993203 993203 993203 993203XC 993203XL	166 166 166 166 166 207 198 198 197 197
9925 992KC 992KC 992KE 992KJ 992KJ 992KN 992KN 992KN 9932N 99320 99320 99320 993203 993203KC	166 166 166 166 166 207 198 198 197

S93203XR 197
S9320XC 198
S9320XE198
S9320XJ198
S9320XK 198
S9320XN 198
S9320XR 198
S9342 197
S9343 195
S9347 196
S9349 196
S9352 195
S9353 195
S9354 196
S9355 196
S95 160
S960 208
S97 163
S971 188
S972 175
S973 178
S975 159
S975SL159
S977 160
S979 159
S981 160
S982 161
S983 162
S992 174
S997 172
S999 173
SART 209

Steel

100	233	104XE	228	19730T	239	371SLHD	226	6186SL	235	8321XJ	235
104	229	104XJ	228	19740T		374HD		6186XCSL	222	8321XK	
105		104XK		19750T		391HD		6186XCSL		8321XN	
108		104XN		198SL		391SLHD		6186XESL		8321XR	
118 128		104XR 1089SLHD		198SL 203HD		395HD 395SLHD		6186XESL 6186XJSL		835HD 86184SL	
130		108XC		205HD		396HD		6186XJSL		86185SL	
131		108XE		206HD		397HD		6186XNSL		86186SL	
137		108XJ		206HDXC		416SL		6186XNSL		896XC	
139		108XK		206HDXE		426HD		6186XRSL		896XE	
198		108XN		206HDXJ		430HD		6186XRSL	234	896XJ	
310		108XR		206HDXK		430SLHD		620SL		896XK	
369		1101HD		206HDXN		454HD		623HD		896XN	
571		1101XCHD		206HDXR		4572SLHD		625HD		896XR	
610 620		1101XEHD 1101XJHD		2109HD 210HD		469HD 469SLHD		625SLHD 626SL		916SL 956SLHD	
626		1101XKHD		210SLHD		508HD		627HD		959HD	
800		1101XNHD		210SLHDXC		5425SL		628HD		959HDXC	
808	234	1101XRHD		210SLHDXE		544HD	224	628SLHD	227	959HDXCSL	
810		1102HD		210SLHDXJ		546SLHD		630HD		959HDXE	
818		1111HD		210SLHDXK		576HD		631HD		959HDXESL	
828		1112HD		210SLHDXN		578HD		632SL		959HDXJ	
829 896		1113HD		210SLHDXR		582HD		632SL		959HDXJSL	
916		1114HD 1115HD		2110HD 2111HD		584SLHD 588HD		632XCSL 632XCSL		959HDXK 959HDXKSL	
1006		1116HD		211HD		601HD		632XESL		959HDXN	
1028		1117HD		236HD		601XCHD		632XESL		959HDXNSL	
1029			227	237HD		601XEHD		632XJSL		959HDXR	
1200	223	1120HD	227	2382HD	222	601XJHD		632XJSL	234	959HDXRSL	225
1201	223	1121HD		2382SL		601XNHD	232	632XKSL	222	959SLHD	
1202		1123HD		2385HD		601XRHD		632XKSL		961HD	
1203		1123HDXC		2385SL		602HD		632XNSL		961HDXC	
5425		1123HDXE		2389HD		604HD		632XNSL		961HDXE	
8132		1123HDXJ		2389SL		605HD		632XRSL		961HDXJ	
8145 8206		1123HDXK 1123HDXN		243HD 255HD		605HDXC 605HDXE		632XRSL 6500HD		961HDXK 961HDXN	
8317		1123HDXR		256HD		605HDXJ		6500SL		961HDXR	
8321		115HD		262HD		605HDXN		6520HD		965HD	
8322		118XC		262HDXC		605HDXR		6560HD		965SLHD	
8323			223	262HDXE		606HD		6565HD		966SLHD	
8324		118XJ		262HDXJ		606HDXC		6565SLHD		967HD	
8704	237	118XK		262HDXK		606HDXE		6568HD		967SLHD	
8708		118XN		262HDXN		606HDXJ		6570HD		968HD	
8752		118XR		262HDXR		606HDXN		6570SLHD		969HD	
03142HD		1200SL		263HD		606HDXR		6572HD		971SLHD	
1001HD		1200SL		263HDXC		607HD		6578HD		978HD	
1002HD 1004HD		1201SL 1201SL		263HDXE 263HDXJ		607HDXC 607HDXE		6580SLHD 6582HD		980HD 980HDXC	
1004HD		12013L		263HDXK		607HDXJ		6720HDXCSL		980HDXE	
1006SL		1202SL		263HDXN		607HDX3		6720HDXESL		980HDXJ	
1007HD		128XC	222	263HDXR		607HDXR		6720HDXJSL		980HDXK	
1007SLHD		128XE	222	263SLHD		608HD		6720HDXKSL		980HDXN	
1008HD		128XJ		263SLHDXC	228	608HDXC	231	6720HDXNSL	225	980HDXR	228
1009HD		128XK		263SLHDXE		608HDXE		6720HDXRSL		982HD	
1009SLHD		128XN	222	263SLHDXJ	228	608HDXJ	231	6720SLHD		982HDXC	228
100SL	223	128XR		263SLHDXK	228	608HDXN		6975HD		982HDXE	
100SL 100XCSL		130SL		263SLHDXN 263SLHDXR		608HDXR 609HD		704HD		982HDXJ	
100XCSL		130SL 132HD		289HD		610SL		707HD 708HD		982HDXK 982HDXN	
100XESL		132SLHD		289HDXC		613HD		721HD		982HDXR	
100XESL		139SL		289HDXE		615HD		735HD		984HD	
100XJSL		1400SLHD		289HDXJ		615SLHD		736HD		988HD	
100XJSL		1403HD	225	289HDXK		6184SL		745HD	232	989HD	227
100XKSL		1405HD		289HDXN		6184SL		752HD		996HD	
100XKSL		1405SLHD		289HDXR		6184XCSL		818SL		999HD	
100XNSL 100XNSL		1406HD 1408HD		294HD 294SLHD		6184XCSL 6184XESL		818XC 818XCSL		AXRT BSRT	
100XRSL		1411HD		296HD		6184XESL		818XE		CNRT	
100XRSL		1643HD		296HDXC		6184XJSL		818XESL		CX30T	
1011HD		1643SLHD		296HDXE		6184XJSL		818XJ		CXRT	
1020HD		1644HD		296HDXJ		6184XNSL		818XJSL		EC30T	
1022HD		1644SLHD	225	296HDXK		6184XNSL		818XK		ECRT	
1024HD		1650HD		296HDXN	233	6184XRSL	222	818XKSL		FWRT	239
1025HD		1651HD		296HDXR		6184XRSL		818XN		KNRT	
1029SL		1651SL		296SLHD		6185SL		818XNSL		LT30T	
1032HD		1657HD		296SLHDXC		6185SL		818XR		LTRT	
1035HD		1657SLHD		296SLHDXE		6185XCSL		818XRSL		PBRT	
1037HD 1037SLHD		1659HD 1660HD		296SLHDXJ 296SLHDXK		6185XCSL 6185XESL		8206XC 8206XE		RSRT SART	
10375LHD		1662HD		296SLHDXN		6185XESL		8206XJ		TS100	
1039SLHD		19020T		296SLHDXR		6185XJSL		8206XK		TS104	
1040HD		19055T		309HD		6185XJSL		8206XN		TS104XC	
1040SLHD		19200T		310SL		6185XNSL		8206XR		TS104XE	
1041HD	224	19210T	239	311HD	230	6185XNSL	234	828SL	235	TS104XJ	235
1041SLHD		19220T		311SLHD		6185XRSL		829SL		TS104XK	
1042HD		19520T		369SL		6185XRSL		8321XC		TS104XN	
104XC	228	19720T	239	371HD	230	6186SL	223	8321XE	235	TS104XR	235

Fire

Pulse_®

JUCCI	Continued
TS105	236
TS108	
TS108XC	234
TS108XE	
TS108XJ	234
TS108XK	234
TS108XN	234
TS108XR	234
TS115	236
TS118	
TS118XC	234
TS118XE	234
TS118XJ	
TS118XK	234
TS118XN	
TS118XR	234
TS1200	234
TS1201	234
TS1202	234
TS1203	234
TS128	234
TS128XC	234

TS128XE.

TS128XJ..

TS132..

TS137...

TS1411.

TS206XE.

TS206XK ..

TS210.....

TS210XJSL

TS210XKSL.

TS210XNSL

TS243..

TS256.

TS262...

TS262XE.

TS262XJ..

TS262XK ... TS262XN ...

TS263SL

TS263XESL

TS263XJSL

TS263XK

TS263XN

TS263XR ...

TS289XC.

TS289XE. TS289XJ.

TS206XN

TS128XK

TS128XN

TS128XR

TS130.....

TS131.....

TS132SL.....

TS1408.....

TS198.....

TS206.....

TS206XJ.....

TS206XR

TS210SL..... TS210XCSL.... TS210XESL....

TS210XRSL

TS236.....

TS262XC

TS262XR

TS263XC

TS263.....

TS263XCSL

TS263XE.....

TS263XJ.....

TS263XKSL.....

TS263XNSL

TS263XRSL TS289...

TS289XK

TS296..... TS296SL

TS296XC 237

TS289XN

TS289XR

TS237.....

TS255.....

TS206XC

TS1405SL.....

234

234

236

236

236

237

235

235

235

235

238

236

235

235

235

235

235

237

238

236

235

235

235

235

235

236

237

235

235

235

237

235

237

235

237 235

237

237

237

237

237

238

TS296XCSL	237
TS296XE	237
TS296XESL	237
TS296XJ	237
TS296XJSL	237
TS296XK	237
TS296XKSL	237
TS296XN	237
TS296XNSL	237
TS296XR	237
TS296XRSL	237
TS572SL	221
TS704	237
TS708	238
TS752	237

100	24	3
1005HD	24	3
203HD	24	3
205HD	24	3
210HD	24	3
969HD	24	3
978HD		
SSF100	24	3
SSF1100	24	2
SSF120	24	2
SSF160	24	3
SSF200	24	2
SSF205		
SSF220	24	2
SSF31	24	2
SSF45	24	2
SSF4800		
SSF600		
SSF755	24	2
SSF8100		
SSF81100		
SSF8120	24	2
SSF8160		
SSF8200		
SSF8205		
SSF8220		
SSF831		
SSF84800		
SSF8600		
SSF93		
SSF960		
ΓS100	24	3

TS210.....243

DRS2131SL 255	S4CLSL
DRS82131SL 255	S4LAX
S10AXSL 256	S4LCL
S10CLSL256	S4LPB
S10PBSL255	S4LXC
S10XCSL 256	S4LXE
S10XESL256	S4LXJ
S10XJSL256	S4LXK
S10XKSL 256	S4LXN
S10XNSL 256	S4LXR
S10XRSL 256	S4PB
S1651SL255	S4PBSL
S1AX 250	S4RAX
S1BL 248	S4RCL
S1BS 248	S4RPB
S1CL 250	S4RXC
S1CX250	S4RXE
S1EC 250	S4RXJ
S1LAX250	S4RXK
S1LBL248	S4RXN
S1LBS 248	S4RXR
S1LCL250	S4XC
S1LCX	S4XCSL
S1LEC250	S4XE
S1LLT 250	S4XESL
S1LPB249	S4XJ
S1LRS 249	S4XJSL
S1LSA 249	S4XK
S1LSG 249	S4XKSL
S1LSN 249	S4XN
S1LT250	S4XNSL
S1LXC250	S4XR
S1LXE250	S4XRSL
S1LXJ250	S572SL
S1LXK250	S5AX
S1LXN 250	S5AXSL
S1LXR 250	S5CL
S1PB249	S5CLSL
S1RAX 250	S5LAX
S1RBL 249	S5LCL
S1RBS248	S5LPB
S1RCL 250	S5LXC
S1RCX250	S5LXE
S1REC 250	S5LXJ
S1RLT250	S5LXK
S1RPB249	S5LXN
S1RRS249	S5LXR
S1RS 249	S5PB
S1RSA249	S5PBSL
S1RSG249	S5RAX
S1RSN249	S5RCL
S1RXC 250	S5RPB
S1RXE 250	S5RXC
S1RXJ250	S5RXE
S1RXK 250	S5RXJ
S1RXN250	S5RXK
S1RXR 250	S5RXN
S1SA 249	S5RXR
S1SG 249	S5XC
S1SN249	S5XCSL
S1XC 250	S5XE
S1XE250	S5XESL
S1XJ250	S5XJ
S1XK 250	S5XJSL
S1XN 250	S5XK
S1XR 250	S5XKSL
S2382SL255	S5XN
S2385SL255	S5XNSL
S2389SL255	S5XR
S2AX 248	S5XRSL
S2CL 248	S601SL
S2CX 248	S601XCSL
S2EC 248	S601XESL
S2PB 248	S601XJSL
S2RS 248	S601XKSL
S2SG 248	S601XNSL
S2SN248	S601XRSL
S2XC248	S602SL
S2XE248	S604SL
S2XJ248	S6130SL
S2XK 248	S6134SL
S2XN 248	S6500SL
S2XR 248 S4570SL255	S81086SL S81086XCSL

S4AX252

S4CL253

256


S4AXSL

S4CLSL	256	S81086XNSL	255
S4LAX		S81086XRSL	
S4LCL		S810AX	
S4LPB		S810AXSL	
S4LXC		S810CL	
S4LXE		S810CLSL	
S4LXJ		S810LAX	
S4LXK		S810LCL	
S4LXN		S810LPB	
S4LXR		S810LXC	
S4PB		S810LXE	
S4PBSL		S810LXJ	
S4RAX		S810LXK	
S4RCL	253	S810LXN	
S4RPB	251	S810LXR	254
S4RXC	253	S810PB	252
S4RXE	253	S810PBSL	255
S4RXJ		S810RAX	
S4RXK		S810RCL	
S4RXN		S810RPB	
S4RXR		S810RXC	
S4XC		S810RXE	
S4XCSL		S810RXJ	
S4XE		S810RXK	
S4XESL		\$810RXN	
S4XJ		S810RXR	
S4XJSL S4XK		S810XC S810XCSL	
S4XKSL		\$810XE	
S4XN		S810XESL	
S4XNSL		S810XJ	
S4XR		S810XJSL	
S4XRSL		S810XK	
S572SL	255	S810XKSL	256
S5AX	252	S810XN	254
S5AXSL	256	S810XNSL	
S5CL		S810XR	
S5CLSL		S810XRSL	
S5LAX		S811AX	
S5LCL		S811AXSL	
S5LPB S5LXC		S811CL S811CLSL	
S5LXE		S811LAX	
S5LXJ		S811LCL	
S5LXK		S811LPB	
S5LXN		S811LXC	
S5LXR	253	S811LXE	254
S5PB		S811LXJ	
S5PBSL		S811LXK	
S5RAX		S811LXN	
S5RCL		S811LXR	
S5RPB		S811PB	
S5RXC		S811PBSL S811RAX	
S5RXJ	254	S811RCL	253
S5RXK		S811RPB	-0.
S5RXN		S811RXC	
S5RXR		S811RXE	
S5XC		S811RXJ	
S5XCSL	256	S811RXK	
S5XE	254	S811RXN	254
S5XESL	256	S811RXR	
S5XJ		S811XC	
S5XJSL		S811XCSL	
S5XK		S811XE	
S5XKSL		S811XESL	
S5XNS5XNSL		S811XJ	
S5XR		S811XK	
S5XRSL		S811XKSL	
S601SL		S811XN	
S601XCSL		S811XNSL	
S601XESL		S811XR	
S601XJSL		S811XRSL	256
S601XKSL		S81651SL	
S601XNSL		S81AX	
S601XRSL		S81BL	
S602SL		S81BS	
S604SL		S81CL	
S6130SL S6134SL		S81CX S81EC	
S6500SL		\$81LAX	
S81086SL		S81LBL	
S81086XCSL		S81LBS	
S81086XESL		S81LCL	
S81086XJSL		S81LCX	
S81086XKSL	255	S81LEC	250

Index


TS296XCSL	. 237
TS296XE	. 237
TS296XESL	. 237
TS296XJ	. 237
TS296XJSL	. 237
TS296XK	. 237
TS296XKSL	. 237
TS296XN	. 237
TS296XNSL	. 237

S81LLT 250	S84XK 253
S81LPB 249	S84XKSL 256
S81LRS 249	S84XN 253
S81LSA249	S84XNSL 256
S81LSG249	S84XR 253
S81LT250	S84XRSL 256
S81LXC 250	S8572SL255
S81LXE250	S85927SL255
S81LXJ250	S85931SL255
S81LXK250	S85932SL255
S81LXN 250	S85AX252
S81LXR 250	S85AXSL 256
S81PB 249	S85CL 254
S81RAX 250	S85CLSL256
S81RBL249	S85LAX
S81RBS248	S85LCL
S81RCL 250	S85LPB251
S81RCX 250	S85LXC
S81REC 250	S85LXE253
S81RLT250	S85LXJ253
S81RPB 249 S81RRS 249	S85LXK
S81RS 249	S85LXN
S81RSA249	S85PB
S81RSG249	S85PBSL255
S81RXC250	S85RAX 252
S81RXE 250	S85RCL 254
S81RXJ250	S85RPB251
S81RXK250	S85RXC254
S81RXN250	S85RXE 254
S81RXR250	S85RXJ254
S81SA	S85RXK 254
S81SG249	S85RXN254
S81XC 250	S85RXR 254
S81XE250	S85XC 254
S81XJ250	S85XCSL 256
S81XK 250	\$85XE254
S81XN 250	S85XESL256
S81XR 250	S85XJ254
S82382SL255	S85XJSL256
S82385SL255	S85XK 254
S82389SL255	S85XKSL 256
\$83AX 248	S85XN 254
S83CL 248	S85XNSL 256
S83CX 248	S85XR
S83EC	S85XRSL 256
S83PB 248 S83RS 248	S86500SL
S83SG248	S86AXSL 256
S83SN248	S86CL
S83XC 248	S86CLSL256
S83XE248	S86LAX252
S83XJ248	S86LCL254
S83XK 248	S86LPB 251
\$83XN 248	S86LXC 254
S83XR 248	S86LXE254
S84586SL255	S86LXJ254
S84AX 252	S86LXK254
S84AXSL 256	S86LXN 254
S84CL 253	S86LXR 254
S84CLSL256	S86PB 251
S84LAX252	S86PBSL255
S84LCL253	\$86RAX 252
S84LPB251	S86RCL 254
S84LXC	S86RPB251
S84LXE253	S86RXC
S84LXJ253	S86RXE
\$84LXK	\$86RXJ254 \$86RXK254
S84LXR 253	S86RXN254
S84PB251	S86RXR 254
S84PBSL255	S86XC
S84RAX252	S86XCSL 256
S84RCL 253	S86XE254
S84RPB251	S86XESL256
S84RXC 253	S86XJ254
S84RXE 253	S86XJSL256
S84RXJ253	S86XK 254
S84RXK 253	S86XKSL256
S84RXN253	S86XN 254
S84RXR 253	S86XNSL 256
S84XC 253	S86XR 254
S84XCSL256	S86XRSL256
S84XE253	S8AX 253
S84XESL256	S8CL 254
\$84XJ	S8LAX253
S84XJSL256	S8LCL254



S9XRSL ..

256





Top: Fiber-Classic Mahogany Collection, Calix Glass, Door - FCM82223,

Bottom: Impressions Storm & Entry Door System - IM8100, Finish - White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed









Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at **brainshark.com/thermatru.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer.**



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.




Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals**.



Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit **thermatru.com/design-your-door**.





THERMA TRU®

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle Maumee, OH 43537











#thermatru

Cover: Classic Craft Fir Grain Door – CCA81166; Low-E Glass, Sidelites – CCA3500SL, Finish – Acorn Back Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM82806, Finish – Tumbleweed

©2024 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2024 HESB / JAN 2024